

TITLE OF THE INVENTION: Method for the screening of $\alpha_2\delta$ -1 subunit binding ligands



5 This application is a Continuation of USSN 09/397,549 filed September 16, 1999; the entire contents of which are herein incorporated by reference.

FIELD OF THE INVENTION

The invention relates to a method for the screening of ligands which bind a soluble secreted cerebral cortical voltage-dependent calcium channel $\alpha_2\delta$ -1 subunit polypeptide.

10 **BACKGROUND OF THE INVENTION**

Gabapentin (1-aminoethyl-cyclohexane acetic acid) is currently commercialized for the treatment of epilepsy. The compound has however been recognized as being also useful for the treatment of pain and anxiety.

15 Recent reports have suggested an interaction between gabapentin and the $\alpha_2\delta$ subunit of a voltage-dependent calcium channel (VDCC). But electro-physiological studies have yielded conflicting data on the action of gabapentin at VDCCs, even though the relevance of the interaction of gabapentin at the $\alpha_2\delta$ subunit to the clinical utility of the drug is becoming clearer. However, none of the prototype anticonvulsant drugs displace
20 [^3H]gabapentin binding from the $\alpha_2\delta$ -1 subunit.

The most frequently used assay currently available for the screening of ligands that bind the $\alpha_2\delta$ subunit involves the use of pig membrane extracts as a source of the $\alpha_2\delta$ subunit. Such an assay presents major inconvenience. Firstly, because the assay material is a
25 membrane extract, it is very difficult to accurately determine the protein composition from one assay preparation to another particularly with regard to the subtype. Also, the presence of various impurities in the assay preparation is a problem in small plate assays. Furthermore, as the protein preparation lacks homogeneity, the interaction between the targeted protein and the assay plate is often quite uneven. This renders the streamlining of
30 the assay in a high throughput format almost impossible to achieve.

Utility Application

SUMMARY OF THE INVENTION

The inventors have found that it was possible to use a soluble secreted form of a voltage-
5 dependant calcium channel $\alpha_2\delta$ -1 subunit polypeptide (hereinafter $\alpha_2\delta$ -1 subunit polypeptide) in an assay for the screening of ligands which bind the $\alpha_2\delta$ -1 subunit.

The exact position and configuration of the [^3H]gabapentin binding site on the $\alpha_2\delta$ subunit is not currently known. Furthermore, recent deletion experiments on the porcine $\alpha_2\delta$ -1
10 subunit coding sequence have shown that amino-acids close to the C-terminal region are needed in order for the protein to bind [^3H]gabapentin. For this very reason, the use of truncated forms of the porcine $\alpha_2\delta$ -1 subunit in screening assays has not been disclosed or suggested in the prior art because there was concern as to whether relevant levels of binding capacity would be achieved in an assay environment.

15 The assay of the invention is of considerable interest because it confirms that a recombinant soluble secreted $\alpha_2\delta$ -1 subunit polypeptide can be used in high throughput $\alpha_2\delta$ -1 ligand screening. It also provides a useful advantage over the pig membrane extract screening assay as it allows the study of $\alpha_2\delta$ -1 subtype-specific binding ligands. Proteins can be tagged which makes purifying convenient and possible to use a tagged antibody for
20 recognition.

It was not clear whether the addition of the 6His tag to the C-terminus of the protein would affect the [^3H]gabapentin binding properties of $\alpha_2\delta$

It was also unclear whether a C-terminally located 6His tag on $\alpha_2\delta$ would be accessible for
25 interaction with the Ni NTA chromatography matrix (for purification purposes) and SPA bead, or Ni flashplate well surface (for purposes of the assay).

The invention concerns a method for the screening of ligands which bind a calcium channel $\alpha_2\delta$ -1 subunit.

30 The method comprises the steps of:

- contacting a secreted soluble recombinant calcium channel $\alpha_2\delta$ -1 subunit polypeptide with:

- a ligand of interest; and
- a labelled compound which binds a $\alpha_2\delta$ -1 subunit; and
- measuring the level of binding of the labelled compound to the secreted soluble $\alpha_2\delta$ -1 subunit.

5

The invention also concerns a kit for the screening of ligands which bind a calcium channel $\alpha_2\delta$ -1 subunit.

The kit comprises:

- a secreted soluble recombinant calcium channel $\alpha_2\delta$ -1 subunit polypeptide; and
- a labelled compound which binds a calcium channel $\alpha_2\delta$ -1 subunit.

10

BRIEF DESCRIPTION OF THE FIGURES

- 15 Figure 1 represents the elution profile of the recombinant polypeptide with the amino acid sequence of SEQ ID No 9 purified by Superdex-200 chromatography, either before or after electron on NI-NTA.

- Figure 2 illustrates the optimization of imidazole concentrations in an embodiment of the
20 SPA assay of the invention.

Figure 3 illustrates the optimization of imidazole concentrations in an embodiment of the flashplate assay of the invention.

- 25 Figure 4 illustrates the flashplate time course of [^3H]gabapentin binding to various concentrations of the recombinant polypeptide with the amino acid sequence of SEQ ID No 9.

- Figure 5 illustrates the capacity of the recombinant polypeptide with the amino acid
30 sequence of SEQ ID No 9 in a flashplate assay after 3 hours of incubation.

Utility Application

Figure 6 illustrates the optimum imidazole concentration, assayed after 3 hours of incubation, required to maximize [^3H]gabapentin binding using a constant amount of the recombinant polypeptide with the amino acid sequence of SEQ ID No 9.

- 5 Figure 7 illustrates flashplate assay of [^3H]gabapentin saturation binding to the purified recombinant polypeptide with the amino acid sequence of SEQ ID No 9, assayed after 3 hours of incubation.

- Figure 8 illustrates the flashplate time course optimisation of imidazole concentration required to maximize the [^3H]Leucine binding window to the purified recombinant
10 polypeptide with the amino acid sequence of SEQ ID No 9, assayed after 3 hours of incubation.

Figure 9 illustrates competition curves of three compounds in the flashplate assay format, assayed after 3 hours of incubation.

15

DETAILED DESCRIPTION OF THE INVENTION

- The invention concerns a method for the screening of ligands which bind a soluble secreted $\alpha_2\delta$ -1 subunit polypeptide. The term $\alpha_2\delta$ -1 subunit polypeptide, when used herein, is
20 intended to designate a structure containing two polypeptides (α_2 and δ) attached to one another by covalent disulfide bridges. More particularly, the targeted $\alpha_2\delta$ -1 subunit binding site is preferably the [^3H]gabapentin binding site. The various parameters of the method of the invention are described in further detail below.

A – Secreted soluble recombinant $\alpha_2\delta$ -1 subunit polypeptide

- Several nucleotide sequences encoding a secreted soluble form of an $\alpha_2\delta$ -1 subunit can be used in the context of the present invention. Preferred soluble secreted $\alpha_2\delta$ -1 subunit polypeptides are derived from eukaryotic $\alpha_2\delta$ -1 subunits, more preferably from mammal, such as mouse, rat, rabbit, porcine, bovine or others and human $\alpha_2\delta$ -1 subunits. Most
30 preferred soluble secreted $\alpha_2\delta$ -1 subunit polypeptides are derived from the human or porcine $\alpha_2\delta$ -1 subunits.

More specifically, the selected nucleotide sequences encode a secreted soluble polypeptide having at least 80%, preferably 90%, more preferably 95%, and most preferably 98 or 99% amino-acid identity with the polypeptide comprising from amino acid 1 to between amino-acids 985 and 1054, preferably between amino-acids 985 and 1059, and most preferably between amino-acids 1019 and 1044 of SEQ ID NO:5 or SEQ ID NO:16.

In order to determine the optimal deletions on the $\alpha_2\delta$ -1 subunit cDNA that yield a soluble secreted polypeptide devoid of membrane anchorage structures and having a functional [^3H]gabapentin binding site, the inventors tested the expression of several human or porcine $\alpha_2\delta$ -1 subunit cDNA deletion mutants. The discussion provided below provides detailed comments on possible truncations, giving as an example the porcine $\alpha_2\delta$ -1 subunit. However, given the very substantial cross-species homology for $\alpha_2\delta$ -1 subunit sequences, the comments below can also be applied to other eukaryotic species, and more particularly other mammalian species such as the rat, the mouse or the rabbit. Their $\alpha_2\delta$ -1 subunit sequences, which are available in public databases, share a very substantial homology with the human and porcine $\alpha_2\delta$ -1 subunit sequences.

The inventors found that by deleting from the porcine $\alpha_2\delta$ -1 subunit cDNA a nucleotide sequence encoding as much as amino-acids 967 to 1091 of the native protein, soluble polypeptides could be obtained. On the other hand, the minimal deletion required to achieve solubility appears to be located around nucleotides encoding amino-acids 1064 to 1091 of the sequence of SEQ ID NO:5. In this regard, the mutant polypeptide expressed using a cDNA deletion mutant from which a sequence encoding amino-acids 1064 to 1091 is removed is found in both soluble and membrane-associated forms, with [^3H]gabapentin and/or other derivatives or compounds such as pregabalin and gabapentoids binding properties similar to that of the wild type protein. Furthermore, a mutant protein expressed using a cDNA deletion mutant from which a nucleotide sequence encoding amino-acids 1085 to 1091 is removed recovers its membrane anchorage properties. Also, mutant proteins expressed using cDNA deletion mutants from which nucleotide sequences encoding either amino-acids 1037 to 1091 or amino-acids 1019 to 1091 of SEQ ID NO:5 or 16 are removed are found in soluble form.

The inventors believe that the soluble secreted $\alpha_2\delta$ -1 subunit polypeptides which are as close as possible to the native sequence and which are therefore more likely to retain their native folding and hence their [^3H]gabapentin- binding properties are those corresponding to a protein in which amino-acid stretch 985-1091 to 1074-1091, the amino-acid sequence of SEQ ID NO:5 or 16 has been deleted. The skilled scientist can quite easily determine within this amino-acid stretch the optimal mutant protein.

The invention therefore particularly concerns a screening assay in which the secreted soluble $\alpha_2\delta$ -1 subunit polypeptide is preferably a polypeptide having at least 80% identity with the polypeptide comprising from amino-acid 1 to between amino-acid 985 and 1054, preferably between amino-acids 985 and 1059, and most preferably between amino-acids 1019 and 1064 of SEQ ID NO:5 or SEQ ID NO:16. Preferred $\alpha_2\delta$ -1 subunit polypeptides which can be used in the present invention are those of SEQ ID N°6, 7, 8, 9, 13, 14 and 15, with the polypeptides of SEQ ID NO:9 or SEQ ID NO:15 being most preferred.

In a first and preferred embodiment of the invention, the $\alpha_2\delta$ -1 subunit polypeptide is purified before it is used in the assay. The purification step, an example of which is provided further in this specification, can be carried out using several purification techniques well-known to the skilled person.

In some instances, it is required to tag the $\alpha_2\delta$ -1 subunit polypeptide prior to purification. The tag is then in most instances encoded into the nucleotide sequence that is needed to express the polypeptide. Examples of such tags include, but are not limited to sequences encoding C-myc, FLAG, a sequence of histidine residues, heamagglutinin A, V5, Xpress or GST. Most of these tags can be incorporated directly into the sequence, for instance through PCR amplification by incorporating the appropriate coding sequence in one of the PCR amplification primers. However, the tag can also be introduced by other means such as covalent binding of the appropriate nucleic acid sequence encoding the tag moiety with the 5' or 3' end of the nucleic acid sequence encoding the polypeptide sequence. This is the

case for GST. It should be noted that the tag can be located at either end of the polypeptide sequence. Furthermore, in some instances, it can be advantageous to insert a cleavage site between the tag and the polypeptide sequence in order to permit removal of the tag sequence if needed.

5

In other cases, providing a tag to the polypeptide is not needed. For instance, the protein can be purified using affinity columns loaded with specific monoclonal antibodies.

10 In a second embodiment of the invention, the $\alpha_2\delta$ -1 subunit polypeptide can be only partially purified. For instance, it can be purified along with other contaminating proteins using an appropriate chromatography matrix such as ion-exchange chromatography column. In such instances, it is not required to tag the desired polypeptide of interest.

15 The most preferred embodiment contemplated by the inventors concerns the use of a purified tagged $\alpha_2\delta$ -1 subunit polypeptide. A particularly preferred tag is a nucleotide sequence encoding from 2 to 10, and preferably 6 histidine residues as provided in the polypeptide of SEQ ID No 9.

20 With regard to the $\alpha_2\delta$ -1 subunit polypeptide used subsequently in the screening assay of the invention, several possibilities are also open to the skilled person.

In a first and preferred embodiment, the $\alpha_2\delta$ -1 subunit polypeptide comprises a tag moiety which can be selected among the tags referred to above. Such tagged polypeptides are particularly useful in SPA or flashplate assays. A preferred tag is the nucleotide sequence
25 encoding histidine residues referred to above.

In a second embodiment, the $\alpha_2\delta$ -1 subunit polypeptide can be used without a tag. This is the case for instance in SPA or flashplate assays comprising beads or plates coated with wheat germ lectin. In such an embodiment, the tag is not needed as the carbohydrate
30 moieties of the $\alpha_2\delta$ -1 subunit polypeptide bind directly to the wheat germ lectin-coated beads or plates.

B - Labelled compounds which bind the $\alpha_2\delta$ -1 subunit polypeptide

In cases where the $\alpha_2\delta$ -1 binding site is the [^3H]gabapentin binding site, the preferred labelled compound which can be used is of course gabapentin itself. However, gabapentin
 5 is not the only labelled compound which can be used in this context. Indeed, it has been previously demonstrated that saturation binding analyses on porcine synaptic plasma cerebral cortex membranes performed in the presence of L-leucine indicate a competitive interaction of the amino acid with the [^3H]gabapentin binding site, significantly reducing [^3H]gabapentin binding affinity for the site. The inventors believe that this competitive
 10 interaction is true across across all the amino-acids listed in table 1 below.

Table 1

**Binding affinities of selected amino acids ($\text{IC}_{50} < 500\text{nM}$) for the [^3H]gabapentin site in
 15 porcine cortical membranes**

	<u>COMPOUND</u>	<u>IC_{50} (NM) ARITHMETIC MEAN (N=3) \pm S.E.M.</u>
	Gabapentin	42.1 ± 5.5
	L-Norleucine	23.6 ± 6.7
20	L-Allo-Isoleucine	32.8 ± 6.0
	L-Methionine	49.6 ± 10.0
	L-Leucine	61.3 ± 20.9
	L-Isoleucine	68.8 ± 1.9
	L-Valine	330 ± 18
25	L-Phenylalanine	351 ± 89

It is therefore possible to use commercially available labelled forms of these high affinity ligands in replacement of gabapentin. The utility of [^3H]L-leucine has been demonstrated in a filter binding assay and in a flashplate assay format. The inventors believe that labelled
 30 amino acids but also other compounds, with affinities preferably below 500 nM in the binding assay can be used as replacements of gabapentin.

With regard to the label, several embodiments can be used in the context of the invention. Preferred labels are of course radioactive labels, a list of which is provided further in this specification.

5

C - Assay formats and conditions

Several assay formats can be used to carry out the method of the present invention. Preferred assay formats include scintillation assays such as the scintillation proximity assay (SPA) or the flashplate assay. Other assay formats well known to those skilled in the arts such as the filter binding assay and the centrifugation assay are also contemplated in the present invention.

10

SPA and flashplate assays are preferred assay formats for the present invention. Additional details on these assays are provided below.

15

Scintillation assay format

Scintillation assays technology either involves the use of scintillant beads (for the SPA assay) or plates (for the flashplate assay). SPA beads are usually made from either cerium-doped yttrium ion silicate ($\text{Y}_2\text{SiO}_5:\text{Ce}$) or polyvinyltoluene (PVT) containing an organic scintillant such as PPO. Flashplates commonly used are those such as Ni chelate flashplates although other flashplates can also be used.

20

Assays are usually carried out in aqueous buffers using radioisotopes such as ^3H , ^{125}I , ^{14}C , ^{35}S or ^{33}P that emit low-energy radiation, the energy of which is easily dissipated in an aqueous environment. For example, the electrons emitted by ^3H have an average energy of only 6 keV and have a very short path length ($\sim 1 \mu\text{m}$) in water. If a molecule labelled with one of these isotopes is bound to the bead or flashplate surface, either directly or via interaction with another molecule previously coupled to the bead or flashplate, the emitted radiation will activate the scintillant and produce light. The amount of light produced, which is proportional to the amount of labelled molecules bound to the beads, can be measured conveniently with a liquid scintillation (LS) counter. If the labelled molecule is

25

30

not attached to the bead or a flashplate surface, its radiation energy is absorbed by the surrounding aqueous solvent before it reaches the bead, and no light is produced. Thus, bound ligands give a scintillation signal, but free ligands do not, and the need for a time-consuming separation step, characteristic of conventional radioligand binding assays, is
5 eliminated. The manipulations required in the assays are reduced to a few simple pipetting steps leading to better precision and reproducibility.

The conditions under which SPA and flashplate assays are performed in the context of the present invention are provided below.

10 Scintillation assay conditions

1) SPA assay

The SPA assays is first developed to optimize the conditions under which the radioligand binds the $\alpha_2\delta$ -1 subunit polypeptide. The parameters which can be varied to optimize radioligand binding in a typical SPA assay using Amersham beads include assay
15 temperature, $\alpha_2\delta$ -1 subunit polypeptide interaction with the radioligand and the SPA beads, radioligand concentration as well as pH variations.

The temperature at which the assay can be carried out can vary from 1 to 30°C. Preferred temperatures range from 18 to 23°C, with 21°C being the most preferred temperature. The
20 interaction of the $\alpha_2\delta$ -1 subunit polypeptide with the SPA beads can be optimized by adjusting the concentration of the polypeptide and by introducing a reagent which will favor this interaction. When 50 mg of Amersham SPA beads are used, the $\alpha_2\delta$ -1 subunit polypeptide concentration may vary from 0.1 to 10 pmoles per well, with the optimal concentration being generally around 5 to 6 pmoles per well.

25

As for the reagent favoring the interaction between the $\alpha_2\delta$ -1 subunit polypeptide and the radioligand as well as the Amersham SPA beads, the inventors found that imidazole could be efficiently used for that purpose when the $\alpha_2\delta$ -1 subunit polypeptide is tagged with an amino acid sequence including 6 histidine residues. Furthermore, and more importantly, it
30 was found that imidazole also enhanced binding of the radioligand to the $\alpha_2\delta$ -1 polypeptide.

The optimal concentration of imidazole used to enhance radioligand binding varies depending on the concentration of $\alpha_2\delta$ -1 subunit polypeptide used in the assay. For instance, when the concentration of the $\alpha_2\delta$ -1 subunit polypeptide is about 20 μ l ($\alpha_2\delta$ -1 polypeptide concentration of 0.6 pmol/ μ l), imidazole concentrations ranging from 10 to 50 mM can be used, with concentrations ranging between 10 and 30 mM being preferred. A most preferred imidazole concentration is 20 mM. It is to be noted that other compounds such as histidine can be used to enhance radioligand binding. Furthermore, pH variations can also influence radioligand binding although pH variations should be closely monitored as they may have an effect on the structural configuration of the of $\alpha_2\delta$ -1 subunit polypeptide. Also the use of imidazole is preferred to enhance radioligand binding, the person skilled in the art know that the use of imidazole is preferred but is absolutely not essential.

The concentration of the radioligand is evaluated with respect to the concentration of $\alpha_2\delta$ -1 subunit polypeptide present in the assay medium. Generally, the concentration of radioligand varies from 1 nM to 100 nM. A preferred [3 H]gabapentin concentration is about 5 to 20 nM, with a most preferred concentration being about 10 nM. A preferred [3 H]leucine concentration is also about 5 to 20 nM, with a most preferred concentration being about 10 nM. It is to be noted that the concentration of other radioligands having affinities similar to those of [3 H]gabapentin and [3 H]leucine should also be in the range of about 5 to 20 nM.

Once the optimal radioligand binding conditions have been determined, a test ligand can be introduced in the assay medium to evaluate the level of displacement of the radioligand. The concentration of test ligand to be introduced in the assay medium usually varies from 0.1 nM to about 100 μ M. A preferred test ligand concentration of about 10 μ M is usually a starting point in a high throughput screening assay. Then, depending on the number of hits obtained, it may be lowered or increased.

30

It is to be noted that the parameters set forth above, which have been evaluated for a typical SPA assay using Amersham SPA beads can be adjusted by the skilled person, for example if SPA beads of a different type are used.

5 **2) Flashplate assay**

Similarly to the SPA assays, the flashplate can first be developed in order to optimize the conditions under which the radioligand binds the $\alpha_2\delta$ -1 subunit polypeptide. The parameters which can be varied to optimize radioligand binding in a typical flashplate assay using NEN Ni chelate flashplates also include assay temperature, $\alpha_2\delta$ -1 subunit
10 polypeptide interaction with both the radioligand and the flashplates, radioligand concentration as well as pH variations.

The temperature at which the assay can be carried out can vary from 1 to 30°C. Preferred temperatures range from 18 to 23°C, with 21°C being the most preferred temperature.

15

The interaction of the $\alpha_2\delta$ -1 subunit polypeptide with the flashplates can be optimized by adjusting the concentration of the polypeptide and by introducing a reagent which will favor this interaction. When a standard NEN Ni chelate flashplate is used, the $\alpha_2\delta$ -1 subunit polypeptide volume usually varies between 0.5 and 20 μ l for a concentration of
20 $\alpha_2\delta$ -1 subunit polypeptide of 0.6 pmol/ μ l. As the published maximum binding capacity of NEN plates is about 6 pmol per well, the inventors consider that an optimal concentration of $\alpha_2\delta$ -1 subunit polypeptide is probably around 5 pmol per well at 8 μ l.

Also the use of imidazole is preferred to enhance radioligand binding, the person skilled in
25 the art know that the use of imidazole is preferred but is absolutely not essential.

With regard to the reagent favoring the interaction between the $\alpha_2\delta$ -1 subunit polypeptide and the radioligand as well as the flashplates, the inventors found that imidazole could also be efficiently used for that purpose when the $\alpha_2\delta$ -1 subunit polypeptide is tagged with an amino acid sequence including 6 histidine residues. It was also found that imidazole
30 concentrations substantially enhanced binding of the radioligand to the $\alpha_2\delta$ -1 polypeptide. The optimal concentration of imidazole used to enhance radioligand binding varies

depending on the concentration of $\alpha_2\delta$ -1 subunit polypeptide used in the assay. For instance, when the volume of the $\alpha_2\delta$ -1 subunit polypeptide is about 10 μ l ($\alpha_2\delta$ -1 polypeptide concentration of 0.6 pmol/ μ l), the optimal imidazole concentration can vary between 1 and 20 mM, with a concentration of about 10 mM being preferred. As
5 mentioned previously, other compounds such as histidine as well as pH variations may be used to enhance radioligand binding.

The concentration of the radioligand is evaluated with respect to the concentration of $\alpha_2\delta$ -1 subunit polypeptide present in the assay medium. Generally, the concentration of
10 radioligand varies from 1 nM to 100 nM. A preferred [3 H]gabapentin concentration is about 5 to 20 nM, with a most preferred concentration being about 10 nM. A preferred [3 H]leucine concentration is also about 5 to 20 nM, with a most preferred concentration being about 10 nM. It is to be noted that the concentration of other radioligands having affinities similar to those of [3 H]gabapentin and [3 H]leucine should also be in the range of
15 about 5 to 20 nM.

Once the optimal radioligand binding conditions have been determined, a test ligand can be introduced in the assay medium to evaluate the level of displacement of the radioligand. The concentration of test ligand to be introduced in the assay medium usually varies from
20 0.1 nM to about 100 μ M. A preferred test ligand concentration of about 10 μ M is usually a starting point in a high throughput screening assay. Then, depending on the number of hits obtained, it may be lowered or increased.

The inventors have tested the displacement of a particular radioligand, [3 H]gabapentin, with (S+)-3-isobutyl gaba, (R-)-3-isobutyl gaba and gabapentin. The data provided in the
25 examples which follow clearly shows that the assay can be used in high throughput competition studies.

Example 1**Construction of a nucleotide sequence encoding the putative soluble porcine $\alpha_2\delta$ -1b deletion mutant of SEQ ID NO:9****a) Primer design**

- 5 PCR primers were designed to generate the soluble porcine $\alpha_2\delta$ -1b deletion mutant of SEQ ID NO:9 as follows:

5' PCR primer: This was designed to engineer in a KOZAK translation initiation consensus sequence prior to the coding sequence (Kozak *JBC* 266 19867-19870)

- 3' PCR primer: This was designed to engineer in six histidine residues followed by a stop-codon at the desired location in the coding sequence. In addition to the stop codon the $\alpha_2\delta$ -1 primers also included an *Eco* RI restriction site.

- The bold region in each primer sequence denotes the 'tagged' region; addition of sequences not present in the template. Primers were custom synthesized by Perkin Elmer Applied Biosystems UK to the ABI ready pure grade, supplied lyophilized then resuspended to 15 μ M in 10mM TE. JB189 and 195 were provided without 5' phosphate groups:

5' primer JB189 (5'-TCGCCACCATGGCTGCTGGCTGCCTGCTG-3', SEQ ID NO:20)

- 20 3' primer JB195 (5'-TCGGAATTCCTCAGTGATGGTGATGGTGATGAGAAACACCACCACAGTCGGT-3', SEQ ID NO:21)

b) PCR protocols for the generation of the $\alpha_2\delta$ -1 deletion mutant

- 25 **1) Generation of the pcDNA3-porcine- $\alpha_2\delta$ -(+) PCR template**

An oligo dT-primed λ gt10 porcine cerebral cortical cDNA library was screened by ECL (Amersham) using a 2,381-bp *HindIII* fragment (coding sequence 268-2649) of the rabbit skeletal muscle $\alpha_2\delta$ clone (pcDNA3-Rab- $\alpha_2\delta$ -(+)) (supplied by Neurex) as the probe.

- A positive insert was identified and subcloned into pBluescript-SK-(+) to generate pB-PC- $\alpha_2\delta$ -1.1. The clone was sequenced on both strands, except for a 711-bp stretch at one end of the clone, which had a high degree of homology to mitochondrial C oxidase.

The $\alpha_2\delta$ coding region was homologous to the 3' region of the human neuronal $\alpha_2\delta$ sequence but lacked 926 bp of 5' coding sequence. The missing sequence was obtained by 5'-RACE using total RNA prepared from porcine cerebral cortex. RACE was performed across a *Bgl* I site unique in known $\alpha_2\delta$ sequences (rabbit (accession no. M21948)), rat
 5 (accession number M86621), human (accession no. M76559)

The sequence derived from the 5' RACE product was used to design a primer (JB042, 5'-GGGGATTGATCTTCGATCGCG-3'; SEQ ID NO:18) specific for the 5'-untranslated end of the cDNA. PCR was then performed with *Pfu* DNA polymerase using JB042 and a primer downstream of the *Bgl* I site (JB040, CTGAGATTTGGGGTTCTTTGG, SEQ ID
 10 NO:19).

The PCR product was ligated to Eco RI linkers (5'-GGAATTCC-3') and then digested with Eco RI and *Bgl* I. The 1,564-bp fragment (5' portion of the $\alpha_2\delta$ cDNA) was gel-purified.

15 Similarly, a 2,303-bp fragment (3' portion of the $\alpha_2\delta$ cDNA) was isolated after digestion of pB-PC- $\alpha_2\delta$ -1.1 with *Bgl* I and Eco RI. The two fragments of $\alpha_2\delta$ cDNA were then ligated to EcoRI-digested pcDNA3 in a three-way ligation. A clone was picked with the full-length $\alpha_2\delta$ sequence in the positive orientation with respect to the cytomegalovirus promoter (pcDNA3-PC- $\alpha_2\delta$ -(+)).

20

2) PCR protocol

The following reagents were added to obtain two cocktails labelled 'lower' and 'upper' buffers.

	<i>Lower</i>	μ l
25	10x <i>Pfu</i> DNA polymerase buffer	25
	10mM dNTP's	5
	100ng/ μ l pcDNA3-porcine- $\alpha_2\delta$ -(+)	10
	15 μ M JB189	8.5
	15 μ M JB195	8.5
30	H ₂ O	193

<i>Upper</i>	μ l
10x <i>Pfu</i> DNA polymerase buffer	25
H ₂ O	220
2.5units/ μ l <i>Pfu</i> DNA polymerase	5

5

50 μ l aliquots of lower buffer were added to each of four 0.5ml eppendorf tubes. To each was added one PCRgem 100 ampliwx bead (PE biosystems). Tubes were heated to 80°C for 2 minutes then cooled to 4°C. 50 μ l of upper buffer was then added to each tube. Tubes were then cycled on a Stratagene Robo-Cycler according to the following conditions: 98°C / 1min 30sec, followed by: for 20 cycles 98°C / 45sec, 54°C / 2min, 72°C / 6min, followed by: 72°C / 20min, followed by: hold at 4°C.

The 3228bp PCR product was then purified on a QIAquick PCR purification column (Qiagen) and eluted with 61 μ l of H₂O. The following reagents were added to the eluted

15 DNA: 0.7 μ l 10mM ATP, 7 μ l 10x Polynucleotide Kinase buffer, 1 μ l 1unit/ μ l Polynucleotide Kinase.

The above 5' phosphorylation reaction was incubated at 37°C for 1 hour. The reaction was stopped by incubation at 65°C for 10min. The 3228bp 5' phosphorylated PCR product was

20 then gel purified from a 1% agarose gel using QIAEX (Qiagen) beads and eluted in ~50 μ l.

Example 2

Cloning of the PCR fragments of Example 1 into the Baculovirus transfer vector pFastBac1

25 The PCR products of Example 1 (3228bp JB189/JB195 derived PCR product coding for 6His tagged porcine $\alpha_2\delta$ -1b: SEQ ID No 9) were cloned into *Stu* I digested, calf intestinal phosphatase dephosphorylated, phenol chloroform extracted and QIAEX gel purified pFastBac1 (Life Technologies) using the Rapid DNA ligation kit (Roche Diagnostics) transforming XL1-blue ($\alpha_2\delta$ -1b) *E. Coli* cells:

30

a) Screening for positive recombinants

- Given that the PCR product was cloned by blunt-end ligation a screen was required to select a recombinant with the gene ligated in the positive orientation with respect to the polyhedrin promoter in pFastBac1. This was achieved by restriction digest of miniprep DNA (Qiagen miniprep kit) prepared from colony minicultures and analysis on a 1% TAE agarose gel. A positive clone was identified according to the following digest patterns:

SEQ ID No 9 in pFastBac1

Eco RI digest performed on miniprep DNA

10		Predicted fragments (bp)
	PCR product cloned in a positive orientation	4773 and 3230
	PCR product cloned in a negative orientation	7989 and 14

b) Sequencing analysis of selected clones

- 15 One positive was selected for this clone and used to prepare a plasmid DNA stock of the desired construct (QIAGEN maxi kit). Confirmatory sequence reactions were performed using the Big Dye terminator sequencing kit and run on an ABI 310 Prism Genetic Analyzer. Sequence analysis of both coding strands was performed using a selection of sequencing oligonucleotide primers and has yielded the following results:
- 20 Sequencing of pFBac-Porcine-s- $\alpha_2\delta$ -1- Δ 1040-1067-6His confirmed that the insert sequence corresponded to the nucleic acid encoding the polypeptide of SEQ ID No 9, except for the deletion of two bases from the 5' end of the 5' PCR primer (JB189). The loss of these two bases did not have any impact on the 5' end of the gene as the KOZAK translation start-site consensus sequence (GCCACC) starts immediately after this deletion.
- 25

Example 3**Protocol for establishing baculovirus banks for the expression of the $\alpha_2\delta$ -1 deletion mutant of SEQ ID NO:9**

- 30 Essentially, the protocol used to generate the baculovirus banks is that outlined in the Life Technologies Bac-to BacTM baculovirus expression systems manual.

a) Transposition of DH10Bac *E. coli* cells

- One ng (5µl) of the recombinant pFastBac-1 construct containing the nucleotide sequence encoding the porcine $\alpha_2\delta$ -1 deletion mutant of SEQ ID No 9 was added to 100µl of
- 5 DH10Bac cells thawed on ice. The cells were then mixed gently by tapping the tube then incubated on ice for 30 minutes before heat shock treatment by incubation in a 42°C water bath for 45 seconds. The mixture was then chilled on ice for 2 minutes before the addition of 900µl of S.O.C. medium. The mixture was then placed in a shaking incubator (200rpm) at 37°C for 4 hours. The cells were then serially diluted (10 fold dilutions from 10^{-1} to 10^{-3})
- 10 and 10µl of each dilution plated on LB agar plates containing 50µg/ml kanamycin, 7µg/ml gentamicin, 10µg/ml tetracycline, 100µg/ml Blue-gal and 40µg/ml IPTG. The plates were incubated at 37°C for between 1 and 3 days until discrete colonies of blue and white colour were discernible.

b) Isolation of recombinant DNA

- White colonies (containing the recombinant bacmid) were picked and grown for 24 hours (to stationary phase) at 37°C with shaking (200rpm) in 2ml of LB containing 50µg/ml kanamycin, 7µg/ml gentamicin and 10µg/ml tetracycline. 1.5ml of culture was then transferred to a microfuge tube and centrifuged at 14,000xg for 1 minute. The supernatant
- 20 was removed and the cells resuspended gently in 0.3ml of 15mM Tris-HCl (pH8.0), 10mM EDTA, 100µg/ml RNase A. 0.3ml of 0.2N NaOH, 1% SDS was then added and the mixture mixed gently before incubation at 22°C for 5 minutes. Then 0.3ml of 3M potassium acetate (pH5.5) was added and the sample placed on ice for 10 minutes. After centrifugation at 14,000xg for 10 minutes the supernatant was transferred to a tube
- 25 containing 0.8ml of isopropanol, mixed then placed on ice for 10 minutes before centrifugation at 14,000xg for 10 minutes. The supernatant was then discarded and the pellet rinsed with 0.5ml of 70% ethanol before centrifugation at 14,000xg for 5 minutes. This 70% ethanol rinse was then repeated before removing all of the supernatant and air drying the pellet for 10 minutes at room temperature. The pellet was finally resuspended in
- 30 40µl of TE.

c) Transfection of sf9 cells with the recombinant bacmid DNA

- A 6-well tissue culture plate was seeded with 0.9×10^6 sf9 cells (cells at log phase having grown from a culture passaged at 0.3×10^6 cells/ml) per 35mm well in 2ml of Sf-900 II SFM media containing 50units/ml penicillin and 50 μ g/ml streptomycin. Cells were left to
- 5 attach at 27°C for 1 hour. Bacmid DNA prepared as described above (5 μ l) was added to 200 μ l of Sf-900 II SFM media containing 6 μ l of CELLFECTIN and mixed before incubation at room temperature for 45 minutes. The cells were washed once with 2ml of Sf-900 II SFM media without antibiotics then 0.8ml of Sf-900 II SFM media was added to each tube containing the lipid-DNA complex. The wash buffer was removed from the cells
- 10 and the 1ml of diluted lipid-DNA complex overlaid on the cells. The cells were incubated for 5hours at 27°C after which time the transfection mixture was removed and 2ml of Sf-900 II SFM media containing 50units/ml penicillin and 50 μ g/ml streptomycin was added. The cells were then incubated for 72 hours.
- 15 After incubation for 72 hours the media was removed from the cells and centrifuged at 500xg for 5 minutes. The supernatant was then transferred to a fresh tube, this was labelled as the P0 bank and stored at 4°C in the dark. The P1 bank was prepared by passaging sf9 cells at approx 5×10^6 cells/ml to 2×10^6 cells/ml (100ml in a 250ml Erlenmeyer flask) and adding 0.5ml of the P0 bank harvested above. The cells were then incubated shaking
- 20 (200rpm) at 27°C for 4 days. Under sterile conditions the culture was centrifuged at 500xg for 10 minutes and the supernatant 0.2 μ M filtered (P1 bank). The P2 bank was prepared by adding 2ml of P1 bank per 400ml culture (in 1L Erlenmeyer flasks) passaged as above to 2×10^6 cells/ml. The culture was incubated as before for 4 days and the supernatant harvested and filtered as described for the P1 bank. The supernatant was first pooled then
- 25 aliquoted (10ml) and stored at 4°C.

Example 4**Protein expression**

- To sf9 cells passaged from $\sim 5 \times 10^6$ cells/ml to 2×10^6 cells/ml in Sf-900 II SFM media was
- 30 added 0.1ml virus per 100 ml of cells of the appropriate viral bank (400ml volumes in 1L Erlenmeyer flasks). The cells were then cultured for 4-5 days at 27°C with 110 rpm

shaking. Expression of the protein was confirmed by SDS-PAGE and Western blotting using an anti penta-His monoclonal antibody (Qiagen) and was detected in the culture supernatant and cell lysate.

5 **Example 5**

Purification of $\alpha_2\delta$ -1 deletion mutant of SEQ ID NO:9

The $\alpha_2\delta$ -1 deletion mutant of SEQ ID NO:9 was purified from the cell lysate following the purification strategy outlined below:

10 The culture was centrifuged at 6,000xg for 10 minutes and the supernatant removed. The weight of the cell pellet was determined before re-suspension in 20mM Tris pH8.0, 100mM KCl, 1% P40-Nonidet (100ml per 20g of wet cells). A protease inhibitor cocktail (Sigma Cat# P8849), 1ml/L, was added to the mixture. The solution was then stirred for 10 minutes before centrifugation for 1 hour at 30,000xg and 4°C. The supernatant was concentrated (30kDa cut off) to approx. ~300ml then centrifuged for 1 hour at 100,000xg.

15

Supernatant containing the soluble proteins was diluted 1:3 in 10mM Tris-HCl pH8.0 (equilibration buffer) and loaded onto a pre-equilibrated Q-Sepharose column (2.5cm i.d. x 30cm h.) at a flow rate of 900ml/h. After washing with equilibration buffer until a stable A_{280nm} baseline had been achieved, protein was eluted with 20mM Tris-HCl pH8.0, 0.5M KCl, 10mM Imidazole.

20

The eluate was then loaded onto a Ni-NTA (Qiagen) column (2.5cm i.d. x 6cm h.) pre-equilibrated in 20mM Tris pH8.0, 0.5M KCl, 10mM Imidazole at a flow rate of 2 ml/min. The column was washed successively with buffer A (20mM Tris pH8.0, 0.5M KCl, 20mM Imidazole), buffer B (100mM Tris-HCl pH8.0, 1M KCl), and buffer A again. Elution was performed with buffer C (20mM Tris-HCl pH8.0, 100mM KCl, 0.5M Imidazole). The Ni-NTA eluate (~50ml) was concentrated (30kDa cut-off) to ~2ml and applied at 1ml/min and in 0.2ml aliquots, to an FPLC Superdex-200 column equilibrated in 10mM HEPES, pH7.4, 150mM NaCl. Fractions containing the polypeptide of SEQ ID No 9 were pooled. As shown in Figure 1, the protein elution profile and associated [3 H]gabapentin binding activity is presented together with a silver-stained SDS-PAGE gel (post Ni NTA load of

25

30

Superdex-200) demonstrating the co-elution of the ~130kDa band ($\alpha_2\delta$) with the [^3H]gabapentin binding activity and $A_{280\text{nm}}$ profile.

Example 6

5 SPA assay of [^3H]gabapentin binding to soluble porcine $\alpha_2\delta$ -1b-6His

The assay was carried out at 21°C. Assay components were added in the following order (all reagents were diluted in 10mM HEPES (pH 7.4 at 21°C) to 96-well Optiplates:

- 25 μl imidazole at various concentrations (diluted from a 1M stock pH8.0, see assay details)
 - 10 50 μl 10mM HEPES pH 7.4
 - 25 μl (50mg) SPA beads (Amersham)
 - 100 μl s- $\alpha_2\delta$ -1b-6His of SEQ ID No 9 (2 μl protein diluted to 100 μl)
- obtained from example 5
- 25 μl radioligand ([^3H]gabapentin)

- 15 Immediately after adding radioligand, the optiplates were loaded in the Packard Top Count scintillation counter to follow the binding time course. Imidazole was first used in the assay to optimize the specific interaction of the protein's 6His tag with the SPA bead. Imidazole itself (up to 100mM) in the filtration assay has no effect on [^3H]gabapentin binding (n=1).

20

As shown in figure 2, specific binding of [^3H]gabapentin to the s- $\alpha_2\delta$ -1b-6His was enhanced by imidazole. Of the concentrations, tested the optimal was 50mM. Equilibration was reached after ~2hours.

25 Example 7

Ni Flashplate assay of [^3H]gabapentin binding to soluble porcine $\alpha_2\delta$ -1b-6His (SEQ ID No 9)

Assays were carried out at 21°C in a final volume of 250 μl in 96-well NEN Ni chelate flash plates. Assay components were added in the following order (all reagents were

- 30 diluted in 10mM HEPES (pH 7.4 at 21°C)):

25 μl 10mM HEPES pH7.4

- 25µl imidazole at various concentrations (diluted from a 1M stock
pH8.0, see assay details)
75µl 10mM HEPES pH 7.4
100µl s-α₂δ-1b-6His (2µl protein diluted to 100µl) obtained from
example 5
25µl radioligand ([³H]gabapentin)

Immediately after adding the radioligand, flash plates were loaded in the Packard Top
Count scintillation counter to follow the binding time course. The '[³H] flash plate'
programme (cpm) was used to monitor activity. Imidazole was first used in the assay to
optimize the specific interaction of the protein's 6His tag with the Ni flashplate. Imidazole
itself (up to 100mM) in the filtration assay has no effect on [³H]gabapentin binding (n=1).

As shown in figure 3, the specific binding of [³H]gabapentin to the s-α₂δ-1b-6His was
enhanced by imidazole. Initially, from the concentrations tested, the best concentration was
found to be 10mM.

Specific binding was determined at different volumes of s-α₂δ-1b-6His, in the presence of
10mM imidazole, over a time period of 10h. Results are shown in figure 4 and equilibrium
was reached at ~3h. Specific binding increased linearly with increasing amounts of protein,
up to 8µl, after which the binding capacity of the Ni chelate in the assay well was probably
exceeded (see figure 5). The published maximum binding capacity of NEN plates is
6pmol/well. The concentration of purified s-α₂δ-1b-6His is estimated at ~0.6pmol/µl,
which yields 5pmol/well at 8µl.

25

Table 2

Saturation studies

Saturation experiments were performed with 12 duplicate data points, [³H]gabapentin
concentration ranged from ~1 to 350nM. Data was analyzed using KEL-RADLIG for
Windows.

<u>Flash plate</u> (2µl protein used, n=2)	<u>Filter binding</u> K _D (nm) (4µl protein used, n=3)
K _D , 9.32nM K _D , 10.5nM Mean = 9.91nM	K _D , 12.3nM K _D , 8.91nM K _D , 10.6nM Mean = 10.60 ± 0.98nM

Example 8**Ni Flashplate assay of [³H]Leucine binding to soluble porcine $\alpha_2\delta$ -1b-6His**

The procedure described in example 2 was repeated, except that [³H]gabapentin was replaced by 25 μ l (10.1 nM) of [³H]Leucine, as shown in figure 8, [³H]Leucine binds with

5 high affinity to soluble $\alpha_2\delta$ -1b-6His. This demonstrates that it is possible to use commercially available forms of [³H]Leucine in replacement of [³H]gabapentin in the assay.

Example 9

10 **Ni Flashplate assay studying competitive binding of [³H]gabapentin, (S+)-3-isobutyl GABA and (R-)-3-isobutyl GABA to porcine $\alpha_2\delta$ -1b-6His (SEQ ID No 9)**

Assays were carried out at 21°C in a final volume of 250 μ l in 96-well NEN Ni chelate flash plates. Wells were set up for both 'total' and 'non-specific' binding. Specific binding

15 was defined as that remaining after subtraction of the average of the 'non-specific binding' values from the average of the 'total' binding values. Assay components were added in the following order (all reagents were diluted in 10mM HEPES (pH 7.4 at 21°C)):

	25 μ l	10mM HEPES pH7.4 or 25 μ l of the test compound at the appropriate concentration in HEPES
20	25 μ l	200 mM imidazole (diluted from a 1M stock pH8.0, see assay details)
Total binding	75 μ l	10mM HEPES pH 7.4
Non-specific binding	50 μ l	10mM HEPES pH 7.4 and 25 μ l 100 μ M (S+)-3-isobutyl GABA
25	100 μ l	s- $\alpha_2\delta$ -1b-6His (2 μ l protein* diluted to 100 μ l)
	25 μ l	radioligand ([³ H]gabapentin or [³ H]Leucine)

* The source of s- $\alpha_2\delta$ -1b-6His was that purified by FPLC Superdex-200 gel filtration (see example 5)

30 Immediately after adding radioligand, flash plates were loaded in the Packard Top Count scintillation counter to follow the binding time course. Incubation time before the assay

was 3 hours. The '[³H] flash plate' programme (cpm) was used to monitor activity. Specific binding was ~98% of the 'total' value. Imidazole was used in the assay to optimize the specific interaction of the protein's 6His tag with the Ni flashplate. Imidazole itself (up to 100mM) in the filtration assay has no effect on [³H]gabapentin binding (n=1).

5

Competition studies were compared across the flash-plate and filter binding methodologies in order to validate the new assay technology with the established filter binding methodology.

- 10 GraphPad Prism software was used to process competition curve data and determine IC₅₀ and hill slope values. Twelve point competition curves with half log dilution steps of test compounds were used in the experiments. Results are shown in Table 3 below where IC₅₀ values are presented, and in figure 9 where hill slopes range from -0.9 to 1.3. The [³H]Gabapentin concentration used in assay is in the range of 10-13nM

15

Table 3

Competition studies:

GraphPad Prism software was used to process competition curve data and determine IC₅₀ and hill slope values. Ten point competition curves with half log dilution steps of test

- 20 compounds were used in the experiments.

IC₅₀ values were converted to Ki values (presented in table) according to the following equation:

$$K_i = IC_{50} / (1 + [L]/K_D)$$

The K_D values used were those mean values presented in table 1.

- 25 The [³H]Gabapentin concentration in the assay ranged from 10-13nM and was determined for each experiment for the purpose of calculating the Ki value as described above.

Hill slopes were all in the range of -0.9 to 1.3

<u>Test compound</u>	<u>Flash plate</u> (3µl protein used, n=2)	<u>Filter binding</u> K_D (nm) (4µl protein used, n=3)
Gabapentin	10.4 7.97	7.13 7.70 10.2
Mean (geometric)	<i>9.10nM</i>	<i>7.84nM</i>
(S+)-3-isobutyl GABA	10.9 7.58	6.52 6.21 8.29
Mean (geometric)	<i>9.09nM</i>	<i>6.95nM</i>
(R-)-3-isobutyl GABA	157 207	78.4 64.2 107
Mean (geometric)	<i>180nM</i>	<i>81.5nM</i>

5 Example 10

Filter binding assay of [³H]gabapentin binding to the recombinant polypeptide of SEQ ID No 9

- Assays were carried out at 21°C in a final volume of 250µl in 96-deep well plates. Assay components were (all reagents were diluted in 10mM HEPES (pH 7.4 at 21°C)):
- 25µl compound to test
 - 200µl Polypeptide of SEQ ID No 9 (3µl protein diluted to 200µl)
 - 25µl radioligand ([³H]gabapentin (65Ci/mmol))
- Plates were incubated at room temperature for 1h prior to filtering on to 96-well GF/B Unifilter plates pre-soaked in 0.3% polyethylenimine. Filters were washed with 3x1ml 50mM Tris-HCl (pH 7.4 at 4°C), and dried over-night. Scintillant (Microscint O, 50µl) was added and the plates counted using a Packard Top Count scintillation counter. Specific binding was ~98% of the 'total' value. In [³H]gabapentin saturation studies, the K_D (nM) obtained was about 10.62.

REFERENCES

- 5 - Perez-Reyes, E., and Schneider, T. (1994) *Drug Dev. Res.* **33**, 295-318
- Catterall, W. A. (1995) *Annu. Rev. Biochem.* **64**, 493-531
- Birnbaumer, L., Campbell, K. P., Catterall, W. A., Harpold, M. M., Hofmann, F., Horne, W. A., Mori, Y., Schwartz, A., Snutch, T. P., Tanabe, T., and Tsien, R. W. (1994) *Neuron* **13**, 505-506
- 10 - Brust, P. F., Simerson, S., McCue, A. F., Deal, C. R., Schoonmaker, S., Williams, M. E., Velicelebi, G., Johnson, E. C., Harpold, M. M., and Ellis, S. B. (1993) *Neuropharmacology* **32**, 1089-1102
- Itagaki, K., Koch, W. J., Bodi, L., Klockner, U., Sligh, D. F., and Schwartz, A. (1992) *FEBS Lett.* **297**, 221-225
- 15 - Mikami, A., Imoto, F., Tanabe, T., Niidome, T., Mori, Y., Takeshima, H., Narumiya, S., and Numa, S. (1989) *Nature* **340**, 230-233
- Mori, Y., Friedrich, T., Kim, M. S., Mikami, A., Nakai, J., Ruth, P., Bosse, E., Hofmann, F., Flockerzi, V., Furuichi, T., Mikoshiba, K., Imoto, K., Tanabe, T., and Numa, S. (1991) *Nature* **350**, 398-402
- 20 - Singer, D., Biel, M., Lotan, I., Flockerzi, V., Hofmann, F., and Dascal, N. (1991) *Science* **253**, 1553-1657
- Ramsay, R. E. (1994) *Neurology* **44**, Suppl. 5, 23-30
- Watson, W. P., and Little, H. J. (1995) *Br. J. Pharmacol.* **116**, 33P (abstr.)
- Singh, L., Field, M. J., Ferris, P., Hunter, J. C., Oles, R. J., Williams, R. G., and
- 25 Woodruff, G. N. (1996) *Psychopharmacology* **127**, 1-9
- Xiao, W. H., and Bennet, G. L. (1995) *Soc. Neurosci.* **21**, 897 (abstr.)
- Mellick, G. A., Mellicy, L. B., and Mellick, L. B. (1995) *J. Pain Symptom Manage.* **10**, 265-266
- Shimoyama, N., Shimoyama, M., Davis, A. M., Inturrisi, C. E., and Elliott, K. J. (1997)
- 30 *Neurosci. Lett.* **222**, 65-67
- Segal, A. Z., and Rordorf, G. (1996) *Neurology* **46**, 1175-1176

- Mellick, G. A., and Mellick, L. B. (1996) *Sleep* **19**, 224 -226
- Patel, J., and Naritoku, D. K (1996) *Clin. Neuropharmacol.* **19**,185-188
- Suman Chauhan, N., Webdale, L., Hill, D. R., and Woodruff, G. N. (1993) *Eur. J. Pharmacol.* **244**, 293-301
- 5 - Macdonald, R. L., and Kelly, F. M. (1993) *Epilepsia* **34**, Suppl. 5, S1-S8
- Taylor, C. P. (1994) *Neurology* **44**, Suppl. 5, 10 -16
- Gotz, E., Feuerstein, T. J., Lais, A., and Meyer, D. K (1993) *Arzneimittelforschung* **43**, 636-638
- Loscher, W., Honack, D., and Taylor, C. P. (1991) *Neurosci. Lett.* **128**,150-154
- 10 - Honmou, O., Knesis, J. D., and Richerson, G. B. (1995) *Epilepsy Res.* **20**, 193-202
- Honmou, O., Oyelese, A. A., and Kocsis, J. D. (1995) *Brain Res.* **692**,273-277
- Petroff, O. A. C., Rothman, D. L., Behar, K. L., Lamoureux, D., and Mattson, R. H. (1996) *Ann. Neurol.* **39**, 95-99
- Reimann, W. (1983) *Eur. J. Pharmacol.* **94**, 341-344
- 15 - Dooley, D. J., Bartoszyk, G. D., Hartenstein, J., Reimann, W., Rock, D. M., and Satzinger, G. (1986) *Golden Jubilee Conference and Northern European Epilepsy Meeting*. Abstracts, University of York, UK, September 1986 (Abstract 8).
- Thurlow, R. J., Brown, J. P., Gee, N. S., Hill, D. R., and Woodruff, G. N. (1993) *Eur. J. Pharmacol.* **247**,341-345
- 20 - Gee, N. S., Brown, J. P., Dissanayake, V. U. I., Offord, J., Thurlow, R., and Woodruff, G. N. (1996) *J. Biol. Chem.* **271**, 5768-5776
- Dissanayake, V. U. I., Gee, N. S., Brown, J. P., and Woodruff, G. N. (1997) *Br. J. Pharmacol.* **120**, 833-840
- Taylor, C. P., Vartanian, M. G., Yuen, P. W., Bigge, C., Suman Chauhan, N., and Hill, D. R. (1993) *Epilepsy Res.* **14**,11-15
- 25 - Rock, D. M., Kelly, K. M., and Macdonald, R. L. (1993) *Epilepsy Res.* **16**, 89 -98
- Wamil, A. W., Mclean, M. J., Nashville, T. N., and Taylor, C. P. (1991) *Neurology* **41**, Suppl. 1, 140 (abstr.)
- De Jongh, K S., Warner, C., and Catterall, W. A. (1990) *J. Biol. Chem.* **265**, 14738-14741
- 30 - Jay, S. D., Sharp, A. H., Kahl, S. D., Vedvick, T. S., Harpold, M. M., and Campbell, K. P. (1991) *J. Biol. Chem.* **266**, 3287-3293

- Burgess, A. J., and Norman, R. I. (1988) *Eur. J. Biochem.* **178**, 527-533
- Ellis, S. B., Williams, M. E., Ways, N. R., Brenner, R., Sharp, A. H., Leung, A. T., Campbell, K. P., McKenna, E., Koch, W. J., Hai, A., Schwartz, A., and Harpold, M. M. (1988) *Science* **241**, 1661-1664
- 5 - Brickley, K., Campbell, V., Berrow, N., Leach, R., Norman, R. I., Wray, D., Dolphin, A. C., and Baldwin, S. A. (1995) *FEBS Lett.* **364**, 129-133
- Brice, N. L., Berrow, N. S., Campbell, V., Page, K. M., Brickley, K., Tedder, I., Dolphin, A. C. (1997) *Eur. J. Neurosci.* **9**, 749-759
- Wiser, O., Trus, M., Tobi, D., Halevi, S., Giladi, E., and Atlas, D. (1996) *FEBS Lett.*
10 **379**, 15-20
- Xu, X., and Arnason, U. (1994) *Gene (Amst.)* **148**, 357-362
- Williams, M. E., Feldman, D. H., McCue, A. F., Brenner, R., Velicelebi, G., Ellis, S. B., and Harpold, M. M. (1992) *Neuron* **8**, 71-84
- Kim, H. L., Kim, H., Lee, P., King, R. G., and Chin, H. (1992) *Proc. Natl. Acad. Sci. U.*
15 *S.A.* **89**, 3251-3255
- Brown, J. P., Dissanayake, V. U. K., Briggs, A. R., Milic, M. R., and Gee, N. S. (1998) *Anal. Biochem.* **255**, 236-243
- Higuchi, R. (1990) in *PCR Protocols: A Guide to Methods and Applications* (Innis, M. A., Gelfand, D. H., Sninsky, J. J., and White, T. J. eds) pp. 177-183, Academic Press, Ltd.,
20 London
- Bradford, M. M. (1976) *Anal. Biochem.* **72**, 248-252
- Kyte, J., and Doolittle, F. (1982) *J. Mol. Biol.* **157**, 105-132
- Summers, M. F., Henderson, L. E., Chance, M. R., Bess, J. W., Jr., South, T. L., Blake, P. R., Sagi, I., Perez-Alvarado, G., Sowder, R. C., Hare, D. R., and Arthur, L. O. (1992)
25 *Protein Sci.* **1**, 563-574
- Klug, A. and Rhodes, D. (1987) *Trends. Biochem. Sci.* **12**, 464-469
- Pieler, T., and Bellefroid, E. (1994) *Mol. Biol. Rep.* **20**, 1-8
- Preston, R. A., Manolson, M. F., Becherer, M., Weidenhammer, E., Kirkpatrick, D., Wright, R., and Jones, E. W. (1991) *Mol. Cell, Biol.* **11**, 5801-5812
- 30 - Tan, X., Waterham, H. R., Veenhuis, M., and Cregg, J. M. (1995) *J. Cell Biol.* **128**, 307-319

- Scotland, P. B., Colledge, M., Melnikova, I., Dai, Z., and Froehner, S. C. (1993) *J. Cell Biol.* **123**, 719-728
- Henderson, L. E., Copeland, T. D., Sowder, R. C., Smythers, G. W., and Oroszlan, S. (1981) *J. Biol. Chem.* **256**, 8400- 8406
- 5 - Beaucage et al., *Tetrahedron Lett* (1981) **22**: 1859-1862.
- Brown El., Belagaje R, Ryan MJ, Khorana HG, *Methods Enzymol* (1979); **68**, 109-151.
- Feldman and Steg, (1996) *Medecine/Sciences, synthese*, **12**, 47-55.
- Houbenweyl, (1974), in *Meuthode der Organischen Chemie*, E. Wunsch Ed., Volume 15-I et 15-II, Thieme, Stuttgart.
- 10 - Koch Y. (1977), *Biochem. Biophys. Res. Commun.*, **74**, 488-491.
- Kohler G. and Milstein C., (1975) *Nature*, **256**, 495.
- Kozbor et al., (1983) *Hybridoma*, **2**(1), 7-16.
- Leger OJ, et al. (1997) *Hum Antibodies* , **8**(1), 3-16.
- Martineau P, Jones P, Winter G. (1998), *J. Mol Biol*, **280**(1), 117-127.
- 15 - Merrifield RB, 1965a, *Nature*, **207**(996), 522-523.
- Merrifield RB, 1965b, *Nature*, **207** (996), 22-523.
- Narang SA, Hsiung HM, Brousseau R, *Methods Enzymol* 1979, **68**, 90-98.
- Ohno et al., (1994), *Science*, **265**, 781-784.
- O'Reilly et al., (1992) *Baculovirus expression vectors: a Laboratory Manual*. W.H.
- 20 Freeman and Co., New York.
- Ridder R. Schmitz R, Legay F, Gram H, (1995) *Biotechnology* (NY), **13**(3), 255-260.
- Smith et al., (1983), *Mol. Cell. Biol.*, **3**, 2156-2165.
- Sternberg N.L. (1992), *Trends Genet*, **8**, 1-16.
- Sternberg N.L. (1994) *Mamm. Genome*, **5**, 397-404.
- 25 - Sambrook, J. Fritsch, E.F. and T. Maniatis (1989). *Molecular cloning: a laboratory manual*, 2ed. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.
- Sanchez-Pescador R., (1988), *J. Clin. Microbiol.*, **26**(10), 1934-1938.
- Urdea et al., MS (1988) *Nucleic Acids Research*, **11**, 4937-4957.
- Urdea et al., MS (1991) *Nucleic Acids Symp Ser.*, **24**, 197-200.

SEQUENCE LISTING**1- porcine nucleotide sequenc alpha2 delta-1**

GGGGATTGATCTTCGATCGCGAAGATGGCTGCTGGCTGCCTGCTGGCCTTGACTCTGACAC
TTTTCCAATCTTTGCTGATCGGTCCCTCATCGCAGGAGCCGTTCCCGTCGGCCGTCACTAT
5 CAAGTCATGGGTGGATAAAATGCAAGAAGACCTTGTCAACCCTGGCAAAAACAGCAAGTGGA
GTCAATCAGCTTGTTCGATATTTATGAAAAATACCAAGATTGTATACTGTGGAACCAAATA
ATGCACGCCAGCTGGTGGAAATTGCAGCCAGGGATATTGAGAACTTCTGAGCAACAGATC
TAAAGCCCTGGTGCGCCTAGCTTTGGAAGCAGAGAAGGTTCAAGCAGCCCACCACTGGAGA
GAGGATTTTGCAAGCAATGAAGTTGTCTACTACAATGCAAAGGATGATCTCGATCCTGAAA
10 AAAATGACAGTGAGCCAGGCAGCCAGAGGATAAAACCTGTTTTTATTGATGATGCTAATTT
TGGGCGACAGATATCTTATCAGCATGCAGCAGTCCATATTCCCACCGACATCTATGAGGGC
TCAACAATTGTGTTAAATGAACTGAACTGGACAAGTGCCTTAGATGAAGTTTTCAAGAAAA
ATCGAGAGGAAGATCCCTCATTATTGTGGCAGGTGTTTGGCAGTGCCACAGGCCTGGCCCG
GTATTATCCAGCTTCTCCATGGGTGATAACAGTAGAACTCCAAACAAGATTGACCTTTAT
15 GATGTACGAAGGAGACCATGGTACATCCAAGGAGCTGCATCTCCTAAAGATATGCTTATTC
TGGTCGACGTGAGTGGAAAGTGTTAGTGGTTTGACGCTTAACTGATCCGAACATCTGTCTC
TGAAATGTTGAAACCCCTCTCAGATGACGATTTTGTGAATGTAGCTTCATTTAACAGCAAT
GCCCAGGATGTAAGCTGTTTTCAACACCTTGTCCAAGCAAATGTAAGAAATAAGAAAGTGC
TGAAAGATGCAGTTAATAATATCACAGCAAAAGGAATCACAGATTACAAGAAGGGCTTTAG
20 TTTTGCTTTTGAACAACTGCTTAATTATAACGTTTCTAGAGCCAACTGCAATAAGATTATC
ATGTTGTTTACCGATGGAGGAGAAGAGAGAGCTCAGGAGATATTTGCCAAATACAACAAAG
ACAAAAAAGTACGTGTATTACATTTTCAGTTGGTCAACATAATTATGACAGAGGACCTAT
TCAGTGGATGGCCTGTGAAAATAAAGGTTATTATTATGAAATTCCTTCCATTGGAGCAATC
AGAATCAATACTCAGGAATATTTGGATGTTCTGGGAAGACCAATGGTTTTAGCAGGAGACA
25 AAGCTAAGCAAGTCCAGTGGACAAACGTGTACCTGGATGCACTGGAACCTGGGACTTGTCAT
TACTGGAACCTCTTCCGGTCTTCAACATAACCGGCCAAAATGAAAATAAGACGAACTTAAAG
AACCAGCTGATTCTTGGTGTGATGGGAGTTGATGTATCTTTGGAAGATATTAAAAGACTGA
CACCACGTTTTACACTGTGCCCCAATGGCTATTACTTTGCAATTGATCCTAATGGCTATGT
TTTATTACATCCAAATCTTCAGCCAAAGAACCCCAAATCTCAGGAGCCAGTAACCTTGGAT
30 TTCCTTGATGCAGAATTAGAGAATGATATTAAAGTGGAGATCCGAAATAAAATGATAGATG
GAGAAAGTGGAGAAAAAACATTGAGAACTCTGGTTAAATCTCAAGATGAGAGATATATTGA
CAAAGGAAACAGGACATATACATGGACTCCTGTCAATGGCACAGATTACAGTTTGGCCTTG

GTATTACCAACCTACAGTTTTTACTATATAAAAGCCAAAATAGAAGAGACAATAACTCAGG
CCAGATCAAAAAAGGGCAAAATGAAGGATTGAGAAACACTGAAGCCTGATAATTTTGAAGA
ATCTGGCTATACATTCATAGCACCAAGAGACTACTGCAATGACCTTAAAATATCAGATAAT
AATACCGAATTTCTTTTAACTTTAATGAGTTTATTGATAGAAAACTCCAAACAACCCGT
5 CATGCAACACAGATTTGATTAATAGAGTCTTGCTGGATGCGGGCTTTACAAATGAAGTTGT
CCAAAATTACTGGAGTAAGCAGAAAAACATCAAGGGAGTGAAAGCACGGTTTGTTGTAAGT
GATGGAGGGATTACCAGAGTTTATCCCAAAGAGGCTGGAGAAAAATTGGCAAGAAAACCCAG
AAACATATGAGGACAGCTTCTATAAAAGAAGTCTAGATAACGATAACTATGTTTTCACTGC
TCCCTACTTTTAACAAAAGTGGACCTGGTGCTTATGAATCAGGCATCATGGTAAGCAAAGCT
10 GTAGAAATATACATCCAAGGAAAACCTTCTTAAACCTGCAGTTGTTGGAATTAAAATTGATG
TAAATTCCTGGATAGAGAATTTACCAAACATCAATCAGGGATCCGTGTGCTGGTCCAGT
TTGTGATTGTAAAAGAAACAGTGATGTAATGGATTGTGTGATTCTAGATGATGGTGGGTTT
CTTTTGATGGCAAATCATGATGATTATACTAACCAGATTGGAAGGTTTTTTTGGAGAGATTG
ACCCAAGTTTGATGAGACACCTGGTTAATATATCAGTTTATGCTTTTAACAAATCTTACGA
15 TTATCAGTCAGTGTGTGAGCCTGGTGCTGCACCAAAACAAGGAGCAGGACATCGCTCAGCA
TATGTGCCATCAATAGCAGACATCTTACACATTGGCTGGTGGGCCACTGCAGCTGCATGGT
CTATTCTACAGCAGTTTCTCTTGAGTTTGACCTTTCCACGACTTCTTGAAGCAGTTGAGAT
GGAAGATGATGACTTTACCGCCTCTCTGTCAAAGCAGAGTTGCATTACTGAACAAACCCAG
TATTTCTTTGATAATGATAGCAAATCCTTCAGTGGGGTCTTGGACTGTGGTAAGTGTTCCTCA
20 GAATCTTTCACGTTGAAAACTTATGAACACCAACTTAATATTCATAATGGTTGAGAGCAA
AGGGACTTGTCTTGTGACACACGATTGCTCATAAAGCTGAGCAGACTTCTGACGGTCCA
GATCCTTGTGATATGGTTAAGCAACCCAGATACCGAAAAGGGCCTGATGTCTGTTTTGATA
ACAATGCCTTGGAGGATTATACCGACTGTGGTGGTGTCTTCTGGATTAAATCCCTCCCTGTG
GTCCATCTTCGGAATCCAGTGTGTTTTACTTTGGCTTTTATCTGGCAGCAGACACTACCAG
25 TTATGACCCCTTCTAAAACCAAATCTGCATATTAACTTCAGACCCCTGCCAGAATAGGAGCC
CTCAATTGCATTAAAAATAGGGTAACTGCAGAATCAGCAGAACTCTAGCTGGGCCCATCCC
ATGGCATCAATCTCAGACTCATAAGGCACCCACTGGCTGCATGTCAGGGTGTGAGATCCTG
AACTTGTGTGAATGCTGCATCATCTATGTATAACATCAGAGCAAAATTCTATACCTATTC
TATTGGAAAATTTGAGAATTTGTTGTTGCATTGTTGGTGATTACATGTAAAAGGGCTCCCC
30 ACACAGTTGTGTATGAATCACGCAAATTGTCTTGATTTTGACTTGCTGCAATCCTTGTCTCT
TTTACCAAGAAAATCTCTAGAGGGAAAAAAAAGTCTTTTTTTTCTTCACTAATTCTGCT

ACAAATTATTTCTGCTTGGAGTAGTTATTATTAAAAATATATATATAGAGAGAGAGAGA
GAGAATTAACATTGGTGTAACTCTGTCAAAATAGAAATAATGGCTTATTTTCTACAAAAA

2 - porcine nucleotide sequence

5 ATGGCTGCTGGCTGCCTGCTGGCCTTGACTCTGACACTTTTCCAATCTTTGCTGATCGGTC
CCTCATCGCAGGAGCCGTTCCCGTCGGCCGTCACTATCAAGTCATGGGTGGATAAAATGCA
AGAAGACCTTGTCAACCCTGGCAAAAACAGCAAGTGGAGTCAATCAGCTTGTGATATTTAT
GAAAAATACCAAGATTTGTATACTGTGGAACCAAATAATGCACGCCAGCTGGTGGAAATTG
CAGCCAGGGATATTGAGAACTTCTGAGCAACAGATCTAAAGCCCTGGTGCGCCTAGCTTT
10 GGAAGCAGAGAAGGTTCAAGCAGCCCACCAGTGGAGAGAGGATTTTGCAAGCAATGAAGTT
GTCTACTACAATGCAAAGGATGATCTCGATCCTGAAAAAATGACAGTGAGCCAGGCAGCC
AGAGGATAAAACCTGTTTTTATTGATGATGCTAATTTTGGGCGACAGATATCTTATCAGCA
TGCAGCAGTCCATATTCCCACCGACATCTATGAGGGCTCAACAATTGTGTTAAATGAACTG
AACTGGACAAGTGCCTTAGATGAAGTTTTCAAGAAAAATCGAGAGGAAGATCCCTCATTAT
15 TGTGGCAGGTGTTTGGCAGTGCCACAGGCCTGGCCCGGTATTATCCAGCTTCTCCATGGGT
TGATAACAGTAGAACTCCAACAAGATTGACCTTTATGATGTACGAAGGAGACCATGGTAC
ATCCAAGGAGCTGCATCTCCTAAAGATATGCTTATTCTGGTTCGACGTGAGTGGAAAGTGTA
GTGGTTTGACGCTTAACTGATCCGAACATCTGTCTCTGAAATGTTGGAAACCTCTCAGA
TGACGATTTTGTGAATGTAGCTTCATTTAACAGCAATGCCCAGGATGTAAGCTGTTTTCAA
20 CACCTTGTCCAAGCAAATGTAAGAAATAAGAAAGTGCTGAAAGATGCAGTTAATAATATCA
CAGCAAAAGGAATCACAGATTACAAGAAGGGCTTTAGTTTTGCTTTTGAACAACTGCTTAA
TTATAACGTTTCTAGAGCCAACTGCAATAAGATTATCATGTTGTTCCCGATGGAGGAGAA
GAGAGAGCTCAGGAGATATTTGCCAAATACAACAAAGACAAAAAAGTACGTGTATTCACAT
TTTCAGTTGGTCAACATAATTATGACAGAGGACCTATTCAGTGGATGGCCTGTGAAAATAA
25 AGGTTATTATTATGAAATTCCTTCCATTGGAGCAATCAGAATCAATACTCAGGAATATTTG
GATGTTCTGGGAAGACCAATGGTTTTAGCAGGAGACAAAGCTAAGCAAGTCCAGTGGACAA
ACGTGTACCTGGATGCACTGGAACCTGGGACTTGTCACTTACTGGAACCTTCCGGTCTTCAA
CATAACCGGCCAAAATGAAATAAGACGAACTTAAAGAACCAGCTGATTCTTGGTGTGATG
GGAGTTGATGTATCTTTGGAAGATATTAAAAGACTGACACCACGTTTTTACACTGTGCCCCA
30 ATGGCTATTACTTTGCAATTGATCCTAATGGCTATGTTTTATTACATCCAAATCTTCAGCC
AAAGAACCCCAAATCTCAGGAGCCAGTAACCTTGGATTTCTTGATGCAGAATTAGAGAAT
GATATTAAAGTGGAGATCCGAAATAAAATGATAGATGGAGAAAGTGGAGAAAAAACATTCA

GAAGCTCTGGTTAAATCTCAAGATGAGAGATATATTGACAAAGGAAACAGGACATATACATG
GACTCCTGTCAATGGCACAGATTACAGTTTGGCCTTGGTATTACCAACCTACAGTTTTTAC
TATATAAAAGCCAAAATAGAAGAGACAATAACTCAGGCCAGATCAAAAAGGGCAAAATGA
AGGATTTCAGAAACACTGAAGCCTGATAATTTTGAAGAATCTGGCTATACATTCATAGCACC
5 AAGAGACTACTGCAATGACCTTAAATATCAGATAATAATACCGAATTTCTTTTAACTTT
AATGAGTTTATTGATAGAAAACTCCAAACAACCCGTCATGCAACACAGATTTGATTAATA
GAGTCTTGCTGGATGCGGGCTTTACAAATGAACTTGTCCAAAATTACTGGAGTAAGCAGAA
AAACATCAAGGGAGTGAAAGCACGGTTTGTGTAACTGATGGAGGGATTACCAGAGTTTAT
CCCAAAGAGGCTGGAGAAAATTGGCAAGAAAACCCAGAAACATATGAGGACAGCTTCTATA
10 AAAGAAGTCTAGATAACGATAACTATGTTTTCACTGCTCCCTACTTTAACAAAAGTGGACC
TGGTGCTTATGAATCAGGCATCATGGTAAGCAAAGCTGTAGAAATATACATCCAAGGAAAA
CTTCTTAAACCTGCAGTTGTTGGAATTTAAATTGATGTAAATTCCTGGATAGAGAATTTCA
CCAAAACATCAATCAGGGATCCGTGTGCTGGTCCAGTTTGTGATTGTAAAAGAAACAGTGA
TGTAATGGATTGTGTGATTCTAGATGATGGTGGGTTTCTTTTGATGGCAAATCATGATGAT
15 TATACTAACCAGATTGGAAGGTTTTTTGGAGAGATTGACCCAAGTTTGATGAGACACCTGG
TTAATATATCAGTTTATGCTTTTAAACAAATCTTACGATTATCAGTCAGTGTGTGAGCCTGG
TGCTGCACCAAAACAAGGAGCAGGACATCGCTCAGCATATGTGCCATCAATAGCAGACATC
TTACACATTGGCTGGTGGGCCACTGCAGCTGCATGGTCTATTCTACAGCAGTTTCTCTTGA
GTTTGACCTTTCCACGACTTCTTGAAGCAGTTGAGATGGAAGATGATGACTTTACCGCCTC
20 TCTGTCAAAGCAGAGTTGCATTACTGAACAAACCCAGTATTTCTTTGATAATGATAGCAA
TCCTTCAGTGGGGTCTTGGACTGTGGTAACTGTTCCAGAATCTTTCACGTTGAAAACTTA
TGAACACCAACTTAATATTCATAATGGTTGAGAGCAAAGGGACTTGTCTTGTGACACACG
ATTGTGA

25 **3 - porcine nucleotide sequence**

ATGGCTGCTGGCTGCCTGCTGGCCTTGACTCTGACACTTTTCCAATCTTTGCTGATCGGTC
CCTCATCGCAGGAGCCGTTCCCGTCGGCCGTCACTATCAAGTCATGGGTGGATAAAATGCA
AGAAGACCTTGTCAACCTGGCAAAAACAGCAAGTGGAGTCAATCAGCTTGTGATATTTAT
GAAAAATACCAAGATTTGTATACTGTGGAACCAAATAATGCACGCCAGCTGGTGGAAATTG
30 CAGCCAGGGATATTGAGAACTTCTGAGCAACAGATCTAAAGCCCTGGTGCGCCTAGCTTT
GGAAGCAGAGAAGGTTCAAGCAGCCCACCACTGGAGAGAGGATTTTGCAAGCAATGAAGTT
GTCTACTACAATGCAAAGGATGATCTCGATCCTGAAAAAATGACAGTGAGCCAGGCAGCC

AGAGGATAAAACCTGTTTTTATTGATGATGCTAATTTTGGGCGACAGATATCTTATCAGCA
TGCAGCAGTCCATATTTCCACCGACATCTATGAGGGCTCAACAATTGTGTTAAATGAAGT
AACTGGACAAGTGCCTTAGATGAAGTTTTCAAGAAAAATCGAGAGGAAGATCCCTCATTAT
TGTGGCAGGTGTTTGGCAGTGCCACAGGCCTGGCCCGGTATTATCCAGCTTCTCCATGGGT
5 TGATAACAGTAGAACTCCAAACAAGATTGACCTTTATGATGTACGAAGGAGACCATGGTAC
ATCCAAGGAGCTGCATCTCCTAAAGATATGCTTATTCTGGTCGACGTGAGTGGAAGTGTTA
GTGGTTTGACGCTTAACTGATCCGAACATCTGTCTCTGAAATGTTGGAAACCTCTCAGA
TGACGATTTTGTGAATGTAGCTTCATTTAACAGCAATGCCAGGATGTAAGCTGTTTTCAA
CACCTTGTCCAAGCAAATGTAAGAAATAAGAAAGTGCTGAAAGATGCAGTTAATAATATCA
10 CAGCAAAAGGAATCACAGATTACAAGAAGGGCTTTAGTTTTGCTTTTGAACAACTGCTTAA
TTATAACGTTTCTAGAGCCAACTGCAATAAGATTATCATGTTGTTACCGATGGAGGAGAA
GAGAGAGCTCAGGAGATATTTGCCAAATACAACAAAGACAAAAAAGTACGTGTATTCACAT
TTTCAGTTGGTCAACATAATTATGACAGAGGACCTATTCAGTGGATGGCCTGTGAAAATAA
AGGTTATTATTATGAAATTCCTTCCATTGGAGCAATCAGAATCAATACTCAGGAATATTTG
15 GATGTTCTGGGAAGACCAATGGTTTTAGCAGGAGACAAAGCTAAGCAAGTCCAGTGGACAA
ACGTGTACCTGGATGCACTGGAAGTGGGACTTGTCATTACTGGAAGTCTTCCGGTCTTCAA
CATAACCGGCCAAAATGAAAATAAGACGAACTTAAAGAACCAGCTGATTCTTGGTGTGATG
GGAGTTGATGTATCTTTGGAAGATATTAAGAACTGACACCACGTTTTTAACTGTGCCCCA
ATGGCTATTACTTTGCAATTGATCCTAATGGCTATGTTTTATTACATCCAAATCTTCAGCC
20 AAAGAACCCCAAATCTCAGGAGCCAGTAACCTTGGATTTCTTGTATGCAGAATTAGAGAAT
GATATTAAAGTGGAGATCCGAAATAAAATGATAGATGGAGAAAGTGGAGAAAAACATTCA
GAACTCTGGTTAAATCTCAAGATGAGAGATATATTGACAAAGGAAACAGGACATATACATG
GACTCCTGTCAATGGCACAGATTACAGTTTGGCCTTGGTATTACCAACCTACAGTTTTTAC
TATATAAAAGCCAAAATAGAAGAGACAATAACTCAGGCCAGATCAAAAAGGGCAAAATGA
25 AGGATTCAGAAACACTGAAGCCTGATAATTTTGAAGAATCTGGCTATACATTCATAGCACC
AAGAGACTACTGCAATGACCTTAAATATCAGATAATAATACCGAATTTCTTTTAACTTT
AATGAGTTTATTGATAGAAAACTCCAAACAACCCGTCATGCAACACAGATTTGATTAATA
GAGTCTTGCTGGATGCGGGCTTTACAAATGAACTTGTCAAAATTACTGGAGTAAGCAGAA
AAACATCAAGGGAGTGAAAGCACGGTTTGTGTAACTGATGGAGGGATTACCAGAGTTTAT
30 CCCAAAGAGGCTGGAGAAAATTGGCAAGAAAACCCAGAAACATATGAGGACAGCTTCTATA
AAAGAAGTCTAGATAACGATAACTATGTTTTCACTGCTCCCTACTTTAACAAAAGTGGACC
TGGTGCTTATGAATCAGGCATCATGGTAAGCAAAGCTGTAGAAATATACATCCAAGGAAAA

CTTCTTAAACCTGCAGTTGTTGGAATTAAAATTGATGTAAATTCCTGGATAGAGAATTTCA
CCAAAACATCAATCAGGGATCCGTGTGCTGGTCCAGTTTGTGATTGTAAAAGAAACAGTGA
TGTAATGGATTGTGTGATTCTAGATGATGGTGGGTTTCTTTTGATGGCAAATCATGATGAT
TATACTAACCAGATTGGAAGGTTTTTTGGAGAGATTGACCCAAGTTTGATGAGACACCTGG
5 TTAATATATCAGTTTATGCTTTTAAACAAATCTTACGATTATCAGTCAGTGTGTGAGCCTGG
TGCTGCACCAAAACAAGGAGCAGGACATCGCTCAGCATATGTGCCATCAATAGCAGACATC
TTACACATTGGCTGGTGGGCCACTGCAGCTGCATGGTCTATTCTACAGCAGTTTCTCTTGA
GTTTGACCTTTCCACGACTTCTTGAAGCAGTTGAGATGGAAGATGATGACTTTACCGCCTC
TCTGTCAAAGCAGAGTTGCATTACTGAACAAACCCAGTATTTCTTTGATAATGATAGCAAA
10 TCCTTCAGTGGGGTCTTGGACTGTGGTAAGTGTTCAGAATCTTTCACGTTGAAAACTTA
TGAACACCAACTTAATATTCATAATGGTTGAGAGCAAAGGGACTTGTCTTGTGACACACG
ATTGCTCATACAAGCTGAGCAGACTTCTGACGGTCCAGATCCTTGTGATATGGTTAAGTGA

4 - porcine nucleotide sequence

15 ATGGCTGCTGGCTGCCTGCTGGCCTTGACTCTGACACTTTTCCAATCTTTGCTGATCGGTC
CCTCATCGCAGGAGCCGTTCCCGTCGGCCGTCCTATCAAGTCATGGGTGGATAAAATGCA
AGAAGACCTTGTCAACCTGGCAAAAACAGCAAGTGGAGTCAATCAGCTTGTGCATATTTAT
GAAAAATACCAAGATTTGTATACTGTGGAACCAAATAATGCACGCCAGCTGGTGGAAATTG
CAGCCAGGGATATTGAGAACTTCTGAGCAACAGATCTAAAGCCCTGGTGCGCCTAGCTTT
20 GGAAGCAGAGAAGGTTCAAGCAGCCCACCAGTGGAGAGAGGATTTTGCAAGCAATGAAGTT
GTCTACTACAATGCAAAGGATGATCTCGATCCTGAAAAAATGACAGTGAGCCAGGCAGCC
AGAGGATAAAACCTGTTTTTATTGATGATGCTAATTTTGGGCGACAGATATCTTATCAGCA
TGCAGCAGTCCATATTCCCACCGACATCTATGAGGGCTCAACAATTGTGTTAAATGAACTG
AACTGGACAAGTGCCTTAGATGAAGTTTTTCAAGAAAAATCGAGAGGAAGATCCCTCATTAT
25 TGTGGCAGGTGTTTGGCAGTGCCACAGGCCTGGCCCGGTATTATCCAGCTTCTCCATGGGT
TGATAACAGTAGAACTCCAACAAGATTGACCTTTATGATGTACGAAGGAGACCATGGTAC
ATCCAAGGAGCTGCATCTCCTAAAGATATGCTTATTCTGGTCGACGTGAGTGAAGTGTTA
GTGGTTTGACGCTTAACTGATCCGAACATCTGTCTCTGAAATGTTGGAACCCCTCTCAGA
TGACGATTTTGTGAATGTAGCTTCATTTAACAGCAATGCCCAGGATGTAAGCTGTTTTCAA
30 CACCTTGTCCAAGCAAATGTAAGAAATAAGAAAGTGCTGAAAGATGCAGTTAATAATATCA
CAGCAAAAGGAATCACAGATTACAAGAAGGGCTTTAGTTTTGCTTTTGAACAACTGCTTAA
TTATAACGTTTCTAGAGCCAACTGCAATAAGATTATCATGTTGTTACCGATGGAGGAGAA

GAGAGAGCTCAGGAGATATTTGCCAAATACAACAAAGACAAAAAAGTACGTGTATTACAT
TTTCAGTTGGTCAACATAATTATGACAGAGGACCTATTCAGTGGATGGCCTGTGAAAATAA
AGGTTATTATTATGAAATTCCTTCCATTGGAGCAATCAGAATCAATACTCAGGAATATTTG
GATGTTCTGGGAAGACCAATGGTTTTAGCAGGAGACAAAGCTAAGCAAGTCCAGTGGACAA
5 ACGTGTACCTGGATGCACTGGAAGTGGGACTTGTCATTACTGGAAGTCTTCCGGTCTTCAA
CATAACCGGCCAAAATGAAAATAAGACGAACTTAAAGAACCAGCTGATTCTTGGTGTGATG
GGAGTTGATGTATCTTTGGAAGATATTTAAAGACTGACACCACGTTTTTACACTGTGCCCCA
ATGGCTATTACTTTGCAATTGATCCTAATGGCTATGTTTTATTACATCCAAATCTTCAGCC
AAAGAACCCCAAATCTCAGGAGCCAGTAACCTTGGATTTCTTGATGCAGAATTAGAGAAT
10 GATATTAAAGTGGAGATCCGAAATAAAATGATAGATGGAGAAAGTGGAGAAAAACATTCA
GAACTCTGGTTAAATCTCAAGATGAGAGATATATTGACAAAGGAAACAGGACATATACATG
GACTCCTGTCAATGGCACAGATTACAGTTTGGCCTTGGTATTACCAACCTACAGTTTTTAC
TATATAAAAGCCAAAATAGAAGAGACAATAACTCAGGCCAGATCAAAAAAGGGCAAAATGA
AGGATTGAGAAACACTGAAGCCTGATAATTTTGAAGAATCTGGCTATACATTCATAGCACC
15 AAGAGACTACTGCAATGACCTTAAATATCAGATAATAATACCGAATTTCTTTTAACTTT
AATGAGTTTATTGATAGAAAACTCCAAACAACCCGTCATGCAACACAGATTTGATTAATA
GAGTCTTGCTGGATGCGGGCTTTACAAATGAACTTGTCCAAAATTACTGGAGTAAGCAGAA
AAACATCAAGGGAGTGAAAGCACGGTTTGTGTAACTGATGGAGGGATTACCAGAGTTTAT
CCCAAAGAGGCTGGAGAAAATTGGCAAGAAAACCCAGAAACATATGAGGACAGCTTCTATA
20 AAAGAAGTCTAGATAACGATAACTATGTTTTCACTGCTCCCTACTTTAACAAAAGTGGACC
TGGTGCTTATGAATCAGGCATCATGGTAAGCAAAGCTGTAGAAATATACATCCAAGGAAAA
CTTCTTAAACCTGCAGTTGTTGGAATTTAAATTTGATGTAAATTCCTGGATAGAGAATTTCA
CCAAAACATCAATCAGGGATCCGTGTGCTGGTCCAGTTTGTGATTGTAAAAGAAACAGTGA
TGTAATGGATTGTGTGATTCTAGATGATGGTGGGTTTCTTTTGATGGCAAATCATGATGAT
25 TATACTAACCAGATTGGAAGGTTTTTTGGAGAGATTGACCCAAGTTTGATGAGACACCTGG
TTAATATATCAGTTTATGCTTTTAACAAATCTTACGATTATCAGTCAGTGTGTGAGCCTGG
TGCTGCACCAAAACAAGGAGCAGGACATCGCTCAGCATATGTGCCATCAATAGCAGACATC
TTACACATTGGCTGGTGGGCCACTGCAGCTGCATGGTCTATTCTACAGCAGTTTCTCTTGA
GTTTGACCTTTCCACGACTTCTTGAAGCAGTTGAGATGGAAGATGATGACTTTACCGCCTC
30 TCTGTCAAAGCAGAGTTGCATTACTGAACAAACCCAGTATTTCTTTGATAATGATAGCAAA
TCCTTCAGTGGGGTCTTGGACTGTGGTAACTGTTCCAGAATCTTTCACGTTGAAAACTTA
TGAACACCAACTTAATATTCATAATGGTTGAGAGCAAAGGGACTTGTCCTTGTGACACACG

ATTGCTCATACAAGCTGAGCAGACTTCTGACGGTCCAGATCCTTGTGATATGGTTAAGCAA
CCCAGATACCGAAAAGGGCCTGATGTCTGTTTTGATAACAATGCCTTGGAGGATTATACCG
ACTGTGGTGGTGTCTTGA

5

5 - porcine amino acid sequence alpha2 delta-1

MAAGCLLALTTLTLFQSLLIGPSSQEPFPSAVTIKSWVDKMQEDLVTAKTASGVNQLVDIY
EKYQDLYTVEPNNARQLVEIAARDIEKLLSNRSKALVRLALEAEKVQAAHQWREDFASNEV
VYYNAKDDLDPEKNDSEPGSQRIKPVFIDANFGRQISYQHAAVHIPTDIYEGSTIVLNEL
10 NWTSALEDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVDNSRTPNKIDLYDVRRRPWY
IQGAASPKDMLILVDVSGSVSGLTLKLIRTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
HLVQANVRNKKVLKDAVNNITAKGITDYKKGFSFAFEQLLNYNVSRANCNKIIMLFTDGGE
ERAQEIFAKYNKDKKVRVFTFSVGQHNYDRGPIQWMACENKGYYYEIPSIGAIRINTQEYL
DVLGRPMVLGDKAKQVQWNTNVYLDALGLVITGTLPVFNITGQENKTNLKNQLILGVM
15 GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
DIKVEIRNKMIDGESGEKTFRTLVSQDERYIDKGNRTYTWTVPVNGTDYSLALVLPTYSFY
YIKAKIEETITQARSKKGKMKDSETLKPDNFEESGYTFIAPRDYCNLDKISDNNTFEFLNF
NEFIDRKTPNNPSCNTDLINRVLLDAGFTNELVQNYWSKQKNIGVKARFVVTGGGITRVY
PKEAGENWQENPETYEDSFYKRSLDNDNYVFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
20 LLKPAVVGIKIDVNSWIENFTKTSIRDPCAGPVCDCRNSDVMDCVILDDGGFLLMANHDD
YTNQIGRFFGEIDPSLMRHLVNI SVYAFNKSYDYQSVCEPGAAPKQGAGHRSAYVPSIADI
LHIGWWATAAAWSILQQFLLSLTFPRLLLEAVEMEDDDFTASLSKQSCITEQTQYFFDNDSK
SFSGVLDCGNCSRI FHVEKLMNTNLIFIMVESKGTCPCDTRLLIQAEQTS DGPDPDCMVKQ
PRYRKGPDVCFDNNALDYTD CGGVSGLNPSLWSIFGIQCVLLWLLSGSRHYQL

25

6 - porcine amino acid sequence

MAAGCLLALTTLTLFQSLLIGPSSQEPFPSAVTIKSWVDKMQEDLVTAKTASGVNQLVDIY
EKYQDLYTVEPNNARQLVEIAARDIEKLLSNRSKALVRLALEAEKVQAAHQWREDFASNEV
VYYNAKDDLDPEKNDSEPGSQRIKPVFIDANFGRQISYQHAAVHIPTDIYEGSTIVLNEL
30 NWTSALEDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVDNSRTPNKIDLYDVRRRPWY
IQGAASPKDMLILVDVSGSVSGLTLKLIRTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
HLVQANVRNKKVLKDAVNNITAKGITDYKKGFSFAFEQLLNYNVSRANCNKIIMLFTDGGE

ERAQEIFAKYNKDKKVRVFTFSVGQHNYDRGPIQWMACENKGYYYEIPSIGAIRINTQEYL
DVLGRPMVLAGDKAKQVQWTNVYLDALGLVITGTLPVFNITGQENKTNLKNQLILGVM
GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
DIKVEIRNKMIDGESGEKTFRTL VKSQDERYIDKGNRTYTWTVPVNGTDYSLALVLPTYSFY
5 YIKAKIEETITQARSKKGKMKDSETLKPDNFEESGYTFIAPRDYCNDLKISDNNTTEFLNLF
NEFIDRKTPNNPSCNTDLINRVLLDAGFTNELVQNYWSKQKNIKGVKARFVVTGGITRVY
PKEAGENWQENPETYEDSFYKRSLDNDNYFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
LLKPAVVGIKIDVNSWIENFTKTSIRDPCAGPVCDCKRNSDVMDCVILDDGGFLLMANHDD
YTNQIGRFFGEIDPSLMRHLVNISVYAFNKSYDYQSVCEPGAAPKQGAGHRSAYVPSIADI
10 LHIGWWATAAAWSILQQFLLSLTFPRLLLEAVEMEDDDFTASLSKQSCITEQTQYFFDNDSK
SFSGVLDCGNCSRI FHVEKLMNTNLIFIMVESKGTCPCDTRL

7 - porcine amino acid sequence

MAAGCLLALTTLTFQSL LIGPSSQEPFPSAVTIKSWVDKMQEDLVT LAKTASGVNQLVDIY
15 EKYQDLYTVEPNARQLVEIAARDIEKLLSNRSKALVRLALEAEKVQAAHQWREDFASNEV
VYNAKDDLDPEKNDSEPGSQRIKPVFID DANFGRQISYQHAAVHIPTDIYEGSTIVLNEL
NWT SALDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVDNSRTPNKIDLYDVRRRPWY
IQGAASPKDMLILVDVSGSVSGLTLKLIRTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
HLVQANVRNKKVLKDAVN NITAKGITDYKKGFSFAFEQLLNYNVSRANCNKIIMLFTDGGE
20 ERAQEIFAKYNKDKKVRVFTFSVGQHNYDRGPIQWMACENKGYYYEIPSIGAIRINTQEYL
DVLGRPMVLAGDKAKQVQWTNVYLDALGLVITGTLPVFNITGQENKTNLKNQLILGVM
GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
DIKVEIRNKMIDGESGEKTFRTL VKSQDERYIDKGNRTYTWTVPVNGTDYSLALVLPTYSFY
YIKAKIEETITQARSKKGKMKDSETLKPDNFEESGYTFIAPRDYCNDLKISDNNTTEFLNLF
25 NEFIDRKTPNNPSCNTDLINRVLLDAGFTNELVQNYWSKQKNIKGVKARFVVTGGITRVY
PKEAGENWQENPETYEDSFYKRSLDNDNYFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
LLKPAVVGIKIDVNSWIENFTKTSIRDPCAGPVCDCKRNSDVMDCVILDDGGFLLMANHDD
YTNQIGRFFGEIDPSLMRHLVNISVYAFNKSYDYQSVCEPGAAPKQGAGHRSAYVPSIADI
LHIGWWATAAAWSILQQFLLSLTFPRLLLEAVEMEDDDFTASLSKQSCITEQTQYFFDNDSK
30 SFSGVLDCGNCSRI FHVEKLMNTNLIFIMVESKGTCPCDTRLLIQAEQTS DGPDCDMVK

8 - porcin amino acid sequence

MAAGCLLALTLTLFQSLIGPSSQEPFPSAVTIKSWVDKMQEDLVTLAKTASGVNQLVDIY
EKYQDLYTVEPNNAARQLVEIAARDIEKLLSNRSKALVRLALEAEKVQAAHQWREDFASNEV
VYYNAKDDLDPEKNDSEPGSQRIKPVFIDANFGRQISYQHAAVHIPTDIYEGSTIVLNEL
5 NWTALDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVDNSRTPNKIDLYDVRRRPWY
IQGAASPKDMLILVDVSGSVSGLTLKLIRTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
HLVQANVRNKKVLKDAVNNITAKGITDYKKGFSFAFEQLLNYNVSRANCNKIIMLFTDGGGE
ERAQEIFAQYNKDKKVRVFTFSVGQHNYDRGPIQWMACENKGYYYEIPSIGAIRINTQEYL
DVLGRPMVLAGDKAKQVQWNTNVYLDALGLVITGTLPVFNITGQENKTNLKNQLILGVM
10 GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
DIKVEIRNKMIDGESGEKTFRTLKVSQDERYIDKGNRTYTWTVPVNGTDYSLALVLPTYSFY
YIKAKIEETITQARSKKGKMKDSETLKPDNFEESSGYTFIAPRDYCNLDKISDNNTFLNLF
NEFIDRKTNNPSCNTDLINRVLLDAGFTNELVQNYWSKQKNIGVKARFVVTGGITRVY
PKEAGENWQENPETYEDSFYKRSNDNDNYFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
15 LLKPAVVGKIDVNSWIENFTKTSIRDPCAGPVCDCRNSDVMDCVILDDGGFLLMANHDD
YTNQIGRFFGEIDPSLMRHLVNISVYAFNKSYDYQSVCEPGAAPKQGAGHRSAYVPSIADI
LHIGWWATAAAWSILQQFLLSLTFPRLLLEAVEMEDDDFTASLSKQSCITEQTQYFFDNDSK
SFSGVLDCGNCSTRIFHVEKLMNTNLIFIMVESKGTCPCDTRLLIQAEQTS DGPDPDCDMVKQ
PRYRKGPDVCFDNNALDYTDCGGVS

20

9 - porcine amino acid sequence

MAAGCLLALTLTLFQSLIGPSSQEPFPSAVTIKSWVDKMQEDLVTLAKTASGVNQLVDIY
EKYQDLYTVEPNNAARQLVEIAARDIEKLLSNRSKALVRLALEAEKVQAAHQWREDFASNEV
VYYNAKDDLDPEKNDSEPGSQRIKPVFIDANFGRQISYQHAAVHIPTDIYEGSTIVLNEL
25 NWTALDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVDNSRTPNKIDLYDVRRRPWY
IQGAASPKDMLILVDVSGSVSGLTLKLIRTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
HLVQANVRNKKVLKDAVNNITAKGITDYKKGFSFAFEQLLNYNVSRANCNKIIMLFTDGGGE
ERAQEIFAQYNKDKKVRVFTFSVGQHNYDRGPIQWMACENKGYYYEIPSIGAIRINTQEYL
DVLGRPMVLAGDKAKQVQWNTNVYLDALGLVITGTLPVFNITGQENKTNLKNQLILGVM
30 GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
DIKVEIRNKMIDGESGEKTFRTLKVSQDERYIDKGNRTYTWTVPVNGTDYSLALVLPTYSFY
YIKAKIEETITQARSKKGKMKDSETLKPDNFEESSGYTFIAPRDYCNLDKISDNNTFLNLF

NEFIDRKTPNNPSCNTDLINRVLLDAGFTNELVQNYWSKQKNIKGVKARFVVTGGITRVY
PKEAGENWQENPETYEDSFYKRSLDNDNYVFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
LLKPAVVGIKIDVNSWIENFTKTSIRDPCAGPVCDCKRNSDVMDCVILDDGGFLLMANHDD
YTNQIGRFFGEIDPSLMRHLVNI SVYAFNKS YDYQSVCEPGAAPKQGAGHRSAYVPSIADI
5 LHIGWWATAAAWSILQQFLLSLTFPRLLEAVEMEDDDFTASLSKQSCITEQTQYFFDNDK
SFSGVLDCGNCSRI FHVEKLMNTNLIFIMVESKGTCPCDTRLLIQAEQTS DGPDP CDMVKQ
PRYRKGPDVCFDNNAL EDYTD CGGVSHHHHHH

10 - human nucleotide sequence

10 ATGGCTGCTGGCTGCCTGCTGGCCTTGACTCTGACACTTTTCCAATCTTTGCTCATCGGCC
CCTCGTCGGAGGAGCCGTTCCCTTCGGCCGTC ACTATCAAATCATGGGTGGATAAGATGCA
AGAAGACCTTGT CACACTGGCAAAAACAGCAAGTGGAGTCAATCAGCTTGT TGATATTTAT
GAGAAATATCAAGATTTGTATACTGTGGAACCAAATAATGCACGCCAGCTGGTAGAAATTG
CAGCCAGGGATATTGAGAACTTCTGAGCAACAGATCTAAAGCCCTGGTGAGCCTGGCATT
15 GGAAGCGGAGAAAGTTCAAGCAGCTCACCAGTGGAGAGAAGATTTTGCAAGCAATGAAGTT
GTCTACTACAATGCAAAGGATGATCTCGATCCTGAGAAAAATGACAGTGAGCCAGGCAGCC
AGAGGATAAAACCTGTTTTTATTGAAGATGCTAATTTTGGACGACAAATATCTTATCAGCA
CGCAGCAGTCCATATTCCTACTGACATCTATGAGGGCTCAACAATTGTGTTAAATGAACTC
AACTGGACAAGTGCCTTAGATGAAGTTTTTCAAAAAGAATCGCGAGGAAGACCCTTCATTAT
20 TGTGGCAGGTTTTTGGCAGTGCCACTGGCCTAGCTCGATATTATCCAGCTTCACCATGGGT
TGATAATAGTAGAACTCAAATAAGATTGACCTTTATGATGTACGCAGAAGACCATGGTAC
ATCCAAGGAGCTGCATCTCCTAAAGACATGCTTATTCTGGTGGATGTGAGTGGAAAGTGTTA
GTGGATTGACACTTAACTGATCCGAACATCTGTCTCCGAAATGTTAGAAACCCTCTCAGA
TGATGATTTTCGTGAATGTAGCTTCATTTAACAGCAATGCTCAGGATGTAAGCTGTTTTTCAG
25 CACCTTGTCCAAGCAAATGTAAGAAATAAAAAAGTGTTGAAAGACGCGGTGAATAATATCA
CAGCCAAAGGAATTACAGATTATAAGAAGGGCTTTAGTTTTGCTTTTGAACAGCTGCTTAA
TTATAATGTTTCCAGAGCAAACCTGCAATAAGATTATTATGCTATTACAGGATGGAGGAGAA
GAGAGAGCCCAGGAGATATTTAACAAATACAATAAAGATAAAAAAGTACGTGTATT CAGGT
TTTCAGTTGGTCAACACAATTATGAGAGAGGACCTATT CAGTGGATGGCCTGTGAAAACAA
30 AGGTTATTATTATGAAATTCCTTCCATTGGTGCAATAAGAATCAATACTCAGGAATATTTG
GATGTTTTTGGGAAGACCAATGGTTTTAGCAGGAGACAAAGCTAAGCAAGTCCAATGGACAA
ATGTGTACCTGGATGCATTGGAAC TGGGACTTGTCATTACTGGAACCTTCCGGTCTTCAA

CATAACCGGCCAATTTGAAAATAAGACAACTTAAAGAACCAGCTGATTCTTGGTGTGATG
GGAGTAGATGTGTCTTTGGAAGATATTTAAAGACTGACACCACGTTTTTACTGTGCCCCA
ATGGGTATTACTTTGCAATCGATCCTAATGGTTATGTTTTATTACATCCAAATCTTCAGCC
AAAGAACCCCAAATCTCAGGAGCCAGTAACATTGGATTTCTTGATGCAGAGTTAGAGAAT
5 GATATTAAAGTGGAGATTTCGAAATAAGATGATTGATGGGGAAAGTGGAGAAAAACATTCA
GAACTCTGGTTAAATCTCAAGATGAGAGATATATTGACAAAGGAAACAGGACATACACATG
GACACCTGTCAATGGCACAGATTACAGTTTGGCCTTGGTATTACCAACCTACAGTTTTTAC
TATATAAAAGCCAACTAGAAAGAGACAATAACTCAGGCCAGATCAAAAAAGGGCAAAATGA
AGGATTTCGGAAACCCTGAAGCCAGATAATTTTGAAGAATCTGGCTATACATTCATAGCACC
10 AAGAGATTACTGCAATGACCTGAAAATATCGGATAATAACACTGAATTTCTTTTAAATTTT
AACGAGTTTATTGATAGAAAACTCCAAACAACCCATCATGTAACGCGGATTTGATTAATA
GAGTCTTGCTTGATGCAGGCTTTACAAATGAACTTGTCCAAAATTACTGGAGTAAGCAGAA
AAATATCAAGGGAGTGAAAGCACGATTTGTTGTGACTGATGGTGGGATTACCAGAGTTTAT
CCCAAAGAGGCTGGAGAAAATTGGCAAGAAAACCCAGAGACATATGAGGACAGCTTCTATA
15 AAAGGAGCCTAGATAATGATAACTATGTTTTTCACTGCTCCCTACTTTAACAAAAGTGGACC
TGGTGCCTATGAATCGGGCATTATGGTAAGCAAAGCTGTAGAAATATATATTCAAGGGAAA
CTTCTTAAACCTGCAGTTGTTGGAATTTAAATTGATGTAAATTCCTGGATAGAGAATTTCA
CCAAAACCTCAATCAGAGATCCGTGTGCTGGTCCAGTTTGTGACTGCAAAAGAAACAGTGA
CGTAATGGATTGTGTGATTCTGGATGATGGTGGGTTTCTTCTGATGGCAAATCATGATGAT
20 TATACTAATCAGATTGGAAGATTTTTTGGAGAGATTGATCCCAGCTTGATGAGACACCTGG
TTAATATATCAGTTTATGCTTTTAAACAAATCTTATGATTATCAGTCAGTATGTGAGCCCGG
TGCTGCACCAAAAACAAGGAGCAGGACATCGCTCAGCATATGTGCCATCAGTAGCAGACATA
TTACAAATTGGCTGGTGGGCCACTGCTGCTGCCTGGTCTATTCTACAGCAGTTTCTCTTGA
GTTTGACCTTTCCACGACTCCTTGAGGCAGTTGAGATGGAGGATGATGACTTCACGGCCTC
25 CCTGTCCAAGCAGAGCTGCATTACTGAACAAACCCAGTATTTCTTCGATAACGACAGTAAA
TCATTCAGTGGTGTATTAGACTGTGGAACTGTTCCAGAATCTTTCATGGAGAAAAGCTTA
TGAACACCAACTTAATATTCATAATGGTTGAGAGCAAAGGGACATGTCCATGTGACACACG
ACTGC

30 11 - human nucleotide sequence

ATGGCTGCTGGCTGCCTGCTGGCCTTGACTCTGACACTTTTCCAATCTTTGCTCATCGGCC
CCTCGTCGGAGAGCCGTTCCCTTCGGCCGTCACTATCAAATCATGGGTGGATAAGATGCA

AGAAGACCTTGTCACTGGCAAAACAGCAAGTGGAGTCAATCAGCTTGTGATATTTAT
GAGAAATATCAAGATTTGTATACTGTGGAACCAATAATGCACGCCAGCTGGTAGAAATTG
CAGCCAGGGATATTGAGAACTTCTGAGCAACAGATCTAAAGCCCTGGTGAGCCTGGCATT
GGAAGCGGAGAAAGTTCAAGCAGCTCACCAGTGGAGAGAAGATTTTGCAAGCAATGAAGTT
5 GTCTACTACAATGCAAAGGATGATCTCGATCCTGAGAAAAATGACAGTGAGCCAGGCAGCC
AGAGGATAAAACCTGTTTTTCATTGAAGATGCTAATTTTGGACGACAAATATCTTATCAGCA
CGCAGCAGTCCATATTCCTACTGACATCTATGAGGGCTCAACAATTGTGTTAAATGAAGTC
AACTGGACAAGTGCCTTAGATGAAGTTTTCAAAAAGAATCGCGAGGAAGACCCTTCATTAT
TGTGGCAGGTTTTTGGCAGTGCCACTGGCCTAGCTCGATATTATCCAGCTTCACCATGGGT
10 TGATAATAGTAGAACTCCAAATAAGATTGACCTTTATGATGTACGCAGAAGACCATGGTAC
ATCCAAGGAGCTGCATCTCCTAAAGACATGCTTATTCTGGTGGATGTGAGTGGAAAGTGTTA
GTGGATTGACACTTAACTGATCCGAACATCTGTCTCCGAAATGTTAGAAACCCTCTCAGA
TGATGATTTTCGTGAATGTAGCTTCATTTAACAGCAATGCTCAGGATGTAAGCTGTTTTCAG
CACCTTGTCCAAGCAAATGTAAGAAATAAAAAAGTGTTGAAAGACGCGGTGAATAATATCA
15 CAGCCAAAGGAATTACAGATTATAAGAAGGGCTTTAGTTTTGCTTTTGAACAGCTGCTTAA
TTATAATGTTTCCAGAGCAAAGTCAATAAGATTATTATGCTATTCACGGATGGAGGAGAA
GAGAGAGCCCAGGAGATATTTAACAAATACAATAAAGATAAAAAAGTACGTGTATTCAGGT
TTTCAGTTGGTCAACACAATTATGAGAGAGGACCTATTCAGTGGATGGCCTGTGAAAACAA
AGGTTATTATTATGAAATTCCTTCCATTGGTGAATAAGAATCAATACTCAGGAATATTTG
20 GATGTTTTGGGAAGACCAATGGTTTTAGCAGGAGACAAAGCTAAGCAAGTCCAATGGACAA
ATGTGTACCTGGATGCATTGGAAGTGGGACTTGTCATTACTGGAAGTCTTCCGGTCTTCAA
CATAACCGGCAATTTGAAAATAAGACAAACTTAAAGAACCAGCTGATTCTTGGTGTGATG
GGAGTAGATGTGTCTTTGGAAGATATTAAGAACTGACACCACGTTTTTACTGTGCCCCA
ATGGGTATTACTTTGCAATCGATCCTAATGGTTATGTTTTATTACATCCAAATCTTCAGCC
25 AAAGAACCCCAAATCTCAGGAGCCAGTAACATTGGATTTCTTGATGCAGAGTTAGAGAAT
GATATTAAAGTGGAGATTCGAAATAAGATGATTGATGGGGAAAGTGGAGAAAAACATTCA
GAACTCTGGTTAAATCTCAAGATGAGAGATATATTGACAAAGGAAACAGGACATACACATG
GACACCTGTCAATGGCACAGATTACAGTTTGGCCTTGGTATTACCAACCTACAGTTTTTAC
TATATAAAAGCCAACTAGAAGAGACAATAACTCAGGCCAGATCAAAAAGGGCAAAATGA
30 AGGATTCGGAAACCCTGAAGCCAGATAATTTGAAGAATCTGGCTATACATTCATAGCACC
AAGAGATTACTGCAATGACCTGAAAATATCGGATAATAACACTGAATTTCTTTTAAATTC
AACGAGTTTATTGATAGAAAACTCCAAACAACCCATCATGTAACGCGGATTTGATTAATA

GAGTCTTGCTTGATGCAGGCTTTACAAATGAACTTGTCCAAAATTACTGGAGTAAGCAGAA
AAATATCAAGGGAGTGAAAGCACGATTTGTTGTGACTGATGGTGGGATTACCAGAGTTTAT
CCCAAAGAGGCTGGAGAAAATTGGCAAGAAAACCCAGAGACATATGAGGACAGCTTCTATA
AAAGGAGCCTAGATAATGATAACTATGTTTTCACTGCTCCCTACTTTAAACAAAAGTGGACC
5 TGGTGCCTATGAATCGGGCATTATGGTAAGCAAAGCTGTAGAAATATATATTCAAGGGAAA
CTTCTTAAACCTGCAGTTGTTGGAATTAAAATTGATGTAAATTCCTGGATAGAGAATTTCA
CCAAAACCTCAATCAGAGATCCGTGTGCTGGTCCAGTTTGTGACTGCAAAAGAAACAGTGA
CGTAATGGATTGTGTGATTCTGGATGATGGTGGGTTTCTTCTGATGGCAAATCATGATGAT
TATACTAATCAGATTGGAAGATTTTTTGGAGAGATTGATCCCAGCTTGATGAGACACCTGG
10 TTAATATATCAGTTTATGCTTTTAACAAATCTTATGATTATCAGTCAGTATGTGAGCCCGG
TGCTGCACCAAAACAAGGAGCAGGACATCGCTCAGCATATGTGCCATCAGTAGCAGACATA
TTACAAATTGGCTGGTGGGCCACTGCTGCTGCCTGGTCTATTCTACAGCAGTTTCTCTTGA
GTTTGACCTTTCCACGACTCCTTGAGGCAGTTGAGATGGAGGATGATGACTTCACGGCCTC
CCTGTCCAAGCAGAGCTGCATTACTGAACAAACCCAGTATTTCTTCGATAACGACAGTAAA
15 TCATTCAGTGGTGTATTAGACTGTGGAACTGTTCCAGAATCTTTCATGGAGAAAAGCTTA
TGAACACCAACTTAATATTCATAATGGTTGAGAGCAAAGGGACATGTCCATGTGACACACG
ACTGCTCATACAAGCGGAGCAGACTTCTGACGGTCCAAATCCTTGTGACATGGTTAAGC

12 - human nucleotide sequence

20 ATGGCTGCTGGCTGCCTGCTGGCCTTGACTCTGACACTTTTCCAATCTTTGCTCATCGGCC
CCTCGTCGGAGGAGCCGTTCCCTTCGGCCGTCACTATCAAATCATGGGTGGATAAGATGCA
AGAAGACCTTGTCACTGGCAAAAACAGCAAGTGGAGTCAATCAGCTTGTGATATTTAT
GAGAAATATCAAGATTTGTATACTGTGGAACCAAATAATGCACGCCAGCTGGTAGAAATTG
CAGCCAGGGATATTGAGAACTTCTGAGCAACAGATCTAAAGCCCTGGTGAGCCTGGCATT
25 GGAAGCGGAGAAAGTTCAAGCAGCTCACCAGTGGAGAGAAGATTTTGCAAGCAATGAAGTT
GTCTACTACAATGCAAAGGATGATCTCGATCCTGAGAAAAATGACAGTGAGCCAGGCAGCC
AGAGGATAAAACCTGTTTTTCATTGAAGATGCTAATTTTGGACGACAAATATCTTATCAGCA
CGCAGCAGTCCATATTCCTACTGACATCTATGAGGGCTCAACAATTGTGTTAAATGAACTC
AACTGGACAAGTGCCTTAGATGAAGTTTTCAAAAAGAATCGCGAGGAAGACCCCTTCATTAT
30 TGTGGCAGGTTTTTGGCAGTGCCACTGGCCTAGCTCGATATTATCCAGCTTCACCATGGGT
TGATAATAGTAGAACTCCAAATAAGATTGACCTTTATGATGTACGCAGAAGACCATGGTAC
ATCCAAGGAGCTGCATCTCCTAAAGACATGCTTATTCTGGTGGATGTGAGTGGAAAGTGTTA

GTGGATTGACACTTAACTGATCCGAACATCTGTCTCCGAAATGTTAGAAACCCTCTCAGA
TGATGATTTTCGTGAATGTAGCTTCATTTAACAGCAATGCTCAGGATGTAAGCTGTTTTTCAG
CACCTTGTCCAAGCAAATGTAAGAAATAAAAAAGTGTTGAAAGACGCGGTGAATAATATCA
CAGCCAAAGGAATTACAGATTATAAGAAGGGCTTTAGTTTTGCTTTTGAACAGCTGCTTAA
5 TTATAATGTTTCCAGAGCAAACCTGCAATAAGATTATTATGCTATTCACGGATGGAGGAGAA
GAGAGAGCCCAGGAGATATTTAACAAATACAATAAAGATAAAAAAGTACGTGTATTCAGGT
TTTCAGTTGGTCAACACAATTATGAGAGAGGACCTATTCAGTGGATGGCCTGTGAAAACAA
AGGTTATTATTATGAAATTCCTTCCATTGGTGCAATAAGAATCAATACTCAGGAATATTTG
GATGTTTTGGGAAGACCAATGGTTTTAGCAGGAGACAAAGCTAAGCAAGTCCAATGGACAA
10 ATGTGTACCTGGATGCATTGGAACCTGGGACTTGTCATTACTGGAACCTCTCCGGTCTTCAA
CATAACCGGCCAATTTGAAAAATAAGACAAACTTAAAGAACCAGCTGATTCTTGGTGTGATG
GGAGTAGATGTGTCTTTGGAAGATATTTAAAGACTGACACCACGTTTTTACACTGTGCCCCA
ATGGGTATTACTTTGCAATCGATCCTAATGGTTATGTTTTATTACATCCAAATCTTCAGCC
AAAGAACCCCAAATCTCAGGAGCCAGTAACATTGGATTTCTTGATGCAGAGTTAGAGAAT
15 GATATTAAAGTGGAGATTGCAATAAGATGATTGATGGGGAAAGTGGAGAAAAACATTCA
GAACTCTGGTTAAATCTCAAGATGAGAGATATATTGACAAAGGAAACAGGACATACACATG
GACACCTGTCAATGGCACAGATTACAGTTTGGCCTTGGTATTACCAACCTACAGTTTTTAC
TATATAAAAGCCAACTAGAAGAGACAATAACTCAGGCCAGATCAAAAAGGGCAAAATGA
AGGATTTCGGAAACCCTGAAGCCAGATAATTTTGAAGAATCTGGCTATACATTCATAGCACC
20 AAGAGATTACTGCAATGACCTGAAAATATCGGATAATAACACTGAATTTCTTTTAAATTTT
AACGAGTTTATTGATAGAAAACTCCAAACAACCCATCATGTAACGCGGATTTGATTAATA
GAGTCTTGCTTGATGCAGGCTTTACAAATGAACTTGTCCAAAATTACTGGAGTAAGCAGAA
AAATATCAAGGGAGTGAAAGCACGATTTGTTGTGACTGATGGTGGGATTACCAGAGTTTAT
CCCAAAGAGGCTGGAGAAAATTGGCAAGAAAACCCAGAGACATATGAGGACAGCTTCTATA
25 AAAGGAGCCTAGATAATGATAACTATGTTTTCACTGCTCCCTACTTTAACAAAAGTGGACC
TGGTGCCTATGAATCGGGCATTATGGTAAGCAAAGCTGTAGAAATATATATTCAGGGAAA
CTTCTTAAACCTGCAGTTGTTGGAATTTAAATTGATGTAAATTCCTGGATAGAGAATTTCA
CCAAAACCTCAATCAGAGATCCGTGTGCTGGTCCAGTTTGTGACTGCAAAAGAAACAGTGA
CGTAATGGATTGTGTGATTCTGGATGATGGTGGGTTTCTTCTGATGGCAAAATCATGATGAT
30 TATACTAATCAGATTGGAAGATTTTTTGGAGAGATTGATCCCAGCTTGATGAGACACCTGG
TTAATATATCAGTTTATGCTTTTAAACAAATCTTATGATTATCAGTCAGTATGTGAGCCCGG
TGCTGCACCAAAACAAGGAGCAGGACATCGCTCAGCATATGTGCCATCAGTAGCAGACATA

TTACAAATTGGCTGGTGGGCCACTGCTGCTGCCTGGTCTATTCTACAGCAGTTTCTCTTGA
GTTTGACCTTTCCACGACTCCTTGAGGCAGTTGAGATGGAGGATGATGACTTCACGGCCTC
CCTGTCCAAGCAGAGCTGCATTACTGAACAAACCCAGTATTTCTTCGATAACGACAGTAAA
TCATTCAGTGGTGTATTAGACTGTGGAACTGTTCCAGAATCTTTCATGGAGAAAAGCTTA
5 TGAACACCAACTTAATATTCATAATGGTTGAGAGCAAAGGGACATGTCCATGTGACACAG
ACTGCTCATAAAGCGGAGCAGACTTCTGACGGTCCAAATCCTTGTGACATGGTTAAGCAA
CCTAGATACCGAAAAGGGCCTGATGTCTGCTTTGATAACAATGTCTTGGAGGATTATACTG
ACTGTGGTGGTGTCTTCTG

10 **13 - human amino acid sequence**

MAAGCLLALTLTLFQSLLIGPSSEEPFPSAVTIKSWVDKMQEDLVTLAKTASGVNQLVDIY
EKYQDLYTVEPNNAARQLVEIAARDIEKLLSNRSKALVSLALEAEKVQAAHQWREDFASNEV
VYYNAKDDLDPEKNDSEPGSQRIKPVFIEDANFGRQISYQHAAVHIPTDIYEGSTIVLNEL
NWTSALEDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVNSRTPNKIDLYDVRRRPWY
15 IQGAASPKDMLILVDVSGSVSGLTLKLIRTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
HLVQANVRNKKVLKDAVNNITAKGITDYKKGFSFAFEQLLNYNVSRANCNKIIMLFTDGGE
ERAQEIFNKYNKDKKVRVFRFSVGQHNHYERGPIQWMACENKGYYYEIPSIGAIRINTQEYL
DVLGRPMVLGDKAKQVQWNTNVYLDALGLVITGTLPVFNITGQFENKTNLKNQLILGVM
GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
20 DIKVEIRNKMIDGESGEKTFRTLKVSQDERYIDKGNRTYTWTPVNGTDYSLALVLPTYSFY
YIKAKLEETITQARSKKGKMKDSETLKPDNFEESEGYTFIAPRDYCNDLKISDNNTFLLNF
NEFIDRKTNPNSCNADLINRVLLDAGFTNELVQNYWSKQKNIGVKARFVVDGGITRVY
PKEAGENWQENPETYEDSFYKRLDNDNYVFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
LLKPAVVGIKIDVNSWIENFTKTSIRDPCAGPVCDCKRNSDVMDCVILDDGGFLLMANHDD
25 YTNQIGRFFGEIDPSLMRHLVNISVYAFNKSYDYQSVCEPGAAPKQGAGHRSAYVPSVADI
LQIGWWATAAAWSILQQFLLSLTFPRLLLEAVEMEDDDFTASLSKQSCITEQTQYFFDNDSK
SFSGLDCGNCNRIFHGEKLMNTNLIFIMVESKGTCPDTRL

14 - human amino acid sequence

30 MAAGCLLALTLTLFQSLLIGPSSEEPFPSAVTIKSWVDKMQEDLVTLAKTASGVNQLVDIY
EKYQDLYTVEPNNAARQLVEIAARDIEKLLSNRSKALVSLALEAEKVQAAHQWREDFASNEV
VYYNAKDDLDPEKNDSEPGSQRIKPVFIEDANFGRQISYQHAAVHIPTDIYEGSTIVLNEL

NWTSALDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVDNSRTPNKIDLYDVRRRPWY
IQGAASPKDMLILVDVSGSVSGLTLKLI RTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
HLVQANVRNKKVLKDAVNNITAKGITDYKKGFSFAFEQLLNYNVSRANCNKIIMLFTDGGE
ERAQEIFNKYNKDKKVRVFRFSVGQHNYERGPIQWMACENKGYYYEIP SIGAIRINTQEYL
5 DVLGRPMVLADGKAKQVQWTVNYLDALELGLVITGTLPVFNITGQFENKTNLKNQLILGVM
GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
DIKVEIRNKMIDGESGEKTFRTL VKSQDERYIDKGNRTYTWTVPVNGTDYSLALVLP TYSFY
YIKAKLEETITQARSKKGKMKDSETLKP DNFEESGYTFIAPRDYCNDLKISDNNTEFLLNF
NEFIDRKTPNNPSCNADLINRVLLDAGFTNELVQNYWSKQKNIKGVKARFVVT DGGITRVY
10 PKEAGENWQENPETYEDSFYKRSLDNDNYFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
LLKPAVVGIKIDVNSWIENFTKTSIRDPCAGPVCDCKRNSDVMDCVILDDGGFLLMANHDD
YTNQIGRFFGEIDPSLMRHLVNI SVYAFNKSYDYQSVCEPGAAPKQGAGHRSAYVPSVADI
LQIGWWATAAAWSILQQFLLSLTFPRLL EAVEMEDDDFTASLSKQSCITEQTQYFFDND SK
SFSGVLDCGNCSRI FHGEKLMNTNLIFIMVESKGTCPCDTRLLIQAEQTS DGPNPCDMVK

15

15 - human amino acid sequence

MAAGCLLALTTLTLFQSL LIGPSSEEPFSAVTIKSWVDKMQEDLVT LAKTASGVNQLVDIY
EKYQDLYTVEPNNA RQLVEIAARDIEKLLSNRSKALVSLALEAEKVQAAHQWREDFASNEV
VYNAKDDLDPEKNDSEPGSQR IKPVFIEDANFGRQISYQHAAVHIPTDIYEGSTIVL NEL
20 NWTSALDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVDNSRTPNKIDLYDVRRRPWY
IQGAASPKDMLILVDVSGSVSGLTLKLI RTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
HLVQANVRNKKVLKDAVNNITAKGITDYKKGFSFAFEQLLNYNVSRANCNKIIMLFTDGGE
ERAQEIFNKYNKDKKVRVFRFSVGQHNYERGPIQWMACENKGYYYEIP SIGAIRINTQEYL
DVLGRPMVLADGKAKQVQWTVNYLDALELGLVITGTLPVFNITGQFENKTNLKNQLILGVM
25 GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
DIKVEIRNKMIDGESGEKTFRTL VKSQDERYIDKGNRTYTWTVPVNGTDYSLALVLP TYSFY
YIKAKLEETITQARSKKGKMKDSETLKP DNFEESGYTFIAPRDYCNDLKISDNNTEFLLNF
NEFIDRKTPNNPSCNADLINRVLLDAGFTNELVQNYWSKQKNIKGVKARFVVT DGGITRVY
PKEAGENWQENPETYEDSFYKRSLDNDNYFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
30 LLKPAVVGIKIDVNSWIENFTKTSIRDPCAGPVCDCKRNSDVMDCVILDDGGFLLMANHDD
YTNQIGRFFGEIDPSLMRHLVNI SVYAFNKSYDYQSVCEPGAAPKQGAGHRSAYVPSVADI
LQIGWWATAAAWSILQQFLLSLTFPRLL EAVEMEDDDFTASLSKQSCITEQTQYFFDND SK

SFSGVLDCGNCSRI FHGEKLMNTNLIFIMVESKGTCPCDTRLLIQAEQTS DGPNPCDMVKQ
PRYRKGPDVCFDNNVLEDYTD CGGVVS

16 - human alpha2 delta-1 amino acid sequence

5 MAAGCLLALTLTLFQSL LIGPSSEEPFPSAVTIKSWVDKMQEDLVT LAKTASGVNQLVDIY
EKYQDLYTVEPNNARQLVEIAARDIEKLLSNRSKALVSLALEAEKVQAAHQWREDFASNEV
VYYNAKDDLDPEKNDSEPGSQRIKPVFIEDANFGRQISYQHAAVHIPTDIYEGSTIVLNEL
NWT SALDEVFKKNREEDPSLLWQVFGSATGLARYYPASPWVDNSRTPNKIDLYDVRRRPWY
IQGAASPKDMLILVDVSGSVSGLTLKLI RTSVSEMLETLSDDDFVNVASFNSNAQDVSCFQ
10 HLVQANVRNKKVLKDAVNNITAKGITDYKKGF SFAFEQLLNYNVSRANCNKIIMLFTDGGGE
ERAQEIFNKYNKDKKVRVFRFSVGQHNYERGPIQWMACENKGYYYEIP SIGAIRINTQEYL
DVLGRPMVLGADKAKQVQWTNVYLDAL ELGLVITGTLPVFNITGQFENKTNLKNQLILGVM
GVDVSLEDIKRLTPRFTLCPNGYYFAIDPNGYVLLHPNLQPKNPKSQEPVTLDFLDAELEN
DIKVEIRNKMIDGESGEKTFRTL VKSQDERYIDKGNRTYTWT PVNGTDYSLALVLP TYSFY
15 YIKAKLEETITQARSKKGKMKDSETL KPDNFEESGYTFIAPRDYCNDL KISDNNTEFLN F
NEFIDRKTPNNPSCNADLINRVLLDAGFTNELVQNYWSKQKN IKGVKARFVVT DGGITRVY
PKEAGENWQENPETYEDSFYK RSLDNDNYFTAPYFNKSGPGAYESGIMVSKAVEIYIQGK
LLKPAVVG I KIDVNSWIENFTKTSIRDPCAGPVCDCKRNSDVMDCVILDDGGFLLMANHDD
YTNQIGRFFGEIDPSLMRHLVNISVYAFNKSYDYQSVCEPGAAPKQGAGHRSAYVPSVADI
20 LQIGWWATAAAWSILQQFLLSLTFPRLL EAVEMEDDDFTASLSKQSCITEQTQYFFDND SK
SFSGVLDCGNCSRI FHGEKLMNTNLIFIMVESKGTCPCDTRLLIQAEQTS DGPNPCDMVKQ
PRYRKGPDVCFDNNVLEDYTD CGGVVSGLNPSLWYIIGIQFLLLWLVS GSTHRL

17 - human alpha2 delta-1 nucleic acid sequence

25 GCGGGGGAGGGGGCATTGATCTTCGATCGCGAAGATGGCTGCTGGCTGCCTGCTGGCCTTG
ACTCTGACACTTTTCCAATCTTTGCTCATCGGCCCTCGTCGGAGGAGCCGTTCCCTTCGG
CCGTCACTATCAAATCATGGGTGGATAAGATGCAAGAAGACCTTGTCACACTGGCAAAAC
AGCAAGTGGAGTCAATCAGCTTGTTGATATTTATGAGAAATATCAAGATTGTATACTGTG
GAACCAAATAATGCACGCCAGCTGGTAGAAATTGCAGCCAGGGATATTGAGAACTTCTGA
30 GCAACAGATCTAAAGCCCTGGTGAGCCTGGCATTGGAAGCGGAGAAAGTTCAAGCAGCTCA
CCAGTGGAGAGAAGATTTTGCAAGCAATGAAGTTGTCTACTACAATGCAAAGGATGATCTC
GATCCTGAGAAAAATGACAGTGAGCCAGGCAGCCAGAGGATAAAACCTGTTTTATTGAAG

ATGCTAATTTTGGACGACAAATATCTTATCAGCACGCAGCAGTCCATATTCCTACTGACAT
CTATGAGGGCTCAACAATTGTGTTAAATGAACTCAACTGGACAAGTGCCTTAGATGAAGTT
TTCAAAAAGAATCGCGAGGAAGACCCTTCATTATTGTGGCAGGTTTTTGGCAGTGCCACTG
GCCTAGCTCGATATTATCCAGCTTCACCATGGGTTGATAATAGTAGAACTCCAAATAAGAT
5 TGACCTTTTATGATGTACGCAGAAGACCATGGTACATCCAAGGAGCTGCATCTCCTAAAGAC
ATGCTTATTCTGGTGGATGTGAGTGAAGTGTTAGTGGATTGACACTTAACTGATCCGAA
CATCTGTCTCCGAAATGTTAGAAACCCTCTCAGATGATGATTTTCGTGAATGTAGCTTCATT
TAACAGCAATGCTCAGGATGTAAGCTGTTTTTCAGCACCTTGTTCCAAGCAAATGTAAGAAAT
AAAAAAGTGTTGAAAGACGCGGTGAATAATATCACAGCCAAAGGAATTACAGATTATAAGA
10 AGGGCTTTAGTTTTGCTTTTGAACAGCTGCTTAATTATAATGTTTTCCAGAGCAAACCTGCAA
TAAGATTATTATGCTATTCACGGATGGAGGAGAAGAGAGAGCCCAGGAGATATTTAACAAA
TACAATAAAGATAAAAAAGTACGTGTATTTCAGGTTTTTCAGTTGGTCAACACAATTATGAGA
GAGGACCTATTCAGTGGATGGCCTGTGAAAACAAAGGTTATTATTATGAAATTCCTTCCAT
TGGTGCAATAAGAATCAATACTCAGGAATATTTGGATGTTTTGGGAAGACCAATGGTTTTTA
15 GCAGGAGACAAAGCTAAGCAAGTCCAATGGACAAATGTGTACCTGGATGCATTGGAACCTGG
GACTTGTCACTTACTGGAACCTCTCCGGTCTTCAACATAACCGGCCAATTTGAAAATAAGAC
AACTTAAAGAACCAGCTGATTCTTGGTGTGATGGGAGTAGATGTGTCTTTGGAAGATATT
AAAAGACTGACACCACGTTTTTACACTGTGCCCCAATGGGTATTACTTTGCAATCGATCCTA
ATGGTTATGTTTTATTACATCCAAATCTTCAGCCAAAGAACCCCAAATCTCAGGAGCCAGT
20 AACATTGGATTTCTTGATGCAGAGTTAGAGAATGATATTAAAGTGGAGATTCGAAATAAG
ATGATTGATGGGGAAAGTGGAGAAAAACATTCAGAACTCTGGTTAAATCTCAAGATGAGA
GATATATTGACAAAGGAAACAGGACATACACATGGACACCTGTCAATGGCACAGATTACAG
TTTGGCCTTGGTATTACCAACCTACAGTTTTTACTATATAAAAGCCAAACTAGAAGAGACA
ATAACTCAGGCCAGATCAAAAAAGGGCAAAATGAAGGATTCGGAAACCCTGAAGCCAGATA
25 ATTTTGAAGAATCTGGCTATACATTCATAGCACCAAGAGATTACTGCAATGACCTGAAAAT
ATCGGATAATAACACTGAATTTCTTTTAAATTTCAACGAGTTTATTGATAGAAAACTCCA
AACAAACCCATCATGTAACGCGGATTTGATTAATAGAGTCTTGCTTGATGCAGGCTTTACAA
ATGAACTTGTCCAAAATTACTGGAGTAAGCAGAAAAATATCAAGGGAGTGAAAGCACGATT
TGTTGTGACTGATGGTGGGATTACCAGAGTTTATCCCAAAGAGGCTGGAGAAAAATTGGCAA
30 GAAAACCCAGAGACATATGAGGACAGCTTCTATAAAAGGAGCCTAGATAATGATAACTATG
TTTTCACTGCTCCCTACTTTAACAAAAGTGGACCTGGTGCCTATGAATCGGGCATTATGGT
AAGCAAAGCTGTAGAAATATATATTCAAGGGAACTTCTTAAACCTGCAGTTGTTGGAATT

AAAATTGATGTAAATTCCTGGATAGAGAATTTACCAAAACCTCAATCAGAGATCCGTGTG
CTGGTCCAGTTTGTGACTGCAAAAGAAACAGTGACGTAATGGATTGTGTGATTCTGGATGA
TGGTGGGTTTCTTCTGATGGCAAATCATGATGATTATACTAATCAGATTGGAAGATTTTTT
GGAGAGATTGATCCCAGCTTGATGAGACACCTGGTTAATATATCAGTTTATGCTTTTAACA
5 AATCTTATGATTATCAGTCAGTATGTGAGCCCGGTGCTGCACCAAAACAAGGAGCAGGACA
TCGCTCAGCATATGTGCCATCAGTAGCAGACATATTACAAATTGGCTGGTGGGCCACTGCT
GCTGCCTGGTCTATTCTACAGCAGTTTCTCTTGAGTTTGACCTTCCACGACTCCTTGAGG
CAGTTGAGATGGAGGATGATGACTTCACGGCCTCCCTGTCCAAGCAGAGCTGCATTACTGA
ACAAACCCAGTATTTCTTCGATAACGACAGTAAATCATTAGTGGTGTATTAGACTGTGGA
10 AACTGTTCCAGAATCTTTCATGGAGAAAAGCTTATGAACACCAACTTAATATTCATAATGG
TTGAGAGCAAAGGGACATGTCCATGTGACACACGACTGCTCATAAAGCGGAGCAGACTTC
TGACGGTCCAAATCCTTGTGACATGGTTAAGCAACCTAGATACCGAAAAGGGCCTGATGTC
TGCTTTGATAACAATGTCTTGGAGGATTATACTGACTGTGGTGGTGGTTTCTGGATTAAATC
CCTCCCTGTGGTATATCATTGGAATCCAGTTTCTACTACTTTGGCTGGTATCTGGCAGCAC
15 ACACCGGCTGTTATGACCTTCTAAAAACCAATCTGCATAGTTAAACTCCAGACCCTGCCA
AAACATGAGCCCTGCCCTCAATTACAGTAACGTAGGGTCAGCTATAAAATCAGACAAACAT
TAGCTGGGCCTGTTCCATGGCATAACACTAAGGCGCAGACTCCTAAGGCACCCACTGGCTG
CATGTCAGGGTGTGAGATCCTTAAACGTGTGTGAATGCTGCATCATCTATGTGTAACATCA
AAGCAAAATCCTATACGTGTCCTCTATTGGAAAATTTGGGCGTTTGTTGTTGCATTGTTGG
20 T

18 - nucleotide sequence

GGGGATTGATCTTCGATCGCG

25 19 - nucleotide sequence

CTGAGATTTGGGGTTCTTTGG

20 - nucleotide sequence

TCGCCACCATGGCTGCTGGCTGCCTGCTG

30

21 - nucleotide sequence

TCGGAATTCCTCAGTGATGGTGTGGTGTGAGAAACACCACCACAGTCGGT

CLAIMS:

1. A method for the screening of ligands which bind a cerebral cortical voltage-dependent calcium channel $\alpha_2\delta$ -1 subunit, said method comprising the steps of:
- 5 - contacting a secreted soluble recombinant calcium channel $\alpha_2\delta$ -1 subunit polypeptide with:
- a ligand of interest; and
- a labelled compound which binds the $\alpha_2\delta$ -1 subunit; and
- 10 - measuring the level of binding of the labelled compound to the $\alpha_2\delta$ -1 subunit.
2. A method according to claim 1, wherein said contacting and said binding is in a well of a flashplate.
- 15 3. A method according to claim 1, wherein said secreted soluble recombinant calcium channel $\alpha_2\delta$ -1 subunit polypeptide is selected from the group consisting of SEQ ID NO: 6, 7, 8, 9, 13, 14 and 15.
4. A method according to claim 1, wherein said secreted soluble recombinant calcium channel $\alpha_2\delta$ -1 subunit polypeptide is selected from the group consisting of SEQ ID NO: 9 and 15.
- 20 5. A method according to claim 1, wherein said secreted soluble recombinant calcium channel $\alpha_2\delta$ -1 subunit polypeptide is SEQ ID NO: 9.

25




FIGURE 1

FIGURE 2

SPA assay of [^3H]gabapentin (18.4nM) binding to s- $\alpha_2\delta$ -1b-6His (20 μl). Optimisation of Imidazole concentration in the assay.

**FIGURE 3**

Flashplate assay of [^3H]gabapentin (14nM) binding to s- $\alpha_2\delta$ -1b-6His (10 μl). Optimisation of Imidazole concentration in the assay.




FIGURE 4

Flashplate time course of [³H]gabapentin (13nM) binding to various concentrations of s- $\alpha_2\delta$ -1b-6His.




FIGURE 5

Determination of s- $\alpha_2\delta$ -1b-6His capacity of flashplate assay. Counted after 3hour incubation




FIGURE 6

Determination of the optimum imidazole concentration required to maximize the [³H]gabapentin (13nM) binding window using a constant amount of purified s-α₂δ-1b-6His (2μl). Assayed after 3hour incubation.




FIGURE 7

Flashplate assay of [³H]gabapentin saturation binding to purified s-α₂δ-1b-6His. Assayed after three hour incubation (see table 1 for details).




Figure 8
Flashplate time course optimisation of Imidazole concentration required to maximize the
5 [3H]Leucine (10.1nM) binding window to s-α2δ-1b-6His. Assayed after three hour
incubation.





FIGURE 9
20 Competition curves of three compounds in the flashplate assay format (see table 2 for
details). Assayed after 3 hour incubation.



5

ABSTRACT

10

Method for the screening of $\alpha_2\delta$ -1 subunit binding ligands

15 A method for the screening of ligands which bind to soluble $\alpha_2\delta$ -1 subtype polypeptides.

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

APPLICANT : Francois Bertelli et al

EXAMINER :

SERIAL NO. :

ART UNIT :

FILED : Herewith

PAPER NO. :

FOR : Method For The Screening of Alpha2Delta Subunit Binding Ligands

Request for Transfer of Computer Readable Form Under 37 CFR 1.821(e)

March 6, 2002


Commissioner for Patent
Washington, D.C. 20231

Dear Sir:

The paper copy of the Sequence Listing in this application, is identical to the computer readable copy of the Sequence Listing filed in Application No. 09/397,549, Filed September 16, 1999. In accordance with 37CFR 1.821(e), please use the only filed computer readable form filed in that application as the computer readable form for the instant application. It is understood that the Patent and Trademark Office will make necessary change in the application number and filing date for the instant application. A paper copy of the Sequence Listing is included in the originally filed specification of the instant application.

Respectfully submitted,

Dated: March 6, 2002



Mehdi Ganjeizadeh
Registration No. 47,585
Warner-Lambert Company
2800 Plymouth Road
Ann Arbor, MI 48105
Telephone: (734) 622-3831
Facsimile: (734) 622-1553

EXPRESS MAIL NO. EJ054450643US
A0000179-C1-66-MG

SEQUENCE LISTING

<110> Warner-Lambert

<120> Meth d f r the screening of alpha 2 delta-1 subunit
binding ligands

<130> 179

<140>

<141>

<160> 21

<170> PatentIn Ver. 2.1

<210> 1

<211> 3842

<212> DNA

<213> Sus scrofa

<400> 1

ggggattgat	cttcgatcgc	gaagatggct	gctggctgcc	tgetggcctt	gactctgaca	60
cttttccaat	ctttgctgat	cgggccctca	tcgcaggagc	cgttcccgtc	ggccgtcact	120
atcaagtcac	gggtggataa	aatgcaagaa	gaccttgtca	ccctggcaaa	aacagcaagt	180
ggagtcaatc	agcttgctga	tatttatgaa	aaataccaag	atttgtatac	tgtggaacca	240
aataatgcac	gccagctggt	ggaaattgca	gccagggata	ttgagaaact	tctgagcaac	300
agatctaaag	ccctgggtgcg	cctagctttg	gaagcagaga	aggttcaagc	agcccaccag	360
tggagagagg	attttgcaag	caatgaagtt	gtctactaca	atgcaaagga	tgatctcgat	420
cctgaaaaaa	atgacagtga	gccaggcagc	cagaggataa	aacctgtttt	tattgatgat	480
gctaattttg	ggcgacagat	atcttatcag	catgcagcag	tccatattcc	caccgacatc	540
tatgagggct	caacaattgt	gttaaatgaa	ctgaactgga	caagtgcctt	agatgaagtt	600
ttcaagaaaa	atcgagagga	agatccctca	ttattgtggc	aggtgttttg	cagtgccaca	660
ggcctggccc	ggtattatcc	agcttctcca	tgggttgata	acagtagaac	tccaaacaag	720
attgaccttt	atgatgtacg	aaggagacca	tggtagatcc	aaggagctgc	atctcctaaa	780
gatatgctta	ttctggctga	cgtgagtggg	agtgttagtg	gtttgacgct	taaactgatc	840
cgaacatctg	tctctgaaat	gttggaacc	ctctcagatg	acgattttgt	gaatgtagct	900
tcattttaaca	gcaatgcccc	ggatgtaagc	tgttttcaac	accttgtcca	agcaaatgta	960
agaaataaga	aagtgcgtgaa	agatgcagtt	aataatatca	cagcaaaaag	aatcacagat	1020
tacaagaagg	gcttttagttt	tgcttttgaa	caactgctta	attataacgt	ttctagagcc	1080
aactgcaata	agattatcat	gttgttcacc	gatggaggag	aagagagagc	tcaggagata	1140
tttgccaaat	acaacaaaga	caaaaaagta	cgtgtattca	catttttcagt	tggtcaacat	1200
aattatgaca	gaggacctat	tcagtggatg	gcctgtgaaa	ataaagggtta	ttattatgaa	1260
attccttcca	ttggagcaat	cagaatcaat	actcaggaat	atttggatgt	tctgggaaga	1320
ccaatggttt	tagcaggaga	caaagctaag	caagtccagt	ggacaaacgt	gtacctggat	1380
gcactggaac	tgggacttgt	cattactgga	actcttccgg	tcttcaacat	aaccggccaa	1440
aatgaaaata	agacgaactt	aaagaaccag	ctgattcttg	gtgtgatggg	agttgatgta	1500
tctttggaag	atattaaaag	actgacacca	cgtttttacac	tgtgccccaa	tggctattac	1560
tttgcaattg	atcctaattg	ctatgtttta	ttacatccaa	atcttcagcc	aaagaacccc	1620
aaatctcagg	agccagtaac	cttggaattc	cttgatgcag	aattagagaa	tgatattaaa	1680
gtggagatcc	gaaataaaat	gatagatgga	gaaagtggag	aaaaaacatt	cagaactctg	1740
gttaaatctc	aagatgagag	atatattgac	aaaggaaaca	ggacatatatac	atggactcct	1800
gtcaatggca	cagattacag	tttggccttg	gtattaccaa	cctacagttt	ttactatata	1860
aaagccaaaa	tagaagagac	aataactcag	gccagatcaa	aaaagggcaa	aatgaaggat	1920
tcagaaacac	tgaagcctga	taattttgaa	gaatctggct	atacattcat	agcaccaaga	1980
gactactgca	atgaccttaa	aatatcagat	aataataccg	aattttctttt	aaactttaat	2040
gagtttattg	atagaaaaac	tccaaacaac	ccgtcatgca	acacagattt	gattaataga	2100

gtcttgctgg	atgcgggctt	tacaaatgaa	cttgtccaaa	attactggag	taagcagaaa	2160
aacatcaagg	gagtgaagc	acggtttgtt	gtaactgatg	gagggattac	cagagtttat	2220
cccaaagagg	ctggagaaaa	ttggcaagaa	aaccagaaa	catatgagga	cagcttctat	2280
aaaagaagtc	tagataacga	taactatgtt	ttcactgctc	cctactttaa	caaaagtggg	2340
cctggtgctt	atgaatcagg	catcatggta	agcaaagctg	tagaaatata	catccaagga	2400
aaacttctta	aacctgcagt	tgttggaatt	aaaattgatg	taaattcctg	gatagagaat	2460
ttcaccaaaa	catcaatcag	ggatccgtgt	gctgggccag	tttgtgattg	taaaagaaac	2520
agtgatgtaa	tggatttgtt	gattctagat	gatgggtggg	ttcttttgat	ggcaaatcat	2580
gatgattata	ctaaccagat	tgggaaggtt	tttggagaga	ttgaccaag	tttgatgaga	2640
cacctgggtta	atatatcagt	ttatgctttt	aacaaatctt	acgattatca	gtcagtgtgt	2700
gagcctgggtg	ctgcaccaa	acaaggagca	ggacatcgct	cagcatatgt	gccatcaata	2760
gcagacatct	tacacattgg	ctggtgggcc	actgcagctg	catggtctat	tctacagcag	2820
tttctcttga	gtttgacctt	tccacgactt	cttgaagcag	ttgagatgga	agatgagac	2880
tttaccgcct	ctctgtcaaa	gcagagttgc	attactgaac	aaaccagta	tttctttgat	2940
aatgatagca	aatccttcag	tggggtcctg	gactgtggta	actgttccag	aatctttcac	3000
gttgaaaaaac	ttatgaacac	caacttaata	ttcataatgg	ttgagagcaa	agggacttgt	3060
ccttgtgaca	cacgattgct	catacaagct	gagcagactt	ctgacgggtc	agatccttgt	3120
gatatgggtta	agcaaccag	ataccgaaaa	gggcctgatg	tctgttttga	taacaatgcc	3180
ttggaggatt	ataccgactg	tgggtggtgt	tctggattaa	atccctccct	gtggtccatc	3240
ttcggaatcc	agtgtgtttt	actttggctt	ttatctggca	gcagacacta	ccagttatga	3300
cccttctaaa	accaaactctg	catattaaac	ttcagaccct	gccagaatag	gagccctcaa	3360
ttgcattaaa	atagggtaaa	ctgcagaatc	agcagaactc	tagctggggc	catcccatgg	3420
catcaatctc	agactcataa	ggcaccact	ggctgcatgt	caggggtgtca	gatcctgaaa	3480
cttgtgtgaa	tgctgcatca	tctatgtata	acatcagagc	aaaattctat	acctattcta	3540
ttggaataat	tgagaatttg	ttgttgcat	gttgggtgatt	acatgtaaaa	gggctcccca	3600
cacagttgtg	tatgaatcac	gcaaattgtc	ttgattttga	cttgctgcaa	tccttgtcct	3660
ttaccaaga	aaatctctag	agggaaaaaa	aaagtctttt	ttttccttca	ctaattctgc	3720
tacaaattat	ttcctgcttg	gagtagttat	tattaaaaaa	tatatatata	gagagagaga	3780
gagagaatta	acattggtgt	aatctgtcaa	aatagaaata	atgggttatt	ttctacaaaa	3840
aa						3842

<210> 2
 <211> 3057
 <212> DNA
 <213> Sus scrofa

<400> 2						
atggctgctg	gctgcctgct	ggccttgact	ctgacacttt	tccaatcttt	gctgatcggg	60
ccctcatcgc	aggagccgtt	cccgtcggcc	gtcactatca	agtcatgggt	ggataaaaatg	120
caagaagacc	ttgtcaccct	ggcaaaaaca	gcaagtggag	tcaatcagct	tgctgatatt	180
tatgaaaaat	accaagattt	gtatactgtg	gaaccaaaata	atgcacgcca	gctggtggaa	240
attgcagcca	gggatattga	gaaacttctg	agcaacagat	ctaaagccct	ggtgcgccta	300
gctttggaag	cagagaaggt	tcaagcagcc	caccagtggg	gagaggattt	tgcaagcaat	360
gaagtgtgtc	actacaatgc	aaaggatgat	ctcgatcctg	aaaaaaatga	cagtgaagcca	420
ggcagccaga	ggataaaaacc	tgtttttatt	gatgatgcta	attttgggcg	acagatatct	480
tatcagcatg	cagcagtcga	tattcccacc	gacatctatg	agggctcaac	aattgtgtta	540
aatgaactga	actggacaag	tgccttagat	gaagttttca	agaaaaatcg	agaggaagat	600
ccctcattat	tgtggcaggt	gtttggcagt	gccacaggcc	tggcccggta	ttatccagct	660
tctccatggg	ttgataacag	tagaactcca	aacaagattg	acctttatga	tgtacgaagg	720
agaccatggg	acatccaagg	agctgcatct	cctaaagata	tgcttattct	ggtcgacgtg	780
agtggaaagt	ttagtgggtt	gacgcttaaa	ctgatccgaa	catctgtctc	tgaaatgttg	840
gaaaccctct	cagatgacga	ttttgtgaat	gtagcttcat	ttacacgcaa	tgcccaggat	900
gtaagctgtt	ttcaacacct	tgtccaagca	aatgtaagaa	ataagaaagt	gctgaaagat	960
gcagttaata	atatcacagc	aaaaggaatc	acagattaca	agaagggtct	tagttttgct	1020
tttgaacaac	tgcttaatta	taacgtttct	agagccaact	gcaataagat	tatcatgttg	1080
ttcaccgatg	gaggagaaga	gagagctcag	gagatatattg	ccaaatacaa	caaagacaaa	1140

aaagtacgtg	tattcacatt	ttcagttggt	caacataatt	atgacagagg	acctattcag	1200
tggatggcct	gtgaaaataa	aggttattat	tatgaaattc	cttccattgg	agcaatcaga	1260
atcaatactc	aggaatat	ggatgttctg	ggaagaccac	tgggttttagc	aggagacaaa	1320
gctaagcaag	tccagtggac	aaacgtgtac	ctggatgcac	tggaaactggg	acttgtcatt	1380
actggaactc	ttccggtcct	caacataacc	ggccaaaatg	aaaataagac	gaacttaaag	1440
aaccagctga	ttcttgggtg	gatgggagtt	gatgtatctt	tggaagatat	taaaagactg	1500
acaccacgtt	ttacactgtg	ccccaatggc	tattactttg	caattgatcc	taatggctat	1560
gttttattac	atccaaatct	tcagccaaag	aaccccaa	ctcaggagcc	agtaaccttg	1620
gatttccttg	atgcagaatt	agagaatgat	attaaagtgg	agatccgaaa	taaaatgata	1680
gatggagaaa	gtggagaaaa	aacattcaga	actctggtta	aatctcaaga	tgagagatat	1740
attgacaaa	gaaacaggac	atatacatgg	actcctgtca	atggcacaga	ttacagtttg	1800
gccttgggtat	taccaacctc	cagtttttac	tatataaaag	ccaaaataga	agagacaata	1860
actcaggcca	gatcaaaaaa	gggcaaaatg	aaggattcag	aaacactgaa	gcctgataat	1920
tttgaagaat	ctggctatac	attcatagca	ccaagagact	actgcaatga	ccttaaaata	1980
tcagataata	ataccgaatt	tcttttaa	tttaatgagt	ttattgatag	aaaaactcca	2040
aacaacccgt	catgcaacac	agatttgatt	aatagagtct	tgctggatgc	gggctttaca	2100
aatgaacttg	tccaaaatta	ctggagtaag	cagaaaaaca	tcaagggagt	gaaagcacgg	2160
tttgttgtaa	ctgatggagg	gattaccaga	gtttatccca	aagaggctgg	agaaaattgg	2220
caagaaaacc	cagaaacata	tgaggacagc	ttctataaaa	gaagtctaga	taacgataac	2280
tatgttttca	ctgctcccta	ctttaacaaa	agtggacctg	gtgcttatga	atcaggcatc	2340
atggtaagca	aagctgtaga	aatatacatc	caaggaaaac	ttcttaaacc	tgcaattgtt	2400
ggaattaaaa	ttgatgtaaa	ttcctggata	gagaatttca	ccaaaacatc	aatcagggat	2460
ccgtgtgctg	gtccagtttg	tgattgtaaa	agaaacagtg	atgtaatgga	ttgtgtgatt	2520
ctagatgatg	gtgggtttct	tttgatggca	aatcatgatg	attatactaa	ccagattgga	2580
aggttttttg	gagagattga	cccaagtttg	atgagacacc	tggttaatat	atcagtttat	2640
gcttttaaca	aatcttacga	ttatcagtca	gtgtgtgagc	ctggtgctgc	accaaaca	2700
ggagcaggac	atcgtcagc	atatgtgcca	tcaatagcag	acatcttaca	cattggctgg	2760
tgggccactg	cagctgcatg	gtctattcta	cagcagtttc	tcttgagttt	gacctttcca	2820
cgacttcttg	aagcagttga	gatggaagat	gatgacttta	ccgcctctct	gtcaaagcag	2880
agttgtcatta	ctgaacaaac	ccagtatttc	tttgataatg	atagcaaata	cttcagtggg	2940
gtcttggact	gtggtaactg	ttccagaatc	tttcacgttg	aaaaacttat	gaacaccaac	3000
ttaatattca	taatggttga	gagcaaaggg	acttgtcctt	gtgacacacg	attgtga	3057

<210> 3
 <211> 3111
 <212> DNA
 <213> Sus scrofa

<400> 3

atggctgctg	gctgcctgct	ggccttgact	ctgacacttt	tccaatcttt	gctgatcggg	60
ccctcatcgc	aggagccgtt	cccgtcggcc	gtcactatca	agtcattggg	ggataaaatg	120
caagaagacc	ttgtcaccct	ggcaaaaaca	gcaagtggag	tcaatcagct	tgctgatatt	180
tatgaaaaat	accaagattt	gtatactgtg	gaaccaaata	atgcacgcca	gctggtggaa	240
attgcagcca	gggatattga	gaaacttctg	agcaacagat	ctaaagccct	ggtgcgccta	300
gctttggaag	cagagaaggt	tcaagcagcc	caccagtggg	gagaggattt	tgcaagcaat	360
gaagttgtct	actacaatgc	aaaggatgat	ctcgatcctg	aaaaaaatga	cagtgaacca	420
ggcagccaga	ggataaaacc	tgtttttatt	gatgatgcta	attttgggcg	acagatatct	480
tatcagcatg	cagcagttcca	tattcccacc	gacatctatg	agggctcaac	aattgtgtta	540
aatgaactga	actggacaag	tgcttagat	gaagttttca	agaaaaatcg	agaggaagat	600
ccctcattat	tgtggcaggt	gtttggcagt	gccacaggcc	tggcccggtg	ttatccagct	660
tctccatggg	ttgataacag	tagaactcca	aacaagattg	acctttatga	tgtacgaagg	720
agaccatggg	acatccaagg	agctgcatct	cctaaagata	tgcttattct	ggtcgacgtg	780
agtgggaagt	ttagtgggtt	gacgcttaaa	ctgatccgaa	catctgtctc	tgaaatgttg	840
gaaaccctct	cagatgacga	ttttgtgaat	gtagcttcat	ttaacagcaa	tgcccaggat	900
gtaagctgtt	ttcaacacct	tgtccaagca	aatgtaagaa	ataagaaagt	gctgaaagat	960
gcagttaata	atatcacagc	aaaaggaatc	acagattaca	agaagggtct	tagttttgct	1020

tttgaacaac	tgcttaatta	taacgtttct	agagccaact	gcaataagat	tatcatgttg	1080
ttcaccgatg	gaggagaaga	gagagctcag	gagatatttg	ccaaatacaa	caaagacaaa	1140
aaagtacgtg	tattcacatt	ttcagttggg	caacataatt	atgacagagg	acctattcag	1200
tggtatggcct	gtgaaaataa	aggttattat	tatgaaattc	cttccattgg	agcaatcaga	1260
atcaatactc	aggaatattt	ggatgttctg	ggaagaccaa	tggttttagc	aggagacaaa	1320
gctaagcaag	tccagtggtg	aaacgtgtac	ctggatgcac	tggaactggg	acttgtcatt	1380
actggaactc	ttccggtcct	caacataacc	ggccaaaatg	aaaataagac	gaacttaaag	1440
aaccagctga	ttcttgggtg	gatgggagtt	gatgtatcct	tggaagatat	taaaagactg	1500
acaccacgtt	ttacactgtg	ccccaatggc	tattactttg	caattgatcc	taatggctat	1560
gtttttattac	atccaaatct	tcagccaaag	aaccccaaat	ctcaggagcc	agtaaccttg	1620
gatttccttg	atgcagaatt	agagaatgat	attaaagtgg	agatccgaaa	taaaatgata	1680
gatggagaaa	gtggagaaaa	aacattcaga	actctggtta	aatctcaaga	tgagagatat	1740
attgacaaa	gaaacaggac	atatacatgg	actcctgtca	atggcacaga	ttacagattt	1800
gccttgggtat	taccaacctta	cagttttttac	tatataaaa	ccaaaataga	agagacaata	1860
actcaggcca	gatcaaaaaa	gggcaaaatg	aaggattcag	aaacactgaa	gcctgataat	1920
tttgaagaat	ctggctatac	attcatagca	ccaagagact	actgcaatga	ccttaaaata	1980
tcagataata	ataccgaatt	tcttttaaac	tttaatgagt	ttattgatag	aaaaactcca	2040
aacaacccgt	catgcaacac	agatttgatt	aatagagtct	tgctggatgc	gggctttaca	2100
aatgaacttg	tccaaaatta	ctggagtaag	cagaaaaaca	tcaagggagt	gaaagcacgg	2160
tttgttgtaa	ctgatggagg	gattaccaga	gtttatccca	aagaggctgg	agaaaattgg	2220
caagaaaacc	cagaaacata	tgaggacagc	ttctataaaa	gaagtctaga	taacgataac	2280
tatgttttca	ctgctcccta	ctttaacaaa	agtggacctg	gtgcttatga	atcaggcatc	2340
atggtaagca	aagctgtaga	aatatacatc	caaggaaaac	ttcttaaacc	tgcatgtgtt	2400
ggaattaaaa	ttgatgtaaa	ttcctggata	gagaatttca	ccaaaacatc	aatcagggat	2460
ccgtgtgctg	gtccagtttg	tgattgtaaa	agaaacagtg	atgtaatgga	ttgtgtgatt	2520
ctagatgatg	gtgggtttct	tttgatggca	aatcatgatg	attatactaa	ccagattgga	2580
aggttttttg	gagagattga	cccaagtttg	atgagacacc	tggttaatat	atcagtttat	2640
gcttttaaca	aatctttacga	ttatcagtca	gtgtgtgagc	ctggtgctgc	acaaaaaca	2700
ggagcaggac	atcgctcagc	atatgtgcca	tcaatagcag	acatcttaca	cattggctgg	2760
tgggccactg	cagctgcagt	gtctatttca	cagcagtttc	tcttgagttt	gacctttcca	2820
cgacttcttg	aagcagttga	gatggaagat	gatgacttta	ccgcctctct	gtcaaagcag	2880
agttgcatta	ctgaacaaac	ccagtatttc	tttgataatg	atagcaaadc	cttcagtggg	2940
gtcttggaact	gtggtaactg	ttccagaatc	tttcacgttg	aaaaacttat	gaacaccaac	3000
ttaatattca	taatggttga	gagcaaaggg	acttgtcctt	gtgacacacg	attgtctcata	3060
caagctgagc	agacttctga	cgggtccagat	ccttgtgata	tggttaagtg	a	3111

<210> 4

<211> 3192

<212> DNA

<213> Sus scrofa

<400> 4

atggctgctg	gctgcctget	ggccttgact	ctgacacttt	tccaatcttt	gctgatcggg	60
ccctcatcgc	aggagccggt	cccgtcggcc	gtcactatca	agtcatgggt	ggataaaaatg	120
caagaagacc	ttgtcaccct	ggcaaaaaca	gcaagtggag	tcaatcagct	tgctgatatt	180
tatgaaaaat	accaagattt	gtatactgtg	gaaccaaata	atgcacgcca	gctggtggaa	240
attgcagcca	gggatattga	gaaacttctg	agcaacagat	ctaaagccct	ggtgcgccta	300
gctttggaag	cagagaagggt	tcaagcagcc	caccagtggg	gagaggattt	tgcaagcaat	360
gaagtgtgtc	actacaatgc	aaaggatgat	ctcgatcctg	aaaaaaatga	cagtgcagcca	420
ggcagccaga	ggataaaaacc	tgtttttatt	gatgatgcta	attttgggcg	acagatatct	480
tatcagcatg	cagcagtcca	tattccacc	gacatctatg	agggtcaac	aattgtgtta	540
aatgaactga	actggacaag	tgcccttagat	gaagttttca	agaaaaatcg	agaggaagat	600
ccctcattat	tgtggcaggt	gtttggcagt	gccacaggcc	tggtcccgta	ttatccagct	660
tctccatggg	ttgataacag	tagaactcca	aacaagattg	acctttatga	tgtacgaagg	720
agaccatggg	acatccaagg	agctgcactc	cctaaagata	tgcttattct	ggtcgacgtg	780
agtgggaagt	ttagtgggtt	gacgcttaaa	ctgatccgaa	catctgtctc	tgaaatgttg	840

```

gaaaccctct cagatgacga ttttgtgaat gtagcttcat ttaacagcaa tgcccaggat 900
gtaagctgtt ttcaacacct tgtccaagca aatgtaagaa ataagaaagt gctgaaagat 960
gcagttaata atatcacagc aaaaggaatc acagattaca agaagggtt tagttttgct 1020
tttgaacaac tgcttaatta taacgtttct agagccaact gcaataagat tatcatgttg 1080
ttcaccgatg gaggagaaga gagagctcag gagatatttg ccaaatacaa caaagacaaa 1140
aaagtacgtg tattcacatt ttcagttggt caacataatt atgacagagg acctattcag 1200
tggtatggcct gtgaaaataa aggttattat tatgaaattc cttccattgg agcaatcaga 1260
atcaatactc aggaatattt ggatgttctg ggaagaccaa tggtttttagc aggagacaaa 1320
gctaagcaag tccagtggac aaacgtgtac ctggatgcac tggaaactggg acttgtcatt 1380
actggaactc ttccggtctt caacataacc ggccaaaatg aaaataagac gaacttaaag 1440
aaccagctga ttcttggtgt gatgggagtt gatgtatctt tggaagatat taaaagactg 1500
acaccacgtt ttacactgtg cccaatggc tattactttg caattgatcc taatggctat 1560
gttttattac atccaaatct tcagccaaag aaccccaaact ctcaggagcc agtaaccttg 1620
gatttccttg atgcagaatt agagaatgat attaaagtgg agatccgaaa taaaatgata 1680
gatggagaaa gtggagaaaa aacattcaga actctggtta aatctcaaga tgagagatat 1740
attgacaaaag gaaacaggac atatacatgg actcctgtca atggcacaga ttacagtttg 1800
gccttggtat taccaaccta cagttttttac tatataaaaag ccaaaataga agagacaata 1860
actcaggcca gatcaaaaaa gggcaaaatg aaggattcag aaacactgaa gcctgataat 1920
tttgaagaat ctggctatac attcatagca ccaagagact actgcaatga ccttaaaata 1980
tcagataata ataccgaatt tcttttaaac tttaatgagt ttattgatag aaaaactcca 2040
aacaaccctg catgcaacac agatttgatt aatagagtct tgctggatgc gggctttaca 2100
aatgaacttg tccaaaatta ctggagtaag cagaaaaaca tcaagggagt gaaagcacgg 2160
tttgttgtaa ctgatggagg gattaccaga gtttatccca aagaggctgg agaaaattgg 2220
caagaaaacc cagaaacata tgaggacagc ttctataaaa gaagtctaga taacgataac 2280
tatgttttca ctgctcccta cttaacaaa agtggacctg gtgcttatga atcaggcatc 2340
atggtaaagca aagctgtaga aatatacatc caaggaaaac ttcttaaacc tgcagttggt 2400
ggaattaaaa ttgatgtaaa ttcttgata gagaatttca ccaaaacatc aatcagggat 2460
ccgtgtgctg gtccagtttg tgattgtaaa agaaacagtg atgtaatgga ttgtgtgatt 2520
ctagatgatg gtgggtttct tttgatggca aatcatgatg attatactaa ccagattgga 2580
aggttttttg gagagattga cccaagtttg atgagacacc tggttaatat atcagtttat 2640
gcttttaaca aatcttacga ttatcagtca gtgtgtgagc ctggtgctgc accaaaacaa 2700
ggagcaggac atcgctcagc atatgtgcca tcaatagcag acatcttaca cattggctgg 2760
tgggccactg cagctgcatg gtctattcta cagcagtttc tcttgagttt gacctttcca 2820
cgacttcttg aagcagttga gatggaagat gatgacttta ccgcctctct gtcaaagcag 2880
agttgcatta ctgaacaaac ccagtatttc tttgataatg atagcaaate cttcagtggt 2940
gtcttggact gtggttaactg ttccagaatc tttcacgttg aaaaacttat gaacaccaac 3000
ttaatattca taatggttga gagcaaaggg acttgtcctt gtgacacacg attgtctata 3060
caagctgagc agacttctga cggccagat ccttgtgata tggttaagca acccagatac 3120
cgaaaagggc ctgatgtctg ttttgataac aatgccttgg aggattatac cgactgtggt 3180
ggtgtttctt ga 3192

```

<210> 5
 <211> 1091
 <212> PRT
 <213> Sus scrofa

<400> 5
 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
 1 5 10 15
 Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr
 20 25 30
 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala
 35 40 45

Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr
 50 55 60

Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu
 65 70 75 80

Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala
 85 90 95

Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln
 100 105 110

Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys
 115 120 125

Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg
 130 135 140

Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser
 145 150 155 160

Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser
 165 170 175

Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val
 180 185 190

Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe
 195 200 205

Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val
 210 215 220

Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg
 225 230 235 240

Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile
 245 250 255

Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile
 260 265 270

Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe
 275 280 285

Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe
 290 295 300

Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp
 305 310 315 320

Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly
 325 330 335

Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala
 340 345 350

Asn	Cys	Asn	Lys	Ile	Ile	Met	Leu	Phe	Thr	Asp	Gly	Gly	Glu	Glu	Arg	355	360	365
Ala	Gln	Glu	Ile	Phe	Ala	Lys	Tyr	Asn	Lys	Asp	Lys	Lys	Val	Arg	Val	370	375	380
Phe	Thr	Phe	Ser	Val	Gly	Gln	His	Asn	Tyr	Asp	Arg	Gly	Pro	Ile	Gln	385	390	395
Trp	Met	Ala	Cys	Glu	Asn	Lys	Gly	Tyr	Tyr	Tyr	Glu	Ile	Pro	Ser	Ile	405	410	415
Gly	Ala	Ile	Arg	Ile	Asn	Thr	Gln	Glu	Tyr	Leu	Asp	Val	Leu	Gly	Arg	420	425	430
Pro	Met	Val	Leu	Ala	Gly	Asp	Lys	Ala	Lys	Gln	Val	Gln	Trp	Thr	Asn	435	440	445
Val	Tyr	Leu	Asp	Ala	Leu	Glu	Leu	Gly	Leu	Val	Ile	Thr	Gly	Thr	Leu	450	455	460
Pro	Val	Phe	Asn	Ile	Thr	Gly	Gln	Asn	Glu	Asn	Lys	Thr	Asn	Leu	Lys	465	470	475
Asn	Gln	Leu	Ile	Leu	Gly	Val	Met	Gly	Val	Asp	Val	Ser	Leu	Glu	Asp	485	490	495
Ile	Lys	Arg	Leu	Thr	Pro	Arg	Phe	Thr	Leu	Cys	Pro	Asn	Gly	Tyr	Tyr	500	505	510
Phe	Ala	Ile	Asp	Pro	Asn	Gly	Tyr	Val	Leu	Leu	His	Pro	Asn	Leu	Gln	515	520	525
Pro	Lys	Asn	Pro	Lys	Ser	Gln	Glu	Pro	Val	Thr	Leu	Asp	Phe	Leu	Asp	530	535	540
Ala	Glu	Leu	Glu	Asn	Asp	Ile	Lys	Val	Glu	Ile	Arg	Asn	Lys	Met	Ile	545	550	555
Asp	Gly	Glu	Ser	Gly	Glu	Lys	Thr	Phe	Arg	Thr	Leu	Val	Lys	Ser	Gln	565	570	575
Asp	Glu	Arg	Tyr	Ile	Asp	Lys	Gly	Asn	Arg	Thr	Tyr	Thr	Trp	Thr	Pro	580	585	590
Val	Asn	Gly	Thr	Asp	Tyr	Ser	Leu	Ala	Leu	Val	Leu	Pro	Thr	Tyr	Ser	595	600	605
Phe	Tyr	Tyr	Ile	Lys	Ala	Lys	Ile	Glu	Glu	Thr	Ile	Thr	Gln	Ala	Arg	610	615	620
Ser	Lys	Lys	Gly	Lys	Met	Lys	Asp	Ser	Glu	Thr	Leu	Lys	Pro	Asp	Asn	625	630	635
Phe	Glu	Glu	Ser	Gly	Tyr	Thr	Phe	Ile	Ala	Pro	Arg	Asp	Tyr	Cys	Asn	645	650	655

Asp	Leu	Lys	Ile	Ser	Asp	Asn	Asn	Thr	Glu	Phe	Leu	Leu	Asn	Phe	Asn		
			660					665					670				
Glu	Phe	Ile	Asp	Arg	Lys	Thr	Pro	Asn	Asn	Pro	Ser	Cys	Asn	Thr	Asp		
		675					680					685					
Leu	Ile	Asn	Arg	Val	Leu	Leu	Asp	Ala	Gly	Phe	Thr	Asn	Glu	Leu	Val		
	690					695					700						
Gln	Asn	Tyr	Trp	Ser	Lys	Gln	Lys	Asn	Ile	Lys	Gly	Val	Lys	Ala	Arg		
705					710					715					720		
Phe	Val	Val	Thr	Asp	Gly	Gly	Ile	Thr	Arg	Val	Tyr	Pro	Lys	Glu	Ala		
				725					730						735		
Gly	Glu	Asn	Trp	Gln	Glu	Asn	Pro	Glu	Thr	Tyr	Glu	Asp	Ser	Phe	Tyr		
		740						745					750				
Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe		
		755					760					765					
Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys		
	770					775					780						
Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val		
785					790					795					800		
Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr		
			805						810					815			
Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn		
			820					825					830				
Ser	Asp	Val	Met	Asp	Cys	Val	Ile	Leu	Asp	Asp	Gly	Gly	Phe	Leu	Leu		
		835					840					845					
Met	Ala	Asn	His	Asp	Asp	Tyr	Thr	Asn	Gln	Ile	Gly	Arg	Phe	Phe	Gly		
	850					855					860						
Glu	Ile	Asp	Pro	Ser	Leu	Met	Arg	His	Leu	Val	Asn	Ile	Ser	Val	Tyr		
865					870					875					880		
Ala	Phe	Asn	Lys	Ser	Tyr	Asp	Tyr	Gln	Ser	Val	Cys	Glu	Pro	Gly	Ala		
			885					890						895			
Ala	Pro	Lys	Gln	Gly	Ala	Gly	His	Arg	Ser	Ala	Tyr	Val	Pro	Ser	Ile		
		900						905					910				
Ala	Asp	Ile	Leu	His	Ile	Gly	Trp	Trp	Ala	Thr	Ala	Ala	Ala	Trp	Ser		
		915					920					925					
Ile	Leu	Gln	Gln	Phe	Leu	Leu	Ser	Leu	Thr	Phe	Pro	Arg	Leu	Leu	Glu		
	930					935					940						
Ala	Val	Glu	Met	Glu	Asp	Asp	Asp	Phe	Thr	Ala	Ser	Leu	Ser	Lys	Gln		
945					950					955					960		

Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys
 965 970 975
 Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His
 980 985 990
 Val Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser
 995 1000 1005
 Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln
 1010 1015 1020
 Thr Ser Asp Gly Pro Asp Pro Cys Asp Met Val Lys Gln Pro Arg Tyr
 1025 1030 1035 1040
 Arg Lys Gly Pro Asp Val Cys Phe Asp Asn Asn Ala Leu Glu Asp Tyr
 1045 1050 1055
 Thr Asp Cys Gly Gly Val Ser Gly Leu Asn Pro Ser Leu Trp Ser Ile
 1060 1065 1070
 Phe Gly Ile Gln Cys Val Leu Leu Trp Leu Leu Ser Gly Ser Arg His
 1075 1080 1085
 Tyr Gln Leu
 1090

<210> 6
 <211> 1018
 <212> PRT
 <213> Sus scrofa

<400> 6
 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
 1 5 10 15
 Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr
 20 25 30
 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala
 35 40 45
 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr
 50 55 60
 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu
 65 70 75 80
 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala
 85 90 95
 Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln
 100 105 110
 Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys

115					120					125					
Asp	Asp	Leu	Asp	Pro	Glu	Lys	Asn	Asp	Ser	Glu	Pro	Gly	Ser	Gln	Arg
130						135					140				
Ile	Lys	Pro	Val	Phe	Ile	Asp	Asp	Ala	Asn	Phe	Gly	Arg	Gln	Ile	Ser
145					150					155					160
Tyr	Gln	His	Ala	Ala	Val	His	Ile	Pro	Thr	Asp	Ile	Tyr	Glu	Gly	Ser
				165					170					175	
Thr	Ile	Val	Leu	Asn	Glu	Leu	Asn	Trp	Thr	Ser	Ala	Leu	Asp	Glu	Val
			180					185					190		
Phe	Lys	Lys	Asn	Arg	Glu	Glu	Asp	Pro	Ser	Leu	Leu	Trp	Gln	Val	Phe
		195					200					205			
Gly	Ser	Ala	Thr	Gly	Leu	Ala	Arg	Tyr	Tyr	Pro	Ala	Ser	Pro	Trp	Val
	210					215					220				
Asp	Asn	Ser	Arg	Thr	Pro	Asn	Lys	Ile	Asp	Leu	Tyr	Asp	Val	Arg	Arg
225					230					235					240
Arg	Pro	Trp	Tyr	Ile	Gln	Gly	Ala	Ala	Ser	Pro	Lys	Asp	Met	Leu	Ile
				245					250					255	
Leu	Val	Asp	Val	Ser	Gly	Ser	Val	Ser	Gly	Leu	Thr	Leu	Lys	Leu	Ile
			260					265					270		
Arg	Thr	Ser	Val	Ser	Glu	Met	Leu	Glu	Thr	Leu	Ser	Asp	Asp	Asp	Phe
		275					280					285			
Val	Asn	Val	Ala	Ser	Phe	Asn	Ser	Asn	Ala	Gln	Asp	Val	Ser	Cys	Phe
	290					295					300				
Gln	His	Leu	Val	Gln	Ala	Asn	Val	Arg	Asn	Lys	Lys	Val	Leu	Lys	Asp
305					310					315					320
Ala	Val	Asn	Asn	Ile	Thr	Ala	Lys	Gly	Ile	Thr	Asp	Tyr	Lys	Lys	Gly
				325					330					335	
Phe	Ser	Phe	Ala	Phe	Glu	Gln	Leu	Leu	Asn	Tyr	Asn	Val	Ser	Arg	Ala
			340					345					350		
Asn	Cys	Asn	Lys	Ile	Ile	Met	Leu	Phe	Thr	Asp	Gly	Gly	Glu	Glu	Arg
		355					360					365			
Ala	Gln	Glu	Ile	Phe	Ala	Lys	Tyr	Asn	Lys	Asp	Lys	Lys	Val	Arg	Val
	370					375					380				
Phe	Thr	Phe	Ser	Val	Gly	Gln	His	Asn	Tyr	Asp	Arg	Gly	Pro	Ile	Gln
385					390					395					400
Trp	Met	Ala	Cys	Glu	Asn	Lys	Gly	Tyr	Tyr	Tyr	Glu	Ile	Pro	Ser	Ile
				405					410					415	
Gly	Ala	Ile	Arg	Ile	Asn	Thr	Gln	Glu	Tyr	Leu	Asp	Val	Leu	Gly	Arg

420	425	430
Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn 435 440 445		
Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu 450 455 460		
Pro Val Phe Asn Ile Thr Gly Gln Asn Glu Asn Lys Thr Asn Leu Lys 465 470 475 480		
Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp 485 490 495		
Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr 500 505 510		
Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln 515 520 525		
Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp 530 535 540		
Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile 545 550 555 560		
Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln 565 570 575		
Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro 580 585 590		
Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser 595 600 605		
Phe Tyr Tyr Ile Lys Ala Lys Ile Glu Glu Thr Ile Thr Gln Ala Arg 610 615 620		
Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn 625 630 635 640		
Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn 645 650 655		
Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn 660 665 670		
Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Thr Asp 675 680 685		
Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val 690 695 700		
Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg 705 710 715 720		
Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala		

725										730					735				
Gly	Glu	Asn	Trp	Gln	Glu	Asn	Pro	Glu	Thr	Tyr	Glu	Asp	Ser	Phe	Tyr				
			740						745				750						
Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe				
		755					760					765							
Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys				
	770					775					780								
Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val				
785					790					795					800				
Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr				
			805						810					815					
Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn				
			820					825					830						
Ser	Asp	Val	Met	Asp	Cys	Val	Ile	Leu	Asp	Asp	Gly	Gly	Phe	Leu	Leu				
		835					840					845							
Met	Ala	Asn	His	Asp	Asp	Tyr	Thr	Asn	Gln	Ile	Gly	Arg	Phe	Phe	Gly				
	850					855					860								
Glu	Ile	Asp	Pro	Ser	Leu	Met	Arg	His	Leu	Val	Asn	Ile	Ser	Val	Tyr				
865					870					875					880				
Ala	Phe	Asn	Lys	Ser	Tyr	Asp	Tyr	Gln	Ser	Val	Cys	Glu	Pro	Gly	Ala				
			885					890						895					
Ala	Pro	Lys	Gln	Gly	Ala	Gly	His	Arg	Ser	Ala	Tyr	Val	Pro	Ser	Ile				
		900						905					910						
Ala	Asp	Ile	Leu	His	Ile	Gly	Trp	Trp	Ala	Thr	Ala	Ala	Ala	Trp	Ser				
		915					920					925							
Ile	Leu	Gln	Gln	Phe	Leu	Leu	Ser	Leu	Thr	Phe	Pro	Arg	Leu	Leu	Glu				
	930					935					940								
Ala	Val	Glu	Met	Glu	Asp	Asp	Asp	Phe	Thr	Ala	Ser	Leu	Ser	Lys	Gln				
945					950					955					960				
Ser	Cys	Ile	Thr	Glu	Gln	Thr	Gln	Tyr	Phe	Phe	Asp	Asn	Asp	Ser	Lys				
				965					970					975					
Ser	Phe	Ser	Gly	Val	Leu	Asp	Cys	Gly	Asn	Cys	Ser	Arg	Ile	Phe	His				
			980					985					990						
Val	Glu	Lys	Leu	Met	Asn	Thr	Asn	Leu	Ile	Phe	Ile	Met	Val	Glu	Ser				
		995					1000					1005							
Lys	Gly	Thr	Cys	Pro	Cys	Asp	Thr	Arg	Leu										
	1010					1015													

<210> 7
<211> 1036
<212> PRT
<213> Sus scrofa

<400> 7
Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
1 5 10 15
Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr
20 25 30
Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala
35 40 45
Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr
50 55 60
Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu
65 70 75 80
Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala
85 90 95
Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln
100 105 110
Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys
115 120 125
Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg
130 135 140
Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser
145 150 155 160
Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser
165 170 175
Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val
180 185 190
Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe
195 200 205
Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val
210 215 220
Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg
225 230 235 240
Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile
245 250 255
Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile
260 265 270

Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe
 275 280 285
 Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe
 290 295 300
 Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp
 305 310 315 320
 Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly
 325 330 335
 Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala
 340 345 350
 Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg
 355 360 365
 Ala Gln Glu Ile Phe Ala Lys Tyr Asn Lys Asp Lys Lys Val Arg Val
 370 375 380
 Phe Thr Phe Ser Val Gly Gln His Asn Tyr Asp Arg Gly Pro Ile Gln
 385 390 395 400
 Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile
 405 410 415
 Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg
 420 425 430
 Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn
 435 440 445
 Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu
 450 455 460
 Pro Val Phe Asn Ile Thr Gly Gln Asn Glu Asn Lys Thr Asn Leu Lys
 465 470 475 480
 Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp
 485 490 495
 Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr
 500 505 510
 Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln
 515 520 525
 Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp
 530 535 540
 Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile
 545 550 555 560
 Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln
 565 570 575

Asp	Glu	Arg	Tyr	Ile	Asp	Lys	Gly	Asn	Arg	Thr	Tyr	Thr	Trp	Thr	Pro		
			580					585					590				
Val	Asn	Gly	Thr	Asp	Tyr	Ser	Leu	Ala	Leu	Val	Leu	Pro	Thr	Tyr	Ser		
		595					600					605					
Phe	Tyr	Tyr	Ile	Lys	Ala	Lys	Ile	Glu	Glu	Thr	Ile	Thr	Gln	Ala	Arg		
	610					615					620						
Ser	Lys	Lys	Gly	Lys	Met	Lys	Asp	Ser	Glu	Thr	Leu	Lys	Pro	Asp	Asn		
	625				630					635					640		
Phe	Glu	Glu	Ser	Gly	Tyr	Thr	Phe	Ile	Ala	Pro	Arg	Asp	Tyr	Cys	Asn		
				645					650					655			
Asp	Leu	Lys	Ile	Ser	Asp	Asn	Asn	Thr	Glu	Phe	Leu	Leu	Asn	Phe	Asn		
			660					665					670				
Glu	Phe	Ile	Asp	Arg	Lys	Thr	Pro	Asn	Asn	Pro	Ser	Cys	Asn	Thr	Asp		
		675					680					685					
Leu	Ile	Asn	Arg	Val	Leu	Leu	Asp	Ala	Gly	Phe	Thr	Asn	Glu	Leu	Val		
	690					695					700						
Gln	Asn	Tyr	Trp	Ser	Lys	Gln	Lys	Asn	Ile	Lys	Gly	Val	Lys	Ala	Arg		
	705				710					715					720		
Phe	Val	Val	Thr	Asp	Gly	Gly	Ile	Thr	Arg	Val	Tyr	Pro	Lys	Glu	Ala		
				725					730					735			
Gly	Glu	Asn	Trp	Gln	Glu	Asn	Pro	Glu	Thr	Tyr	Glu	Asp	Ser	Phe	Tyr		
			740					745					750				
Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe		
		755					760					765					
Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys		
	770					775					780						
Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val		
	785				790					795					800		
Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr		
				805					810					815			
Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn		
			820					825					830				
Ser	Asp	Val	Met	Asp	Cys	Val	Ile	Leu	Asp	Asp	Gly	Gly	Phe	Leu	Leu		
			835				840					845					
Met	Ala	Asn	His	Asp	Asp	Tyr	Thr	Asn	Gln	Ile	Gly	Arg	Phe	Phe	Gly		
	850					855					860						
Glu	Ile	Asp	Pro	Ser	Leu	Met	Arg	His	Leu	Val	Asn	Ile	Ser	Val	Tyr		
	865				870					875					880		

Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala
 885 890 895
 Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Ile
 900 905 910
 Ala Asp Ile Leu His Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser
 915 920 925
 Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu
 930 935 940
 Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln
 945 950 955 960
 Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys
 965 970 975
 Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His
 980 985 990
 Val Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser
 995 1000 1005
 Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln
 1010 1015 1020
 Thr Ser Asp Gly Pro Asp Pro Cys Asp Met Val Lys
 1025 1030 1035

<210> 8
 <211> 1063
 <212> PRT
 <213> Sus scrofa

<400> 8
 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
 1 5 10 15
 Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr
 20 25 30
 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala
 35 40 45
 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr
 50 55 60
 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu
 65 70 75 80
 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala
 85 90 95

Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln
 100 105 110
 Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys
 115 120 125
 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg
 130 135 140
 Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser
 145 150 155 160
 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser
 165 170 175
 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val
 180 185 190
 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe
 195 200 205
 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val
 210 215 220
 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg
 225 230 235 240
 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile
 245 250 255
 Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile
 260 265 270
 Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe
 275 280 285
 Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe
 290 295 300
 Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp
 305 310 315 320
 Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly
 325 330 335
 Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala
 340 345 350
 Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg
 355 360 365
 Ala Gln Glu Ile Phe Ala Lys Tyr Asn Lys Asp Lys Lys Val Arg Val
 370 375 380
 Phe Thr Phe Ser Val Gly Gln His Asn Tyr Asp Arg Gly Pro Ile Gln
 385 390 395 400

Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile
 405 410 415

Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg
 420 425 430

Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn
 435 440 445

Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu
 450 455 460

Pro Val Phe Asn Ile Thr Gly Gln Asn Glu Asn Lys Thr Asn Leu Lys
 465 470 475 480

Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp
 485 490 495

Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr
 500 505 510

Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln
 515 520 525

Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp
 530 535 540

Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile
 545 550 555 560

Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln
 565 570 575

Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro
 580 585 590

Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser
 595 600 605

Phe Tyr Tyr Ile Lys Ala Lys Ile Glu Glu Thr Ile Thr Gln Ala Arg
 610 615 620

Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn
 625 630 635 640

Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn
 645 650 655

Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn
 660 665 670

Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Thr Asp
 675 680 685

Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val
 690 695 700

Gln	Asn	Tyr	Trp	Ser	Lys	Gln	Lys	Asn	Ile	Lys	Gly	Val	Lys	Ala	Arg	
705					710					715					720	
Phe	Val	Val	Thr	Asp	Gly	Gly	Ile	Thr	Arg	Val	Tyr	Pro	Lys	Glu	Ala	
				725					730					735		
Gly	Glu	Asn	Trp	Gln	Glu	Asn	Pro	Glu	Thr	Tyr	Glu	Asp	Ser	Phe	Tyr	
			740					745					750			
Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe	
		755					760					765				
Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys	
	770					775					780					
Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val	
785					790					795					800	
Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr	
				805					810					815		
Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn	
			820					825					830			
Ser	Asp	Val	Met	Asp	Cys	Val	Ile	Leu	Asp	Asp	Gly	Gly	Phe	Leu	Leu	
		835					840					845				
Met	Ala	Asn	His	Asp	Asp	Tyr	Thr	Asn	Gln	Ile	Gly	Arg	Phe	Phe	Gly	
	850					855					860					
Glu	Ile	Asp	Pro	Ser	Leu	Met	Arg	His	Leu	Val	Asn	Ile	Ser	Val	Tyr	
865					870					875					880	
Ala	Phe	Asn	Lys	Ser	Tyr	Asp	Tyr	Gln	Ser	Val	Cys	Glu	Pro	Gly	Ala	
				885					890					895		
Ala	Pro	Lys	Gln	Gly	Ala	Gly	His	Arg	Ser	Ala	Tyr	Val	Pro	Ser	Ile	
			900					905					910			
Ala	Asp	Ile	Leu	His	Ile	Gly	Trp	Trp	Ala	Thr	Ala	Ala	Ala	Trp	Ser	
		915					920					925				
Ile	Leu	Gln	Gln	Phe	Leu	Leu	Ser	Leu	Thr	Phe	Pro	Arg	Leu	Leu	Glu	
	930					935					940					
Ala	Val	Glu	Met	Glu	Asp	Asp	Asp	Phe	Thr	Ala	Ser	Leu	Ser	Lys	Gln	
945					950					955				960		
Ser	Cys	Ile	Thr	Glu	Gln	Thr	Gln	Tyr	Phe	Phe	Asp	Asn	Asp	Ser	Lys	
				965					970					975		
Ser	Phe	Ser	Gly	Val	Leu	Asp	Cys	Gly	Asn	Cys	Ser	Arg	Ile	Phe	His	
			980					985					990			
Val	Glu	Lys	Leu	Met	Asn	Thr	Asn	Leu	Ile	Phe	Ile	Met	Val	Glu	Ser	
		995					1000					1005				

Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln
1010 1015 1020

Thr Ser Asp Gly Pro Asp Pro Cys Asp Met Val Lys Gln Pro Arg Tyr
1025 1030 1035 1040

Arg Lys Gly Pro Asp Val Cys Phe Asp Asn Asn Ala Leu Glu Asp Tyr
1045 1050 1055

Thr Asp Cys Gly Gly Val Ser
1060

<210> 9

<211> 1069

<212> PRT

<213> Sus scrofa

<400> 9

Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
1 5 10 15

Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr
20 25 30

Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala
35 40 45

Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr
50 55 60

Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu
65 70 75 80

Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala
85 90 95

Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln
100 105 110

Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys
115 120 125

Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg
130 135 140

Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser
145 150 155 160

Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser
165 170 175

Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val
180 185 190

Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe

195					200					205						
Gly	Ser	Ala	Thr	Gly	Leu	Ala	Arg	Tyr	Tyr	Pro	Ala	S	r	Pro	Trp	Val
210						215					220					
Asp	Asn	Ser	Arg	Thr	Pro	Asn	Lys	Ile	Asp	Leu	Tyr	Asp	Val	Arg	Arg	
225					230					235					240	
Arg	Pro	Trp	Tyr	Ile	Gln	Gly	Ala	Ala	Ser	Pro	Lys	Asp	Met	Leu	Ile	
				245					250					255		
Leu	Val	Asp	Val	Ser	Gly	Ser	Val	Ser	Gly	Leu	Thr	Leu	Lys	Leu	Ile	
			260					265					270			
Arg	Thr	Ser	Val	Ser	Glu	Met	Leu	Glu	Thr	Leu	Ser	Asp	Asp	Asp	Phe	
		275					280					285				
Val	Asn	Val	Ala	Ser	Phe	Asn	Ser	Asn	Ala	Gln	Asp	Val	Ser	Cys	Phe	
	290					295					300					
Gln	His	Leu	Val	Gln	Ala	Asn	Val	Arg	Asn	Lys	Lys	Val	Leu	Lys	Asp	
305					310					315					320	
Ala	Val	Asn	Asn	Ile	Thr	Ala	Lys	Gly	Ile	Thr	Asp	Tyr	Lys	Lys	Gly	
				325					330					335		
Phe	Ser	Phe	Ala	Phe	Glu	Gln	Leu	Leu	Asn	Tyr	Asn	Val	Ser	Arg	Ala	
			340					345					350			
Asn	Cys	Asn	Lys	Ile	Ile	Met	Leu	Phe	Thr	Asp	Gly	Gly	Glu	Glu	Arg	
	355						360					365				
Ala	Gln	Glu	Ile	Phe	Ala	Lys	Tyr	Asn	Lys	Asp	Lys	Lys	Val	Arg	Val	
	370					375					380					
Phe	Thr	Phe	Ser	Val	Gly	Gln	His	Asn	Tyr	Asp	Arg	Gly	Pro	Ile	Gln	
385					390					395					400	
Trp	Met	Ala	Cys	Glu	Asn	Lys	Gly	Tyr	Tyr	Tyr	Glu	Ile	Pro	Ser	Ile	
				405					410					415		
Gly	Ala	Ile	Arg	Ile	Asn	Thr	Gln	Glu	Tyr	Leu	Asp	Val	Leu	Gly	Arg	
			420					425					430			
Pro	Met	Val	Leu	Ala	Gly	Asp	Lys	Ala	Lys	Gln	Val	Gln	Trp	Thr	Asn	
		435					440					445				
Val	Tyr	Leu	Asp	Ala	Leu	Glu	Leu	Gly	Leu	Val	Ile	Thr	Gly	Thr	Leu	
	450					455					460					
Pro	Val	Phe	Asn	Ile	Thr	Gly	Gln	Asn	Glu	Asn	Lys	Thr	Asn	Leu	Lys	
465					470					475					480	
Asn	Gln	Leu	Ile	Leu	Gly	Val	Met	Gly	Val	Asp	Val	Ser	Leu	Glu	Asp	
				485					490					495		
Ile	Lys	Arg	Leu	Thr	Pro	Arg	Phe	Thr	Leu	Cys	Pro	Asn	Gly	Tyr	Tyr	

500					505					510						
Phe	Ala	Ile	Asp	Pro	Asn	Gly	Tyr	Val	Leu	Leu	His	Pro	Asn	Leu	Gln	
515					520					525						
Pro	Lys	Asn	Pro	Lys	Ser	Gln	Glu	Pro	Val	Thr	Leu	Asp	Phe	Leu	Asp	
530					535					540						
Ala	Glu	Leu	Glu	Asn	Asp	Ile	Lys	Val	Glu	Ile	Arg	Asn	Lys	Met	Ile	
545					550					555					560	
Asp	Gly	Glu	Ser	Gly	Glu	Lys	Thr	Phe	Arg	Thr	Leu	Val	Lys	Ser	Gln	
565					570					575						
Asp	Glu	Arg	Tyr	Ile	Asp	Lys	Gly	Asn	Arg	Thr	Tyr	Thr	Trp	Thr	Pro	
580					585					590						
Val	Asn	Gly	Thr	Asp	Tyr	Ser	Leu	Ala	Leu	Val	Leu	Pro	Thr	Tyr	Ser	
595					600					605						
Phe	Tyr	Tyr	Ile	Lys	Ala	Lys	Ile	Glu	Glu	Thr	Ile	Thr	Gln	Ala	Arg	
610					615					620						
Ser	Lys	Lys	Gly	Lys	Met	Lys	Asp	Ser	Glu	Thr	Leu	Lys	Pro	Asp	Asn	
625					630					635					640	
Phe	Glu	Glu	Ser	Gly	Tyr	Thr	Phe	Ile	Ala	Pro	Arg	Asp	Tyr	Cys	Asn	
645					650					655						
Asp	Leu	Lys	Ile	Ser	Asp	Asn	Asn	Thr	Glu	Phe	Leu	Leu	Asn	Phe	Asn	
660					665					670						
Glu	Phe	Ile	Asp	Arg	Lys	Thr	Pro	Asn	Asn	Pro	Ser	Cys	Asn	Thr	Asp	
675					680					685						
Leu	Ile	Asn	Arg	Val	Leu	Leu	Asp	Ala	Gly	Phe	Thr	Asn	Glu	Leu	Val	
690					695					700						
Gln	Asn	Tyr	Trp	Ser	Lys	Gln	Lys	Asn	Ile	Lys	Gly	Val	Lys	Ala	Arg	
705					710					715					720	
Phe	Val	Val	Thr	Asp	Gly	Gly	Ile	Thr	Arg	Val	Tyr	Pro	Lys	Glu	Ala	
725					730					735						
Gly	Glu	Asn	Trp	Gln	Glu	Asn	Pro	Glu	Thr	Tyr	Glu	Asp	Ser	Phe	Tyr	
740					745					750						
Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe	
755					760					765						
Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys	
770					775					780						
Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val	
785					790					795					800	
Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr	

805										810					815				
Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn				
			820					825					830						
Ser	Asp	Val	Met	Asp	Cys	Val	Ile	Leu	Asp	Asp	Gly	Gly	Phe	Leu	Leu				
		835					840					845							
Met	Ala	Asn	His	Asp	Asp	Tyr	Thr	Asn	Gln	Ile	Gly	Arg	Phe	Phe	Gly				
	850					855					860								
Glu	Ile	Asp	Pro	Ser	Leu	Met	Arg	His	Leu	Val	Asn	Ile	Ser	Val	Tyr				
865					870					875					880				
Ala	Phe	Asn	Lys	Ser	Tyr	Asp	Tyr	Gln	Ser	Val	Cys	Glu	Pro	Gly	Ala				
				885					890					895					
Ala	Pro	Lys	Gln	Gly	Ala	Gly	His	Arg	Ser	Ala	Tyr	Val	Pro	Ser	Ile				
			900					905					910						
Ala	Asp	Ile	Leu	His	Ile	Gly	Trp	Trp	Ala	Thr	Ala	Ala	Ala	Trp	Ser				
		915					920					925							
Ile	Leu	Gln	Gln	Phe	Leu	Leu	Ser	Leu	Thr	Phe	Pro	Arg	Leu	Leu	Glu				
	930					935					940								
Ala	Val	Glu	Met	Glu	Asp	Asp	Asp	Phe	Thr	Ala	Ser	Leu	Ser	Lys	Gln				
945					950					955					960				
Ser	Cys	Ile	Thr	Glu	Gln	Thr	Gln	Tyr	Phe	Phe	Asp	Asn	Asp	Ser	Lys				
				965					970					975					
Ser	Phe	Ser	Gly	Val	Leu	Asp	Cys	Gly	Asn	Cys	Ser	Arg	Ile	Phe	His				
			980					985					990						
Val	Glu	Lys	Leu	Met	Asn	Thr	Asn	Leu	Ile	Phe	Ile	Met	Val	Glu	Ser				
		995					1000					1005							
Lys	Gly	Thr	Cys	Pro	Cys	Asp	Thr	Arg	Leu	Leu	Ile	Gln	Ala	Glu	Gln				
	1010					1015					1020								
Thr	Ser	Asp	Gly	Pro	Asp	Pro	Cys	Asp	Met	Val	Lys	Gln	Pro	Arg	Tyr				
1025					1030					1035					1040				
Arg	Lys	Gly	Pro	Asp	Val	Cys	Phe	Asp	Asn	Asn	Ala	Leu	Glu	Asp	Tyr				
				1045					1050					1055					
Thr	Asp	Cys	Gly	Gly	Val	Ser	His	His	His	His	His	His	His	His	His				
			1060					1065											

<210> 10
 <211> 3055
 <212> DNA
 <213> Homo sapiens

<400> 10

```
atggctgctg gctgcctgct ggccttgact ctgacacttt tccaatcttt gctcatcggc 60
ccctcgtcgg aggagccggt cccttcggcc gtcactatca aatcatgggt ggataagatg 120
caagaagacc ttgtcacact ggcaaaaaca gcaagtggag tcaatcagct tgttgatatt 180
tatgagaaat atcaagatgt gtatactgtg gaaccaaata atgcacgcca gctggtagaa 240
attgcagcca gggatattga gaaacttctg agcaacagat ctaaagccct ggtgagcctg 300
gcattggaag cggagaaagt tcaagcagct caccagtggg gagaagattt tgcaagcaat 360
gaagtgtct actacaatgc aaaggatgat ctcgatcctg agaaaaatga cagttagcca 420
ggcagccaga ggataaaacc tgttttcatt gaagatgcta attttgacg acaaatatct 480
tatcagcacg cagcagtcca tattcctact gacatctatg agggctcaac aattgtgtta 540
aatgaactca actggacaag tgccttagat gaagttttca aaaagaatcg cgaggaagac 600
ccttcattat tgtggcaggt ttttggcagt gccactggcc tagctcgata ttatccagct 660
tcaccatggg ttgataatag tagaactcca aataagattg acctttatga tgtacgcaga 720
agaccatggg acatccaagg agctgcatct cctaaagaca tgcttattct ggtggatgtg 780
agtggaaagt ttagtggatt gacacttaaa ctgatccgaa catctgtctc cgaaatgtta 840
gaaaccctct cagatgatga tttcgtgaat gtagcttcat ttaacagcaa tgctcaggat 900
gtaagctgtt ttcagcacct tgtccaagca aatgtaagaa ataaaaaagt gttgaaagac 960
gcggtgaata atatcacagc caaaggaatt acagattata agaagggtt tagttttgct 1020
tttgaacagc tgcttaatta taatgtttcc agagcaaact gcaataagat tattatgcta 1080
ttcacggatg gaggagaaga gagagcccag gagatattta acaaatacaa taaagataaa 1140
aaagtacgtg tattcaggtt ttcagttggg caacacaatt atgagagagg acctattcag 1200
tggtatggcct gtgaaaacaa aggttattat tatgaaattc cttccattgg tgcaataaga 1260
atcaatactc aggaatatat ggatgttttg ggaagacca tggttttagc aggagacaaa 1320
gctaagcaag tccaatggac aaatgtgtac ctggatgcat tggaaactggg acttgtcatt 1380
actggaactc ttccggtctt caacataacc ggccaatttg aaaataagac aaacttaaag 1440
aaccagctga ttcttggtgt gatgggagta gatgtgtctt tggaagatat taaaagactg 1500
acaccagctt ttacactgtg ccccaatggg tattactttg caatcgatcc taatggttat 1560
gttttattac atccaaatct tcagccaaag aaccccaaat ctgaggagcc agtaacattg 1620
gatttccttg atgcagagtt agagaatgat attaaagtgg agattcgaaa taagatgatt 1680
gatggggaaa gtggagaaaa aacattcaga actctggtta aatctcaaga tgagagatat 1740
attgacaaag gaaacaggac atacacatgg acacctgtca atggcacaga ttacagtttg 1800
gccttggtat taccaaccta cagttttttac tatataaaag ccaaactaga agagacaata 1860
actcaggcca gatcaaaaaa gggcaaaatg aaggattcgg aaaccctgaa gccagataat 1920
tttgaagaat ctggctatac attcatagca ccaagagatt actgcaatga cctgaaaata 1980
tcggataata acactgaatt tcttttaaat ttcaacgagt ttattgatag aaaaactcca 2040
aacaacccat catgtaacgc ggatttgatt aatagagtct tgcttgatgc aggctttaca 2100
aatgaacttg tccaaaatta ctggagtaag cagaaaaata tcaagggagt gaaagcacga 2160
tttgttgatga ctgatggtgg gattaccaga gtttatccca aagaggctgg agaaaattgg 2220
caagaaaacc cagagacata tgaggacagc ttctataaaa ggagcctaga taatgataac 2280
tatgttttca ctgctcccta ctttaacaaa agtggacctg gtgcctatga atcgggcatt 2340
atggtaaagca aagctgtaga aatatatatt caagggaaac ttcttaaacc tgcagttgtt 2400
ggaattaaaa ttgatgtaaa ttcttgata gagaatttca ccaaaacctc aatcagagat 2460
ccgtgtgctg gtccagtttg tgactgcaaa agaaacagtg acgtaatgga ttgtgtgatt 2520
ctggatgatg gtgggtttct tctgatggca aatcatgatg attatactaa tcagattgga 2580
agattttttg gagagattga tcccagcttg atgagacacc tggttaatat atcagtttat 2640
gcttttaaca aatcttatga ttatcagtca gtatgtgagc ccggtgctgc accaaaacaa 2700
ggagcaggac atcgctcagc atatgtgcc aacagtagcag acatattaca aattggctgg 2760
tgggccactg ctgctgcctg gtctattcta cagcagtttc tcttgagttt gacctttcca 2820
cgactccttg aggcagttga gatggaggat gatgacttca cggcctccct gtccaagcag 2880
agctgcatta ctgaacaaac ccagtatttc ttcgataacg acagtaaata attcagtggt 2940
gtattagact gtggaaaactg ttccagaatc tttcatggag aaaagcttat gaacaccaac 3000
ttaatatcca taatggttga gagcaaaggg acatgtccat gtgacacacg actgc 3055
```

<210> 11

<211> 3109

<212> DNA

<213> Homo sapiens

<400> 11

atggctgctg	gctgcctgct	ggccttgact	ctgacacttt	tccaatcttt	gctcatcggc	60
ccctcgtcgg	aggagccgtt	cccttcggcc	gtcactatca	aatcatgggt	ggataagatg	120
caagaagacc	ttgtcacact	ggcaaaaaa	gcaagtggag	tcaatcagct	tggtgatatt	180
tatgagaaat	atcaagattt	gtatactgtg	gaaccaaata	atgcacgcca	gctggtagaa	240
attgcagcca	gggatattga	gaaacttctg	agcaacagat	ctaaagccct	ggtgagcctg	300
gcattggaag	cggagaaaag	tcaagcagct	caccagtggg	gagaagattt	tgcaagcaat	360
gaagttgtct	actacaatgc	aaaggatgat	ctcgatcctg	agaaaaatga	cagtgaacca	420
ggcagccaga	ggataaaaac	tggttttcatt	gaagatgcta	atgttgagcg	acaaatatct	480
tatcagcacg	cagcagtcga	tattcctact	gacatctatg	agggctcaac	aattgtgtta	540
aatgaactat	atgggacaag	tgcccttagat	gaagttttca	aaaagaatcg	cgaggaagac	600
ccttcattat	tggtggcaggt	ttttggcaggt	gccactggcc	tagctcgata	ttatccagct	660
tcaccatggg	ttgataatag	tagaaactcca	aataagattg	acctttatga	tgtacgcaga	720
agaccatggg	acatccaagg	agctgcatct	cctaaagaca	tgcttattct	ggtggatgtg	780
agtggaaagt	ttagtggatt	gacacttaaa	ctgatccgaa	catctgtctc	cgaaatgtta	840
gaaaccctct	cagatgatga	tttcgtgaat	gtagcttcat	ttaacagcaa	tgctcaggat	900
gtaagctgtt	ttcagcacct	tgtccaagca	aatgtaagaa	ataaaaaagt	gttgaaagac	960
gcggtgaata	atatcacagc	caaaggaatt	acagattata	agaagggctt	tagttttgct	1020
tttgaacagc	tgcttaatta	taatgtttcc	agagcaaaact	gcaataagat	tattatgcta	1080
ttcacggatg	gaggagaaga	gagagcccag	gagatattta	acaaatacaa	taaagataaa	1140
aaagtacgtg	tattcaggtt	ttcagttggt	caacacaatt	atgagagagg	acctattcag	1200
tggtatggcct	gtgaaaacaa	aggttattat	tatgaaattc	cttccattgg	tgcaataaga	1260
atcaatactc	aggaatatatt	ggatgttttg	ggaagaccaa	tggttttagc	aggagacaaa	1320
gctaagcaag	tccaatggac	aaatgtgtac	ctggatgcac	tggaactggg	actgttcatt	1380
actggaactc	ttccggtcct	caacataacc	ggccaatttg	aaaaataagac	aaacttaaa	1440
aaccagctga	ttcttggtgt	gatgggagta	gatgtgtctt	tggaagatat	taaaagactg	1500
acaccagctt	ttacactgtg	ccccaatggg	tattactttg	caatcgatcc	taatggttat	1560
gttttattac	atccaaatct	tcagccaaag	aaccccaaat	ctcaggagcc	agtaacattg	1620
gatttccttg	atgcagagtt	agagaatgat	attaaagtgg	agattcgaaa	taagatgatt	1680
gatggggaaa	gtggagaaaa	aacattcaga	actctgggta	aatctcaaga	tgagagatat	1740
attgacaaa	gaaacaggac	atacacatgg	acacctgtca	atggcacaga	ttacagtttg	1800
gccttggtat	taccaacctta	cagttttttac	tatataaaa	ccaaactaga	agagacaata	1860
actcaggcca	gatcaaaaaa	gggcaaaatg	aaggattcgg	aaaccctgaa	gccagataat	1920
tttgaagaat	ctggctatac	attcatagca	ccaagagatt	actgcaatga	cctgaaaata	1980
tcggataata	acactgaatt	tcttttaaat	ttcaacgagt	ttattgatag	aaaaactcca	2040
aacaacccat	catgtaacgc	ggatttgatt	aatagagtct	tgcttgatgc	aggctttaca	2100
aatgaacttg	tccaaaatta	ctggagtaag	cagaaaaata	tcaagggagt	gaaagcacga	2160
tttgttgatg	ctgatgggtg	gattaccaga	gtttatccca	aagaggctgg	agaaaattgg	2220
caagaaaacc	cagagacata	tgaggacagc	ttctataaaa	ggagcctaga	taatgataac	2280
tatgtttttca	ctgctcccta	ctttaacaaa	agtggacctg	gtgcctatga	atcgggcatt	2340
atggttaagca	aagctgtaga	aatatatatt	caagggaac	ttcttaaaac	tgcatgtgtt	2400
ggaattaaaa	ttgatgtaaa	ttcctggata	gagaatttca	ccaaaacctc	aatcagagat	2460
ccgtgtgctg	gtccagtttg	tgactgcaaa	agaaacagtg	acgtaatgga	ttgtgtgatt	2520
ctggatgatg	gtgggtttct	tctgatggca	aatcatgatg	attatactaa	tcagattgga	2580
agattttttg	gagagattga	tcccagcttg	atgagacacc	tggttaatat	atcagtttat	2640
gcttttaaca	aatcttatga	ttatcagtca	gtatgtgagc	ccggtgctgc	acaaaaacaa	2700
ggagcaggac	atcgctcagc	atatgtgcc	tcagtagcag	acatattaca	aattggctgg	2760
tgggccactg	ctgctgcctg	gtctattcta	cagcagtttc	tcttgagttt	gacctttcca	2820
cgactccttg	aggcagttga	gatggaggat	gatgacttca	cggcctccct	gtccaagcag	2880
agctgcatta	ctgaacaaac	ccagtatttc	ttcgataacg	acagtaaata	attcagtggt	2940
gtattagact	gtggaaactg	ttccagaatc	tttcatggag	aaaagcttat	gaacaccaac	3000
ttaatatcca	taatggttga	gagcaaagg	acatgtccat	gtgacacacg	actgctcata	3060
caagcggagc	agacttctga	cggtccaaat	ccttgtgaca	tggttaagc		3109

<210> 12
<211> 3190
<212> DNA
<213> Homo sapiens

<400> 12
atggctgctg gctgacctgct ggaccttgact ctgacacttt tccaatcttt gctcatcggc 60
ccctcgctcg aggagccgtt cccttcggcc gtcactatca aatcatgggt ggataagatg 120
caagaagacc ttgtcacact ggcaaaaaca gcaagtggag tcaatcagct tgttgatatt 180
tatgagaaat atcaagattt gtatactgtg gaaccaaata atgcacgcca gctggtagaa 240
attgcagcca gggatattga gaaacttctg agcaacagat ctaaagccct ggtgagccctg 300
gcattgggaag cggagaaagt tcaagcgact caccagtga gagaagattt tgcaagcaat 360
gaagttgtct actacaatgc aaaggatgat ctcgatccctg agaaaaatga cagtgaacca 420
ggcagccaga ggataaaacc tgttttcatt gaagatgcta attttggacg acaaataatct 480
tatcagcagc cagcagtcca tttcctact gacatctatg agggctcaac aattgtgtta 540
aatgaactca actggacaag tgccttagat gaagttttca aaaagaatcg cgaggaagac 600
ccttcattat tgtggcaggt ttttggcagt gccactggcc tagctcgata ttatccagct 660
tcaccatggg ttgataatag tagaactcca aataagattg acctttatga tgtacgcaga 720
agaccatggt acatccaagg agctgcatct cctaaagaca tgcttattct ggtggatgtg 780
agtggaaagt ttagtggatt gacacttaaa ctgatccgaa catctgtctc cgaaatgtta 840
gaaaccctct cagatgatga tttcgtgaat gtagcttcat ttaacagcaa tgctcaggat 900
gtaagctgtt ttcagcacct tgtccaagca aatgtaagaa ataaaaaagt gttgaaagac 960
gcggtgaata atatcacagc caaaggaatt acagattata agaagggtt tagttttgct 1020
tttgaacagc tgcttaatta taatgtttcc agagcaaact gcaataagat tattatgcta 1080
ttcacggatg gaggagaaga gagagcccag gagatattta acaaatacaa taaagataaa 1140
aaagtacgtg tttcaggtt ttcagttggt caacacaatt atgagagagg acctattcag 1200
tggaatggct gtgaaaacaa aggttattat tatgaaattc cttccattgg tgcaataaga 1260
atcaatactc aggaatattt ggtgttttg ggaagaccaa tggttttagc aggagacaaa 1320
gctaagcaag tccaatggac aaatgtgtac ctggatgcac tggaaactggg acttgtcatt 1380
actggaactc ttccggtctt caacataacc ggccaatttg aaaataagac aaacttaaa 1440
aaccagctga ttcttggtgt gatgggagta gatgtgtctt tggaagatat taaaagactg 1500
acaccacgtt ttacactgtg ccccaatggg tattactttg caatcgatcc taatggttat 1560
gttttattac atccaaatct tcagccaaag aaccccaaact ctgaggagcc agtaacattg 1620
gatttccttg atgcagagtt agagaatgat attaaagtgg agattcgaaa taagatgatt 1680
gatggggaaa gtggagaaaa aacattcaga actctggtta aatctcaaga tgagagatat 1740
attgacaaag gaaacaggac atacacatgg acacctgtca atggcacaga ttacagtttg 1800
gccttggtat taccaacctc cagttttttac tatataaaag ccaaactaga agagacaata 1860
actcaggcca gatcaaaaaa gggcaaaatg aaggattcgg aaaccctgaa gccagataat 1920
tttgaagaat ctggctatac attcatagca ccaagagatt actgcaatga cctgaaaata 1980
tcggataata aactgaatt tcttttaaat ttcaacgagt ttattgatag aaaaactcca 2040
aacaacccat catgtaacgc ggatttgatt aatagagtct tgcttgatgc aggctttaca 2100
aatgaacttg tccaaaatta ctggagtaag cagaaaaata tcaaggagat gaaagcacga 2160
tttgttgtga ctgatggtgg gattaccaga gtttatccca aagaggctgg agaaaattgg 2220
caagaaaacc cagagacata tgaggacagc ttctataaaa ggagcctaga taatgataac 2280
tatgttttca ctgctcccta ctttaacaaa agtggacctg gtgcctatga atcgggcatt 2340
atggtgaagc aagctgtaga aatatatatt caagggaaac ttcttaaaacc tgcagttgtt 2400
ggaattaaaa ttgatgtaaa ttcctggata gagaatttca ccaaaacctc aatcagagat 2460
ccgtgtgctg gtccagtttg tgactgcaaa agaaacagtg acgtaattga ttgtgtgatt 2520
ctggatgatg gtgggtttct tctgatggca aatcatgatg attatactaa tcagattgga 2580
agattttttg gagagattga tcccagcttg atgagacacc tggttaatat atcagtttat 2640
gcttttaaca aatcttatga ttatcagtca gtatgtgagc ccggtgctgc accaaaacaa 2700
ggagcaggac atcgtcagc atatgtgcca tcagtagcag acatattaca aattggctgg 2760
tgggccactg ctgctgctg gtctattcta cagcagtttc tcttgagttt gacctttcca 2820
cgactccttg aggcagttga gatggaggat gatgacttca cggcctccct gtccaagcag 2880
agctgcatta ctgaacaaac ccagtatttc ttcgataacg acagtaaatc attcagtggt 2940
gtattagact gtggaaactg ttccagaatc tttcatggag aaaagcttat gaacaccaac 3000
ttaatattca taatggttga gagcaaaagg acatgtccat gtgacacacg actgctcata 3060

caagcggagc agacttctga cgggtccaaat ccttggtgaca tgggttaagca acctagatac 3120
cgaaaagggc ctgatgtctg ctttgataac aatgtcttgg aggattatac tgactgtggt 3180
ggtgtttctg 3190

<210> 13
<211> 1018
<212> PRT
<213> Homo sapiens

<400> 13
Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
1 5 10 15
Leu Leu Ile Gly Pro Ser Ser Glu Glu Pro Phe Pro Ser Ala Val Thr
20 25 30
Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala
35 40 45
Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr
50 55 60
Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu
65 70 75 80
Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala
85 90 95
Leu Val Ser Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln
100 105 110
Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys
115 120 125
Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg
130 135 140
Ile Lys Pro Val Phe Ile Glu Asp Ala Asn Phe Gly Arg Gln Ile Ser
145 150 155 160
Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser
165 170 175
Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val
180 185 190
Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe
195 200 205
Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val
210 215 220
Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg
225 230 235 240
Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile

			245				250				255				
Leu	Val	Asp	Val 260	Ser	Gly	Ser	Val	Ser	Gly	Leu	Thr	Leu	Lys 270	Leu	Ile
Arg	Thr	Ser	Val 275	Ser	Glu	Met	Leu	Glu	Thr	Leu	Ser	Asp 285	Asp	Asp	Phe
Val	Asn	Val	Ala 290	Ser	Phe	Asn 295	Ser	Asn	Ala	Gln	Asp 300	Val	Ser	Cys	Phe
Gln 305	His	Leu	Val	Gln	Ala 310	Asn	Val	Arg	Asn	Lys 315	Lys	Val	Leu	Lys	Asp 320
Ala	Val	Asn	Asn	Ile 325	Thr	Ala	Lys	Gly	Ile 330	Thr	Asp	Tyr	Lys	Lys	Gly
Phe	Ser	Phe	Ala 340	Phe	Glu	Gln	Leu	Leu	Asn	Tyr	Asn	Val	Ser 350	Arg	Ala
Asn	Cys	Asn	Lys 355	Ile	Ile	Met	Leu 360	Phe	Thr	Asp	Gly	Gly 365	Glu	Glu	Arg
Ala	Gln	Glu	Ile 370	Phe	Asn	Lys 375	Tyr	Asn	Lys	Asp	Lys 380	Lys	Val	Arg	Val
Phe 385	Arg	Phe	Ser	Val	Gly 390	Gln	His	Asn	Tyr	Glu 395	Arg	Gly	Pro	Ile	Gln 400
Trp	Met	Ala	Cys	Glu 405	Asn	Lys	Gly	Tyr	Tyr 410	Tyr	Glu	Ile	Pro	Ser	Ile
Gly	Ala	Ile	Arg 420	Ile	Asn	Thr	Gln	Glu 425	Tyr	Leu	Asp	Val	Leu 430	Gly	Arg
Pro	Met	Val	Leu 435	Ala	Gly	Asp	Lys 440	Ala	Lys	Gln	Val	Gln 445	Trp	Thr	Asn
Val	Tyr	Leu	Asp 450	Ala	Leu	Glu 455	Leu	Gly	Leu	Val	Ile 460	Thr	Gly	Thr	Leu
Pro 465	Val	Phe	Asn	Ile	Thr 470	Gly	Gln	Phe	Glu	Asn 475	Lys	Thr	Asn	Leu	Lys 480
Asn	Gln	Leu	Ile	Leu 485	Gly	Val	Met	Gly	Val 490	Asp	Val	Ser	Leu	Glu 495	Asp
Ile	Lys	Arg	Leu 500	Thr	Pro	Arg	Phe	Thr 505	Leu	Cys	Pro	Asn	Gly 510	Tyr	Tyr
Phe	Ala	Ile	Asp 515	Pro	Asn	Gly	Tyr 520	Val	Leu	Leu	His	Pro 525	Asn	Leu	Gln
Pro	Lys	Asn	Pro 530	Lys	Ser	Gln 535	Glu	Pro	Val	Thr	Leu 540	Asp	Phe	Leu	Asp
Ala	Glu	Leu	Glu	Asn	Asp	Ile	Lys	Val	Glu	Ile	Arg	Asn	Lys	Met	Ile

545	550	555	560
Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln	565	570	575
Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro	580	585	590
Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser	595	600	605
Phe Tyr Tyr Ile Lys Ala Lys Leu Glu Glu Thr Ile Thr Gln Ala Arg	610	615	620
Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn	625	630	635
Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn	645	650	655
Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn	660	665	670
Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Ala Asp	675	680	685
Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val	690	695	700
Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg	705	710	715
Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala	725	730	735
Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr	740	745	750
Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe	755	760	765
Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys	770	775	780
Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val	785	790	795
Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr	805	810	815
Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn	820	825	830
Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu	835	840	845
Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly			

850		855		860
Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr				
865		870		875 880
Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala				
	885		890	895
Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Val				
	900		905	910
Ala Asp Ile Leu Gln Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser				
	915		920	925
Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu				
	930		935	940
Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln				
	945		950	955 960
Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys				
	965		970	975
Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His				
	980		985	990
Gly Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser				
	995		1000	1005
Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu				
	1010		1015	

<210> 14
 <211> 1036
 <212> PRT
 <213> Homo sapiens

<400> 14
 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
 1 5 10 15
 Leu Leu Ile Gly Pro Ser Ser Glu Glu Pro Phe Pro Ser Ala Val Thr
 20 25 30
 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala
 35 40 45
 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr
 50 55 60
 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu
 65 70 75 80
 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala
 85 90 95

Leu	Val	Ser	Leu	Ala	Leu	Glu	Ala	Glu	Lys	Val	Gln	Ala	Ala	His	Gln	
			100					105						110		
Trp	Arg	Glu	Asp	Phe	Ala	Ser	Asn	Glu	Val	Val	Tyr	Tyr	Asn	Ala	Lys	
		115					120					125				
Asp	Asp	Leu	Asp	Pro	Glu	Lys	Asn	Asp	Ser	Glu	Pro	Gly	Ser	Gln	Arg	
		130				135					140					
Ile	Lys	Pro	Val	Phe	Ile	Glu	Asp	Ala	Asn	Phe	Gly	Arg	Gln	Ile	Ser	
145					150					155					160	
Tyr	Gln	His	Ala	Ala	Val	His	Ile	Pro	Thr	Asp	Ile	Tyr	Glu	Gly	Ser	
				165					170					175		
Thr	Ile	Val	Leu	Asn	Glu	Leu	Asn	Trp	Thr	Ser	Ala	Leu	Asp	Glu	Val	
			180					185					190			
Phe	Lys	Lys	Asn	Arg	Glu	Glu	Asp	Pro	Ser	Leu	Leu	Trp	Gln	Val	Phe	
		195					200					205				
Gly	Ser	Ala	Thr	Gly	Leu	Ala	Arg	Tyr	Tyr	Pro	Ala	Ser	Pro	Trp	Val	
	210					215					220					
Asp	Asn	Ser	Arg	Thr	Pro	Asn	Lys	Ile	Asp	Leu	Tyr	Asp	Val	Arg	Arg	
225					230					235					240	
Arg	Pro	Trp	Tyr	Ile	Gln	Gly	Ala	Ala	Ser	Pro	Lys	Asp	Met	Leu	Ile	
				245					250					255		
Leu	Val	Asp	Val	Ser	Gly	Ser	Val	Ser	Gly	Leu	Thr	Leu	Lys	Leu	Ile	
			260					265					270			
Arg	Thr	Ser	Val	Ser	Glu	Met	Leu	Glu	Thr	Leu	Ser	Asp	Asp	Asp	Phe	
		275					280					285				
Val	Asn	Val	Ala	Ser	Phe	Asn	Ser	Asn	Ala	Gln	Asp	Val	Ser	Cys	Phe	
	290					295					300					
Gln	His	Leu	Val	Gln	Ala	Asn	Val	Arg	Asn	Lys	Lys	Val	Leu	Lys	Asp	
305					310					315					320	
Ala	Val	Asn	Asn	Ile	Thr	Ala	Lys	Gly	Ile	Thr	Asp	Tyr	Lys	Lys	Gly	
				325					330					335		
Phe	Ser	Phe	Ala	Phe	Glu	Gln	Leu	Leu	Asn	Tyr	Asn	Val	Ser	Arg	Ala	
			340					345					350			
Asn	Cys	Asn	Lys	Ile	Ile	Met	Leu	Phe	Thr	Asp	Gly	Gly	Glu	Glu	Arg	
		355					360					365				
Ala	Gln	Glu	Ile	Phe	Asn	Lys	Tyr	Asn	Lys	Asp	Lys	Lys	Val	Arg	Val	
	370					375					380					
Phe	Arg	Phe	Ser	Val	Gly	Gln	His	Asn	Tyr	Glu	Arg	Gly	Pro	Ile	Gln	
385					390					395					400	

Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile
 405 410 415

Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg
 420 425 430

Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn
 435 440 445

Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu
 450 455 460

Pro Val Phe Asn Ile Thr Gly Gln Phe Glu Asn Lys Thr Asn Leu Lys
 465 470 475 480

Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp
 485 490 495

Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr
 500 505 510

Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln
 515 520 525

Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp
 530 535 540

Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile
 545 550 555 560

Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln
 565 570 575

Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro
 580 585 590

Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser
 595 600 605

Phe Tyr Tyr Ile Lys Ala Lys Leu Glu Glu Thr Ile Thr Gln Ala Arg
 610 615 620

Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn
 625 630 635 640

Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn
 645 650 655

Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn
 660 665 670

Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Ala Asp
 675 680 685

Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val
 690 695 700

Gln	Asn	Tyr	Trp	Ser	Lys	Gln	Lys	Asn	Ile	Lys	Gly	Val	Lys	Ala	Arg		
705					710					715					720		
Phe	Val	Val	Thr	Asp	Gly	Gly	Ile	Thr	Arg	Val	Tyr	Pro	Lys	Glu	Ala		
				725					730					735			
Gly	Glu	Asn	Trp	Gln	Glu	Asn	Pro	Glu	Thr	Tyr	Glu	Asp	Ser	Phe	Tyr		
			740					745					750				
Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe		
		755					760					765					
Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys		
	770					775					780						
Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val		
785					790					795					800		
Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr		
				805					810					815			
Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn		
			820					825					830				
Ser	Asp	Val	Met	Asp	Cys	Val	Ile	Leu	Asp	Asp	Gly	Gly	Phe	Leu	Leu		
		835					840					845					
Met	Ala	Asn	His	Asp	Asp	Tyr	Thr	Asn	Gln	Ile	Gly	Arg	Phe	Phe	Gly		
	850					855					860						
Glu	Ile	Asp	Pro	Ser	Leu	Met	Arg	His	Leu	Val	Asn	Ile	Ser	Val	Tyr		
865					870					875					880		
Ala	Phe	Asn	Lys	Ser	Tyr	Asp	Tyr	Gln	Ser	Val	Cys	Glu	Pro	Gly	Ala		
				885					890					895			
Ala	Pro	Lys	Gln	Gly	Ala	Gly	His	Arg	Ser	Ala	Tyr	Val	Pro	Ser	Val		
			900					905					910				
Ala	Asp	Ile	Leu	Gln	Ile	Gly	Trp	Trp	Ala	Thr	Ala	Ala	Ala	Trp	Ser		
		915					920					925					
Ile	Leu	Gln	Gln	Phe	Leu	Leu	Ser	Leu	Thr	Phe	Pro	Arg	Leu	Leu	Glu		
	930					935					940						
Ala	Val	Glu	Met	Glu	Asp	Asp	Asp	Phe	Thr	Ala	Ser	Leu	Ser	Lys	Gln		
945					950					955					960		
Ser	Cys	Ile	Thr	Glu	Gln	Thr	Gln	Tyr	Phe	Phe	Asp	Asn	Asp	Ser	Lys		
				965					970					975			
Ser	Phe	Ser	Gly	Val	Leu	Asp	Cys	Gly	Asn	Cys	Ser	Arg	Ile	Phe	His		
			980					985					990				
Gly	Glu	Lys	Leu	Met	Asn	Thr	Asn	Leu	Ile	Phe	Ile	Met	Val	Glu	Ser		
		995				1000						1005					

Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln
1010 1015 1020

Thr Ser Asp Gly Pro Asn Pro Cys Asp Met Val Lys
1025 1030 1035

<210> 15

<211> 1063

<212> PRT

<213> Homo sapiens

<400> 15

Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
1 5 10 15

Leu Leu Ile Gly Pro Ser Ser Glu Glu Pro Phe Pro Ser Ala Val Thr
20 25 30

Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala
35 40 45

Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr
50 55 60

Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu
65 70 75 80

Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala
85 90 95

Leu Val Ser Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln
100 105 110

Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys
115 120 125

Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg
130 135 140

Ile Lys Pro Val Phe Ile Glu Asp Ala Asn Phe Gly Arg Gln Ile Ser
145 150 155 160

Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser
165 170 175

Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val
180 185 190

Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe
195 200 205

Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val
210 215 220

Asp	Asn	Ser	Arg	Thr	Pro	Asn	Lys	Ile	Asp	Leu	Tyr	Asp	Val	Arg	Arg	
225					230					235					240	
Arg	Pro	Trp	Tyr	Ile	Gln	Gly	Ala	Ala	Ser	Pro	Lys	Asp	Met	Leu	Ile	
				245					250					255		
Leu	Val	Asp	Val	Ser	Gly	Ser	Val	Ser	Gly	Leu	Thr	Leu	Lys	Leu	Ile	
			260					265					270			
Arg	Thr	Ser	Val	Ser	Glu	Met	Leu	Glu	Thr	Leu	Ser	Asp	Asp	Asp	Phe	
		275					280					285				
Val	Asn	Val	Ala	Ser	Phe	Asn	Ser	Asn	Ala	Gln	Asp	Val	Ser	Cys	Phe	
	290					295					300					
Gln	His	Leu	Val	Gln	Ala	Asn	Val	Arg	Asn	Lys	Lys	Val	Leu	Lys	Asp	
305					310					315					320	
Ala	Val	Asn	Asn	Ile	Thr	Ala	Lys	Gly	Ile	Thr	Asp	Tyr	Lys	Lys	Gly	
				325					330					335		
Phe	Ser	Phe	Ala	Phe	Glu	Gln	Leu	Leu	Asn	Tyr	Asn	Val	Ser	Arg	Ala	
			340					345					350			
Asn	Cys	Asn	Lys	Ile	Ile	Met	Leu	Phe	Thr	Asp	Gly	Gly	Glu	Glu	Arg	
		355					360					365				
Ala	Gln	Glu	Ile	Phe	Asn	Lys	Tyr	Asn	Lys	Asp	Lys	Lys	Val	Arg	Val	
	370					375					380					
Phe	Arg	Phe	Ser	Val	Gly	Gln	His	Asn	Tyr	Glu	Arg	Gly	Pro	Ile	Gln	
385					390					395					400	
Trp	Met	Ala	Cys	Glu	Asn	Lys	Gly	Tyr	Tyr	Tyr	Glu	Ile	Pro	Ser	Ile	
				405					410					415		
Gly	Ala	Ile	Arg	Ile	Asn	Thr	Gln	Glu	Tyr	Leu	Asp	Val	Leu	Gly	Arg	
			420					425					430			
Pro	Met	Val	Leu	Ala	Gly	Asp	Lys	Ala	Lys	Gln	Val	Gln	Trp	Thr	Asn	
		435					440					445				
Val	Tyr	Leu	Asp	Ala	Leu	Glu	Leu	Gly	Leu	Val	Ile	Thr	Gly	Thr	Leu	
	450					455					460					
Pro	Val	Phe	Asn	Ile	Thr	Gly	Gln	Phe	Glu	Asn	Lys	Thr	Asn	Leu	Lys	
465					470					475					480	
Asn	Gln	Leu	Ile	Leu	Gly	Val	Met	Gly	Val	Asp	Val	Ser	Leu	Glu	Asp	
				485					490					495		
Ile	Lys	Arg	Leu	Thr	Pro	Arg	Phe	Thr	Leu	Cys	Pro	Asn	Gly	Tyr	Tyr	
			500					505					510			
Phe	Ala	Ile	Asp	Pro	Asn	Gly	Tyr	Val	Leu	Leu	His	Pro	Asn	Leu	Gln	
		515					520					525				

Pro	Lys	Asn	Pro	Lys	Ser	Gln	Glu	Pro	Val	Thr	Leu	Asp	Phe	Leu	Asp		
530						535					540						
Ala	Glu	Leu	Glu	Asn	Asp	Ile	Lys	Val	Glu	Ile	Arg	Asn	Lys	Met	Ile		
545					550					555					560		
Asp	Gly	Glu	Ser	Gly	Glu	Lys	Thr	Phe	Arg	Thr	Leu	Val	Lys	Ser	Gln		
				565					570					575			
Asp	Glu	Arg	Tyr	Ile	Asp	Lys	Gly	Asn	Arg	Thr	Tyr	Thr	Trp	Thr	Pro		
			580					585					590				
Val	Asn	Gly	Thr	Asp	Tyr	Ser	Leu	Ala	Leu	Val	Leu	Pro	Thr	Tyr	Ser		
		595					600					605					
Phe	Tyr	Tyr	Ile	Lys	Ala	Lys	Leu	Glu	Glu	Thr	Ile	Thr	Gln	Ala	Arg		
610						615					620						
Ser	Lys	Lys	Gly	Lys	Met	Lys	Asp	Ser	Glu	Thr	Leu	Lys	Pro	Asp	Asn		
625					630					635					640		
Phe	Glu	Glu	Ser	Gly	Tyr	Thr	Phe	Ile	Ala	Pro	Arg	Asp	Tyr	Cys	Asn		
				645					650					655			
Asp	Leu	Lys	Ile	Ser	Asp	Asn	Asn	Thr	Glu	Phe	Leu	Leu	Asn	Phe	Asn		
			660					665					670				
Glu	Phe	Ile	Asp	Arg	Lys	Thr	Pro	Asn	Asn	Pro	Ser	Cys	Asn	Ala	Asp		
		675					680					685					
Leu	Ile	Asn	Arg	Val	Leu	Leu	Asp	Ala	Gly	Phe	Thr	Asn	Glu	Leu	Val		
690						695					700						
Gln	Asn	Tyr	Trp	Ser	Lys	Gln	Lys	Asn	Ile	Lys	Gly	Val	Lys	Ala	Arg		
705					710					715					720		
Phe	Val	Val	Thr	Asp	Gly	Gly	Ile	Thr	Arg	Val	Tyr	Pro	Lys	Glu	Ala		
				725					730					735			
Gly	Glu	Asn	Trp	Gln	Glu	Asn	Pro	Glu	Thr	Tyr	Glu	Asp	Ser	Phe	Tyr		
		740						745					750				
Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe		
		755					760					765					
Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys		
770						775					780						
Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val		
785					790					795					800		
Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr		
				805					810					815			
Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn		
			820					825					830				

Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu
 835 840 845
 Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly
 850 855 860
 Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr
 865 870 875 880
 Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala
 885 890 895
 Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Val
 900 905 910
 Ala Asp Ile Leu Gln Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser
 915 920 925
 Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu
 930 935 940
 Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln
 945 950 955 960
 Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys
 965 970 975
 Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His
 980 985 990
 Gly Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser
 995 1000 1005
 Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln
 1010 1015 1020
 Thr Ser Asp Gly Pro Asn Pro Cys Asp Met Val Lys Gln Pro Arg Tyr
 1025 1030 1035 1040
 Arg Lys Gly Pro Asp Val Cys Phe Asp Asn Asn Val Leu Glu Asp Tyr
 1045 1050 1055
 Thr Asp Cys Gly Gly Val Ser
 1060

<210> 16
 <211> 1091
 <212> PRT
 <213> Homo sapiens

<400> 16
 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser
 1 5 10 15

Leu Leu Ile Gly Pro Ser Ser Glu Glu Pro Phe Pro Ser Ala Val Thr

20					25					30						
Ile	Lys	Ser	Trp	Val	Asp	Lys	Met	Gln	Glu	Asp	Leu	Val	Thr	Leu	Ala	
35					40					45						
Lys	Thr	Ala	Ser	Gly	Val	Asn	Gln	Leu	Val	Asp	Ile	Tyr	Glu	Lys	Tyr	
50					55					60						
Gln	Asp	Leu	Tyr	Thr	Val	Glu	Pro	Asn	Asn	Ala	Arg	Gln	Leu	Val	Glu	
65					70					75					80	
Ile	Ala	Ala	Arg	Asp	Ile	Glu	Lys	Leu	Leu	Ser	Asn	Arg	Ser	Lys	Ala	
85					90					95						
Leu	Val	Ser	Leu	Ala	Leu	Glu	Ala	Glu	Lys	Val	Gln	Ala	Ala	His	Gln	
100					105					110						
Trp	Arg	Glu	Asp	Phe	Ala	Ser	Asn	Glu	Val	Val	Tyr	Tyr	Asn	Ala	Lys	
115					120					125						
Asp	Asp	Leu	Asp	Pro	Glu	Lys	Asn	Asp	Ser	Glu	Pro	Gly	Ser	Gln	Arg	
130					135					140						
Ile	Lys	Pro	Val	Phe	Ile	Glu	Asp	Ala	Asn	Phe	Gly	Arg	Gln	Ile	Ser	
145					150					155					160	
Tyr	Gln	His	Ala	Ala	Val	His	Ile	Pro	Thr	Asp	Ile	Tyr	Glu	Gly	Ser	
165					170					175						
Thr	Ile	Val	Leu	Asn	Glu	Leu	Asn	Trp	Thr	Ser	Ala	Leu	Asp	Glu	Val	
180					185					190						
Phe	Lys	Lys	Asn	Arg	Glu	Glu	Asp	Pro	Ser	Leu	Leu	Trp	Gln	Val	Phe	
195					200					205						
Gly	Ser	Ala	Thr	Gly	Leu	Ala	Arg	Tyr	Tyr	Pro	Ala	Ser	Pro	Trp	Val	
210					215					220						
Asp	Asn	Ser	Arg	Thr	Pro	Asn	Lys	Ile	Asp	Leu	Tyr	Asp	Val	Arg	Arg	
225					230					235					240	
Arg	Pro	Trp	Tyr	Ile	Gln	Gly	Ala	Ala	Ser	Pro	Lys	Asp	Met	Leu	Ile	
245					250					255						
Leu	Val	Asp	Val	Ser	Gly	Ser	Val	Ser	Gly	Leu	Thr	Leu	Lys	Leu	Ile	
260					265					270						
Arg	Thr	Ser	Val	Ser	Glu	Met	Leu	Glu	Thr	Leu	Ser	Asp	Asp	Asp	Phe	
275					280					285						
Val	Asn	Val	Ala	Ser	Phe	Asn	Ser	Asn	Ala	Gln	Asp	Val	Ser	Cys	Phe	
290					295					300						
Gln	His	Leu	Val	Gln	Ala	Asn	Val	Arg	Asn	Lys	Lys	Val	Leu	Lys	Asp	
305					310					315					320	
Ala	Val	Asn	Asn	Ile	Thr	Ala	Lys	Gly	Ile	Thr	Asp	Tyr	Lys	Lys	Gly	

325										330					335				
Phe	Ser	Phe	Ala	Phe	Glu	Gln	Leu	Leu	Asn	Tyr	Asn	Val	Ser	Arg	Ala				
			340						345					350					
Asn	Cys	Asn	Lys	Ile	Ile	Met	Leu	Phe	Thr	Asp	Gly	Gly	Glu	Glu	Arg				
		355					360					365							
Ala	Gln	Glu	Ile	Phe	Asn	Lys	Tyr	Asn	Lys	Asp	Lys	Lys	Val	Arg	Val				
	370					375					380								
Phe	Arg	Phe	Ser	Val	Gly	Gln	His	Asn	Tyr	Glu	Arg	Gly	Pro	Ile	Gln				
385					390					395					400				
Trp	Met	Ala	Cys	Glu	Asn	Lys	Gly	Tyr	Tyr	Tyr	Glu	Ile	Pro	Ser	Ile				
				405					410					415					
Gly	Ala	Ile	Arg	Ile	Asn	Thr	Gln	Glu	Tyr	Leu	Asp	Val	Leu	Gly	Arg				
			420					425					430						
Pro	Met	Val	Leu	Ala	Gly	Asp	Lys	Ala	Lys	Gln	Val	Gln	Trp	Thr	Asn				
		435					440					445							
Val	Tyr	Leu	Asp	Ala	Leu	Glu	Leu	Gly	Leu	Val	Ile	Thr	Gly	Thr	Leu				
	450					455					460								
Pro	Val	Phe	Asn	Ile	Thr	Gly	Gln	Phe	Glu	Asn	Lys	Thr	Asn	Leu	Lys				
465					470					475					480				
Asn	Gln	Leu	Ile	Leu	Gly	Val	Met	Gly	Val	Asp	Val	Ser	Leu	Glu	Asp				
				485					490					495					
Ile	Lys	Arg	Leu	Thr	Pro	Arg	Phe	Thr	Leu	Cys	Pro	Asn	Gly	Tyr	Tyr				
			500					505					510						
Phe	Ala	Ile	Asp	Pro	Asn	Gly	Tyr	Val	Leu	Leu	His	Pro	Asn	Leu	Gln				
		515					520					525							
Pro	Lys	Asn	Pro	Lys	Ser	Gln	Glu	Pro	Val	Thr	Leu	Asp	Phe	Leu	Asp				
		530				535					540								
Ala	Glu	Leu	Glu	Asn	Asp	Ile	Lys	Val	Glu	Ile	Arg	Asn	Lys	Met	Ile				
545					550					555					560				
Asp	Gly	Glu	Ser	Gly	Glu	Lys	Thr	Phe	Arg	Thr	Leu	Val	Lys	Ser	Gln				
				565					570					575					
Asp	Glu	Arg	Tyr	Ile	Asp	Lys	Gly	Asn	Arg	Thr	Tyr	Thr	Trp	Thr	Pro				
			580					585					590						
Val	Asn	Gly	Thr	Asp	Tyr	Ser	Leu	Ala	Leu	Val	Leu	Pro	Thr	Tyr	Ser				
		595					600					605							
Phe	Tyr	Tyr	Ile	Lys	Ala	Lys	Leu	Glu	Glu	Thr	Ile	Thr	Gln	Ala	Arg				
	610					615					620								
Ser	Lys	Lys	Gly	Lys	Met	Lys	Asp	Ser	Glu	Thr	Leu	Lys	Pro	Asp	Asn				

625		630		635		640
Phe Glu Glu Ser Gly Tyr Thr Ph Ile Ala Pro Arg Asp Tyr Cys Asn						
	645			650		655
Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn						
	660			665		670
Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Ala Asp						
	675			680		685
Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val						
	690			695		700
Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg						
705		710		715		720
Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala						
	725			730		735
Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr						
	740			745		750
Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe						
	755			760		765
Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys						
	770			775		780
Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val						
785		790		795		800
Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr						
	805			810		815
Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn						
	820			825		830
Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu						
	835			840		845
Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly						
	850			855		860
Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr						
	865			870		875
Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala						
	885			890		895
Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Val						
	900			905		910
Ala Asp Ile Leu Gln Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser						
	915			920		925
Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu						

930	935	940
Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln 945 950 955 960		
Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys 965 970 975		
Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His 980 985 990		
Gly Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser 995 1000 1005		
Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln 1010 1015 1020		
Thr Ser Asp Gly Pro Asn Pro Cys Asp Met Val Lys Gln Pro Arg Tyr 1025 1030 1035 1040		
Arg Lys Gly Pro Asp Val Cys Phe Asp Asn Asn Val Leu Glu Asp Tyr 1045 1050 1055		
Thr Asp Cys Gly Gly Val Ser Gly Leu Asn Pro Ser Leu Trp Tyr Ile 1060 1065 1070		
Ile Gly Ile Gln Phe Leu Leu Leu Trp Leu Val Ser Gly Ser Thr His 1075 1080 1085		
Arg Leu Leu 1090		

<210> 17
 <211> 3600
 <212> DNA
 <213> Homo sapiens

<400> 17

gcgggggagg	gggcattgat	cttcgatcgc	gaagatggct	gctggctgcc	tgctggcctt	60
gactctgaca	cttttccaat	ctttgctcat	cggcccctcg	tcggaggagc	cgttcccttc	120
ggccgtcact	atcaaatacat	gggtggataa	gatgcaagaa	gaccttgtca	cactggcaaa	180
aacagcaagt	ggagtcaatc	agcttggtga	tatttatgag	aaatatcaag	atttgtatac	240
tgtggaacca	aataatgcac	gccagctggt	agaaattgca	gccagggata	ttgagaaaact	300
tctgagcaac	agatctaaaag	ccctgggtgag	cctggcattg	gaagcggaga	aagttcaagc	360
agctcaccag	tggagagaag	atcttgcaag	caatgaagtt	gtctactaca	atgcaaagga	420
tgatctcgat	cctgagaaaa	atgacagtga	gccaggcagc	cagaggataa	aacctgtttt	480
cattgaagat	gctaattttg	gacgacaaat	atcttatcag	cacgcagcag	tccatattcc	540
tactgacatc	tatgagggct	caacaattgt	gttaaatgaa	ctcaactgga	caagtgcctt	600
agatgaagtt	ttcaaaaaga	atcgcgagga	agacccttca	ttattgtggc	aggttttttg	660
cagtgccact	ggcctagctc	gatattatcc	agcttcacca	tgggttgata	atagtagaac	720
tccaaataag	attgaccttt	atgatgtacg	cagaagacca	tggtacatcc	aaggagctgc	780
atctcctaaa	gacatgctta	ttctgggtgga	tgtgagtgga	agtgttagtg	gattgacact	840
taaactgatc	cgaacatctg	tctccgaaat	gttagaaacc	ctctcagatg	atgatttcgt	900
gaatgtagct	tcatttaaca	gcaatgctca	ggatgtaagc	tgtttttcagc	accttgctcca	960
agcaaatgta	agaaataaaa	aagtgttgaa	agacgcggtg	aataatatca	cagccaaagg	1020

aattacagat	tataagaagg	gcttttagttt	tgcttttgaa	cagctgctta	attataatgt	1080
ttccagagca	aactgcaata	agattattat	gctattcacg	gatggaggag	aagagagagc	1140
ccaggagata	tttaacaaat	acaataaaga	taaaaaagta	cgtgtattca	ggttttcagt	1200
tggtcaacac	aattatgaga	gaggacctat	tcagtggatg	gcctgtgaaa	acaaaggtta	1260
ttattatgaa	attccttcca	ttggtgcaat	aagaatcaat	actcaggaat	atttggtatg	1320
tttggggaaga	ccaatggttt	tagcaggaga	caaagctaag	caagtccaat	ggacaaatgt	1380
gtacctggat	gcattggaac	tgggacttgt	cattactgga	actcttccgg	tcttcaacat	1440
aaccggccaa	tttgaaaata	agacaaactt	aaagaaccag	ctgattcttg	gtgtgatggg	1500
agtagatgtg	tctttggaag	atattaaaag	actgacacca	cgttttacac	tgtgccccaa	1560
tgggtattac	tttgcaatcg	atcctaattg	ttatgtttta	ttacatccaa	atcttcagcc	1620
aaagaacccc	aaatctcagg	agccagtaac	attggatttc	cttgatgcag	agttagagaa	1680
tgatattaaa	gtggagattc	gaaataagat	gattgatggg	gaaagtggag	aaaaaacatt	1740
cagaactctg	gttaaatctc	aagatgagag	atatattgac	aaaggaaaca	ggacatacac	1800
atggacacct	gtcaatggca	cagattacag	tttggccttg	gtattaccaa	cctacagttt	1860
ttactatata	aaagccaaac	tagaagagac	aataactcag	gccagatcaa	aaaagggcaa	1920
aatgaaggat	tcggaaaccc	tgaagccaga	taattttgaa	gaatctggct	atacattcat	1980
agcaccaaga	gattactgca	atgacctgaa	aatatcggat	aataacactg	aatttctttt	2040
aaatttcaac	gagttttattg	atagaaaaac	tccaaacaac	ccatcatgta	acgcggattt	2100
gattaataga	gtcttgcttg	atgcaggctt	tacaaatgaa	cttgtccaaa	attactggag	2160
taagcagaaa	aatatcaagg	gagtgaaagc	acgatttggt	gtgactgatg	gtgggattac	2220
cagagtttat	cccaaagagg	ctggagaaaa	ttggcaagaa	aaccagaga	catatgagga	2280
cagcttctat	aaaaggagcc	tagataatga	taactatgtt	ttcactgctc	cctactttta	2340
caaaagtgga	cctggtgcct	atgaatcggg	cattatggta	agcaaagctg	tagaaatata	2400
tattcaaggg	aaacttctta	aacctgcagt	tgttggaatt	aaaattgatg	taaattcctg	2460
gatagagaat	ttcaccaaaa	cctcaatcag	agatccgtgt	gctggtccag	tttgtgactg	2520
caaaagaaac	agtgacgtaa	tggatttgtt	gattctggat	gatggtgggt	ttcttctgat	2580
ggcaaactcat	gatgattata	ctaactcagat	tggaagattt	tttgagaga	ttgatcccg	2640
cttgatgaga	cacctgggta	atatatcagt	ttatgctttt	aacaaatctt	atgattatca	2700
gtcagtatgt	gagcccgggtg	ctgcaccaa	acaaggagca	ggacatcgct	cagcatatgt	2760
gccatcagta	gcagacatat	tacaaattgg	ctggtgggcc	actgctgctg	cctggtctat	2820
tctacagcag	tttctcttga	gtttgacctt	tccacgactc	cttgaggcag	ttgagatgga	2880
ggatgatgac	ttcacggcct	ccctgtccaa	gcagagctgc	attactgaac	aaaccagta	2940
tttcttcgat	aacgacagta	aatcattcag	tggtgtatta	gactgtggaa	actgttccag	3000
aatctttcat	ggagaaaagc	ttatgaacac	caacttaata	ttcataatgg	ttgagagcaa	3060
agggacatgt	ccatgtgaca	cacgactgct	catacaagcg	gagcagactt	ctgacgggcc	3120
aaatccttgt	gacatgggta	agcaacctag	ataccgaaaa	gggcctgatg	tctgctttga	3180
taacaatgtc	ttggaggatt	atactgactg	tggtgggtgt	tctggattaa	atccctccct	3240
gtggtatatc	attggaatcc	agtttctact	actttggctg	gtatctggca	gcacacaccg	3300
gctgttatga	ccttctaaaa	accaaactctg	catagttaaa	ctccagacc	tgccaaaaca	3360
tgagccctgc	cctcaattac	agtaacgtag	ggtcagctat	aaaatcagac	aaacattagc	3420
tgggcctggt	ccatggcata	acactaaggc	gcagactcct	aaggcaccca	ctggctgcat	3480
gtcagggtgt	cagatcctta	aacgtgtgtg	aatgctgcat	catctatgtg	taacatcaaa	3540
gcaaaatcct	atacgtgtcc	tctattggaa	aatttgggcg	tttgttggtg	cattgttggt	3600

<210> 18

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<400> 18

ggggattgat cttcgatcgc g

<210> 19
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

<400> 19
ctgagatttg gggttctttg g 21

<210> 20
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

<400> 20
tcgccaccat ggctgctggc tgcctgctg 29

<210> 21
<211> 52
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

<400> 21
tcggaattcc tcagtgatgg tgatgggtgat gagaaacacc accacagtcg gt 52

THIS PAGE BLANK (USPTO)